Jefferson[®]

PROFESSIONAL TOOLS & EQUIPMENT



AUTUMN WINTER 2025-2026

STERLING EDITION

PRODUCT CATALOGUE

AS THE SEASONS SHIFT AND THE DAYS GROW SHORTER, PREPARATION BECOMES ESSENTIAL.

Here at Jefferson Tools, we understand the challenges that autumn and winter can bring, and this latest catalogue is designed to help you stay ready for whatever lies ahead.

Longer nights call for brighter, more reliable lighting solutions – whether on-site, at home or on the go. That's why we have expanded our HyperBeam range of powerful and energy-efficient lights, ensuring safety and productivity even after daylight fades.



Power outages are a nightmare in the cold season, so don't get caught powerless in the event of a storm. Our trusted generators are here to keep you running without interruption.

FROM PAGE 136

Autumn/Winter also brings its share of unpredictable weather. Flooding and excess water can strike suddenly, so our robust water pumps are here to provide fast, effective recovery and peace of mind.

CHECK OUT THE GROWING RANGE ON PAGES 238 - 241

||||| INFERNO™

PEFFERSON

As the temperature drops, dependable heating becomes a necessity, not a luxury. Our variety of heaters have been built to deliver warmth and comfort in workshops, garages, warehouses and outdoor spaces, helping you keep working through the coldest months. We've extended our Inferno Infrared Oil Heater range with a 75,000 BTU option (page 85), providing another low noise, fuel efficient heating option.

FROM PAGE 83



CHECK OUT OUR PVC

FLOORING INSTALLATION

Jefferson Tools is proud to equip you with the right tools to face the season with confidence.

INTRODUCING OUR RRAND NEW JEFFERSON TOOLS WEBSITE



We're excited to announce the launch of our brand-new website, designed to make browsing the Jefferson Tools range of products faster, easier and more convenient.

WITH OUR NEW WEBSITE, YOU CAN:



Browse our full product range with downloadable specification sheets and product manuals



View the latest promotions including Tool Up!



Locate your nearest brand supplier



Enter our latest competitions



Register your purchases with our simple Warranty Registration Form



Connect with our professionals, whether you need product advice or more information on any product



Event updates - tradeshows and events we are attending near you

VISIT JEFFERSONTOOLS.COM TODAY AND EXPERIENCE THE DIFFERENCE FOR YOURSELF.

@jeffersontoolsofficial

WE'RE ON





Other social media platforms







PROUD SPONSORS OF





OUR TRUSTED JEFFERSON BRANDS













































LOOK OUT FOR ALL THE NEW PRODUCTS IN THE CATALOGUE

DRILL BITS & SETS







HOSE CLIPS



IMPACT BIT SETS







CASSETTE TYPE CABLE REELS














WELDING (CONT.)	
Electrode Holders	
Electrode LeadFittings	
Gas	
Gas Regulators	
Gas Torch & Accessories	42-4
Gauges	
Gauntlets	
Helmets Magnetic Clamps	
MIG Torches & Consumables	
Panel Sockets	5
Plasma Cutters & Accessories	
Soldering Mat	
Welders Welding Magnets	
Welding Rods	
Welding Tools	
Welding Wire	4
POWER TOOLS	
Bandsaws	76-7
Belt Linishers	
Bench Drills	
Bench Grinders & Stand	
Bit Holders Bit Sets	
Box Cutter	
Burrs	
Cement Mixers & Accessories	
Chop Saw	
Chucks & Adaptors	
Core Drill Bits Counter Sinks	
Cut Off Saws	
Drill Bits & Sets	
Hand Mixer & Accessories	
Heat Guns & Accessories	
Holesaw Sets & Accessories Impact Bits & Accessories	
Magnetic Drills & Accessories	
Mitre Saws & Stand	
Morse Tapers	
Multi-Tool Blades	
Pillar Drills	
Pin Spanner Planer Blades	
Power Bit Sets	
Quick Nuts	
SDS Bits & Chisels	
Slugger Bits Socket Adaptors	
Step Drills & Sets	
TCT Blades	
Vacuums	81-8
HEATING & COOLING	
Air Conditioners	8
Fans	87-8
Heaters	83-8
PRESSURE WASHING	
Accessories	95-10
Fittings	
Hose Reel & Cart	
Lances & Accessories	
Pressure WashersSurface Cleaners	
Water Hose, Connectors & Accessories	
ACCESS EQUIPMENT	
Fibreglass Stepladders	
Multi-Purpose LaddersPlatforms	
Roof Rack Ladder Clamps	10
Scaffolding Towers	106-10
Telescopic Ladders	10
AUTOMOTIVE & WORKSHOP	
Axle Stands109, 11	1. 113-11
Bottle Jacks	
Creepers	
Engine Cranes	
Heel & Toe Jacks	
Induction Heater & Accessories Magnetic Pickup Tool	
Magnetic Trays & Holders	
Magnetic Spray Gun Holder	12
Mechanics Seats	12
Oil Filter Strap Wrenches	
Parts Washer	
Sing Mondore	
Pipe Benders	11

AUTOMOTIVE & WORKSHOP (CONT.)	
Porta Powers1	
Pullers & Sets119-1	
PVC Floor Tiles	
Fransmission Jacks 1	116
Frolley Jacks	13
Wheel Nut Wrench Set1 Wheel Skates1	123
	114
LIGHT & POWER	
Battery Chargers & Conditioners1461	47
Booster Cables	46 47
Generators	
leadlamps1	26
nspection Lamps	1/10
Plugs & Sockets	
PTO Generators1	41
Site Lights134-1 Spotlights	
Starter Chargers1	148
Throw Leads1	
Forches	
_ighting126-1	135
Nork Lights128-1	31
HAND TOOLS	
Adjustable Quick Squares1	84
Adjustable Wrenches1	160
Axes / Hatchets	
Box Cutter1	
Breaker Bars1	
Caulking Guns	176 177
Chisels174-1	175
Circlip Pliers1	63
Clamp Meters	
Combination Squares1	
Crimping Sets 1	187
Orill Press Vices	
Engineering Squares	184
Extractor Sets	90
Fence Wire Strainer1 Hacksaws1	170
Hammers165-1	166
Key Sets1	
Knives & Blades177-1 Measuring180-1	
Moisture Meter1	186
Multimeters	
Pick & Hook Sets	
Pipe Bender 1	161
Pipe Cutters	
Pipe Wrenches	
Pliers & Sets163-1	164
Podger Spanners	58
Punches	
Ratchet Spanners & Sets159-1	160
Razor Blades & Accessories	179 176
Rules	
Scrapers1	79
Screwdrivers & Sets191-1 Socket Ratchets1	153
Socket Tester 1	185
Socket Sets150-1	
Soldering Iron & Accessories	
Spirit Levels182-1	183
Spring Clamps1	
F-Bar Clamps	189
Tap & Drill Sets 188, 1	190
Thermometer1	
Fhread Repair Kits	
Forque Wrenches154-1	155
/ernier Calipers	
/ice Grips	
/oltage Testers1	186
Nire Strippers	
Wrecking Bars & Sets1	
Wrenches160-1	

STORAGE, LIFTING & TRANSPORT	
Adjustable Work Table	
Cargo Net	
Electric Pallet Trucks	217
Hand Trucks & Spare wheelsHoists	
Hydraulic Cylinders213- Hydraulic Hand Pumps	-214
Lever Blocks	
Lift Tables	
Mobile Workshop Trollies200-201,	218
Moving Skates	
Plate Clamps	212
Ratchet Straps	
Slings	222
Storage Bin Systems	198
Storage System	
Tarpaulin	221
Telescopic Trestle	
Tool Chests202-	-209
Tool Sets	
Truck / Site Boxes & Accessories210	-211
PERSONAL PROTECTION EQUIPMEN	
Eye ProtectionFace Protection	
Gloves223	-226
Hearing Protection	228
Carou Cuito	227
ABRASIVES	
Cup Brushes	
Diamond Blades	230
Emery Cloth Rolls	
Grinding Discs	231
Grinding WheelsPoly Discs	
Wire Brushes	
FLUID & GREASE HANDLING	
Drain Pan	
	236
Fluid Extraction Pumps	236 242
Fuel Handling234 Fuel Nozzle	236 242 -236 234
Fuel Handling	236 242 -236 234 -235
Fuel Handling	236 242 -236 234 -235 235 243
Fuel Handling 234 Fuel Nozzle 234 Fuel Pumps & Tanks 234 Funnels 234 Grease Gun Drill Attachment 234 Grease Guns & Accessories 234	236 242 -236 234 -235 243 243 243
Fuel Handling	236 242 -236 -234 -235 -243 -243 -243
Fuel Handling 234 Fuel Nozzle 234 Fuel Pumps & Tanks 234 Funnels Grease Gun Drill Attachment Grease Guns & Accessories Grease Guns & Accessories Grease Pumps & Accessories 327 Hand Pump Sprayers 237 Jerry Cans & Spouts 237 Layflat Hose 237	236 242 -236 234 -235 243 243 242 -238 240
Fuel Handling 234 Fuel Nozzle 234 Fuel Pumps & Tanks 234 Funnels 234 Grease Gun Drill Attachment 237 Grease Guns & Accessories 237 Hand Pump Sprayers 237 Jerry Cans & Spouts 237 Layflat Hose 237 Measuring Jugs 238	236 242 -236 234 -235 243 243 242 -238 236 236
Fuel Handling 234 Fuel Nozzle 234 Fuel Pumps & Tanks 234 Funnels 234 Grease Gun Drill Attachment 6 Grease Guns & Accessories 6 Grease Pumps & Accessories 237 Jerry Cans & Spouts 237 Layflat Hose Measuring Jugs 0il Cans 0il Cans Sewage Pumps 5	236 242 -236 234 -235 243 243 -236 240 236 242 242 241
Fuel Handling	236 242 -236 234 -235 243 242 -238 240 236 240 236 241 236
Fuel Handling 234 Fuel Nozzle 234 Fuel Pumps & Tanks 234 Funnels 324 Grease Gun Drill Attachment 322 Grease Guns & Accessories 322 Grease Pumps & Accessories 323 Jerry Cans & Spouts 324 Layflat Hose 324 Measuring Jugs 327 Sewage Pumps 327 Spray Bottle 324	236 242 -236 234 -235 243 242 -238 240 236 240 236 241 236
Fuel Handling	236 242 -236 234 -235 243 242 -238 240 236 242 241 236 238
Fuel Handling	236 242 234 234 235 243 242 236 240 236 242 241 236 238
Fuel Handling	236 242 -235 235 243 242 -238 240 241 236 242 241 238 249 247 250 246
Fuel Handling	236 242 -236 234 -235 243 242 -238 236 240 236 242 241 236 238 249 247 250 249 249 249 249 249
Fuel Handling	236 242 -236 234 -235 243 242 -238 236 240 236 242 241 236 238 247 250 249 249 245 244
Fuel Handling	236 242 -235 243 243 243 244 236 240 236 241 236 249 245 249 244 244 244 244
Fuel Handling	236 242 -235 243 243 243 244 236 240 236 241 236 249 249 249 244 244 244 244 244
Fuel Handling	236 242 -235 235 243 242 -238 236 240 236 241 236 247 250 244 244 244 244 244 244 244 244 245
Fuel Handling	236 242 235 235 243 243 243 246 240 236 242 241 236 249 245 244 248 248 249 249 249 249 249 249 249 249 249 249
Fuel Handling	236 242 234 235 243 243 242 236 242 243 244 244 244 244 244 244 244 244
Fuel Handling	236 242 234 235 243 242 243 244 244 244 244 244 244 244
Fuel Handling	2362 2422 2343 2432 2432 2432 2441 2362 2447 2502 2444 2444 2444 2444 2444 2444 2444
Fuel Handling	236 242 234 235 243 243 242 236 240 236 242 241 236 249 245 244 248 244 248 244 248 244 248 244 248 244 248 244 248 244 248 244 248 248
Fuel Handling	236 242 234 234 235 243 243 240 236 241 236 247 250 246 249 244 244 244 244 244 244 244 244 244

2HP COMPRESSORS


- · Aluminium head with cast-iron cylinder
- · Welded tank fully-compliant with the latest safety requirements
- · Fitted with an automatic pressure cut-out switch with twin gauges displaying tank and working pressures







	PRODUCT	TANK CAPACITY	VOLTAGE	MOTOR	MAX. PRESSURE	AIR DISPLACEMENT	WEIGHT	PRICE Ex. Vat
	JEFLD2001-110	25L	110V	2HP / 1.5kW	8bar/116psi	191L/min / 7cfm	27.5kg	£190.83
1	JEFC025L08B-230	25L	230V	2HP / 1.5kW	8bar/116psi	191L/min / 7cfm	27.5kg	£178.33
	JEFLD2001-50110	50L	110V	2HP / 1.5kW	8bar/116psi	191L/min / 7cfm	36kg	£228.33
2	JEFC050L08B-230	50L	230V	2HP / 1.5kW	8bar/116psi	191L/min / 7cfm	36kg	£207.50
3	JEFC050L10B-230	50L	230V	2HP / 1.5kW	10bar/145psi	221L/min / 8cfm	36.8kg	£261.67



- the tank provides protection against corrosion
- · Guraranteed Sound Power: 97dB(A)
- · Weight: 50L: 39kg 100L: 52kg











	JEFC100V08B-230E
Tank Capacity:	100L Tank
Voltage:	230V (13A)
Motor:	3HP / 2.2kW
Max Pressure:	8bar / 116psi
Air Displacement:	356L/min / 12.6cfm

PRICE EX.VAT

JEFFERSON® V PUMP COMPRESSORS SHOULD ONLY BE USED TO GENERATE LARGE VOLUMES OF AIR OVER SHORT PERIODS OF TIME

6.5HP 10 BAR PETROL COMPRESSORS

- · Heavy-duty cylinders with alloy head
- · Fitted with 2 robust rubber PU filled wheels and anti-vibration feet
- · Runs on unleaded fuel
- · Twin pressure gauges showing tank and working pressure
- · Powder-coated tank
- · Fuel tank: 3.6L

Both models include: Regulator & complete wheel kit WORTH £83.00 EX.VAT













	PRODUCT	TANK CAPACITY	MOTOR	MAX PRESSURE	AIR DISPLACEMENT	GUARANTEED Sound Power	WEIGHT	PRICE EX. VAT
1	JEFCIND050P-6.5	50L	6.5HP / 4.8kW	10bar / 145psi	480L/min / 16.9cfm	96dB LWA	73kg	£954.17
2	JEFCIND100P-6.5	100L	6.5HP / 4.8kW	10bar / 145psi	480L/min / 16.9cfm	96dB LWA	88kg	£1104.17

100 LITRE 3HP 10 BAR COMPRESSOR

- · Comes complete with pressure regulator
- · Heavy-duty cylinders with alloy heads for improved heat dissipation
- · Large and solid wheels for ease of mobility
- · Front castor wheel 360° turn around
- · Welded tank to comply with the latest safety requirements
- · Powder coated tank
- · Heavy duty electric motor single phase
- · Twin pressure gauges show tank and working pressure
- · Weight: 66kg

Regulator & complete wheel kit WORTH £71 EX.VAT





Jefferson

富愚愚愚愚愚愚冤∑望(€♥



FULL COPPER MOTOR, RATED

S1-100%

	JEFC100L10B-230
Tank Capacity:	100L Tank
Voltage:	230V (13A)
Motor:	3HP / 2.2kW
Max Pressure:	10bar / 145psi
Air Displacement	2611 /min / 9 2cfm









200 LITRE 3HP 10 BAR COMPRESSOR WITH SILENT CANOPY

- Heavy-duty cylinders with alloy heads for improved heat dissipation
- Comes complete with pressure regulator with moisture trap
- · Large and solid wheels for ease of mobility
- Twin front castor wheel for improved stability and manoeuvrability
- Drive guards offer protection to the fly-wheel and belt assembly
- · Powder-coated tank
- Twin pressure gauges showing tank and working pressure
- · Guaranteed Sound Power Level: 75dB
- · Weight: 127kg

Tank Capacity:

Max Pressure:

Air Displacement:

Voltage: Motor:











DISCOVER MORE

£957.50

PRICE EX.VAT

3HP 10	BAR	COMPRESSORS

- · Fitted with a heavy duty single-phase 3HP motor
- · Heavy-duty cylinders with alloy heads for improved heat dissipation

JEFC200L10B-230SC

200L Tank 230V (13A)

3HP / 2.2kW

10bar / 145psi

418L/min / 14.8cfm

- · Comes complete with pressure regulator with moisture trap
- · Large and solid wheels for ease of mobility
- · Twin front castor wheel for improved stability and manoeuvrability
- $\boldsymbol{\cdot}$ Drive guards offer protection to the fly-wheel and belt assembly
- · Powder-coated tank
- $\boldsymbol{\cdot}$ Twin pressure gauges showing tank and working pressure
- · Dimensions:

150L: 1350 x 460 x 910mm 200L: 1385 x 498 x 1042mm Both models include: Regulator & complete wheel kit WORTH £85 EX.VAT



BOTH INCLUDE LEVER BALL VALVE FOR CONNECTION TO TANK



100% COPPER GUARANTEED

FULL COPPER MOTOR, RATED \$1-100% DUTY CYCLE

BELT



	PRODUCT	TANK CAPACITY	VOLTAGE	MOTOR	MAX PRESSURE	AIR DISPLACEMENT	WEIGHT	PRICE Ex. Vat
1	JEFC150L10B-230	150L	230V (13A)	3HP / 2.2kW	10bar / 145psi	408L/min / 14.4cfm	102kg	£649.17
2	JEFC200L10B-230	200L	230V (13A)	3HP / 2.2kW	10bar / 145psi	408L/min / 14.4cfm	104kg	£682.50

200 LITRE 4HP 10 BAR COMPRESSOR

JEFCIND200L-4.0

· Heavy-duty cylinders with alloy heads for improved heat dissipation

· Full copper motor, rated s1-100% Duty cycle

· Pressure regulator with moisture trap

· Drive guards offer protection to the fly-wheel and belt assembly

JEFCIND200L-4.0 200L Tank

· Powder-coated tank

· Twin pressure gauges showing tank and working pressure

· Pump Speed: 945rpm

· Cylinders: 3

Guaranteed Sound Power: 96dB LWA

· Weight: 146kg

· Dimensions: 1365 x 477 x 1033mm

LIQUID FILL FD PRESSURE GAUGES





INDUS









RICE EX. VAT

£932.50



Tank Capacity:	200L Tank		
Voltage:	230V (16A)		
Motor:	4HP / 3.0kW	INCLUDES	PF
Max Pressure:	10bar / 145psi	AUTOMATIC INCLUDES 4X	
Air Displacement:	452L/min / 15.9cfm	VALVE ANTI-VIBRATION FEET	

270 LITRE 3 PHASE 10 BAR PROFESSIONAL COMPRESSORS

· Fitted with 4x anti-vibration feet

· Welded tank to comply with the latest safety requirements

· Relt driven

· Heavy duty electric motor 3 phase

· Twin pressure gauges show tank and working pressure

· Cast iron pump for reliability







	PRODUCT	VOLTAGE	MOTOR	MAX PRESSURE	AIR Displacement	GUARANTEED SOUND POWER	WEIGHT	PRICE EX. VAT
1	JEFC270L10B-5.5	3 Phase (16A)	5.5HP / 4.1kW	10bar / 145psi	702L/min / 24.8cfm	96dB LWA	195kg	£1562.50
2	JEFC270L10B-7.5	3 Phase (32A)	7.5HP / 5.5kW	10bar / 145psi	900Lmin / 32cfm	97dB LWA	213kg	£1958.33
3	JEFC270L10B-10.0	3 Phase (50A)	10.0HP / 7.5kW	10bar / 145psi	1269L/min / 45cfm	97dB LWA	230kg	£2287.50

270 LITRE 2X3HP 10 BAR TANDEM COMPRESSOR

- · 270L Belt-driven compressor suitable for professional workshops
- · Fitted with 2 heavy duty single-phase 3HP motors
- · Heavy-duty cylinders with alloy heads for improved heat dissipation
- Anti-vibration padded feet
- Drive guards offer protection to the fly-wheel and belt assembly
- Powder-coated tank
- · Welded tank fully-compliant with the latest European manufacturing & safety standards
- Guaranteed Sound Power: 97db LWA

· weight: 190kg	
	JEFC270T10B-230
Tank Capacity:	270L Tank
Voltage:	230V (32A)
Motor:	2x 3HP Motors / 2 x 2.2kW
Max Pressure:	10bar / 145psi
Air Displacement:	838L/min / 29.6cfm







SCREW AIR COMPRESSORS

- · Oil cooled motor
- · Coaxial all-in-one motor design
- · Easy access maintenance
- · Colour touch screen control pad
- · Permanent magnet motor offers significant benefits over traditional induction motors, such as higher efficiency, reduced maintenance and lower heat generation
- · Rotary screws provide efficient drive transmission that eliminates slippage
- · Silenced cabinet minimises vibrations and ensures a quieter operation
- $\boldsymbol{\cdot}$ Air receiver ensures consistent airflow which helps to manage pressure peaks during operation
- · Both models include castor wheel kit
- · Guaranteed Sound Power Level: 75dB
- · Compact deisgn
- · 100% duty cycle






























160 LITRE 3HP

- · Dimensions: 540 x 895 x 1300mm
- · Weight: 160kg



DISCOVER MORE

200 LITRE 5.5HP WITH AIR DRYER



Dimensions: 1554 x 540 x 1200mm

Weight: 190kg

Woight: Footig	JEFCIND200S-05.5
Tank Capacity:	200L Tank
Voltage:	230V (32A)
Motor:	5.5HP / 4.0kW
Max Pressure:	10bar / 145psi
Free Air Delivery:	630L/min / 22.0cfm



DISCOVER MORE

	JEFCIND160S-03.0
Tank Capacity:	160L Tank
Voltage:	230V (13A)
Motor:	3HP / 2.2kW
Max Pressure:	10bar / 145psi
Free Air Delivery:	220L/min / 8.0cfm

PRICE EX.VAT £3291.67



SCREW AIR COMPRESSORS/REFRIGERATED DRYERS

- · Belt-driven rotary screw compressor designed for high-capacity continuous, industrial use
- · Pre & after filter
- · Fitted with an efficient heavy duty three-phase electric motor (IE3)
- · Quiet running performance, ideal for environments requiring low noise emissions
- · Powder-coated solid steel cabinet housing with foam noise insulation barriers
- · 100% duty cycle application
- · Air dryer system
- · Automatic time-controlled drain system & easy front end access for maintenance tasks
- · Automatic drain valve
- · Welded tank fully-compliant with the latest European manufacturing & safety standards
- · Schneider switchgear
- · Guaranteed Sound Power Level: 69dB
- · Weight: 460kg















360 LITRE

· Weight: 460kg

LOW NOISE OUTPUT

	JEFCIND360S-10.0
Tank Capacity:	360L Tank
Voltage:	3 Phase (50A)
Motor:	10HP / 7.5kW
Max Pressure:	10.5bar / 152psi
Free Air Delivery (F.A.D):	0.97m³/min / 34.3cfm



PRICE EX. VAT

500 LITRE

· Weight: 570kg

ı	46
	IJ
	kW
ı	III.

	JEFCIND500S-20.0
Tank Capacity:	500L Tank
Voltage:	3 Phase (50A)
Motor:	20HP / 15kW
Max Pressure:	10.5bar / 152psi
Free Air Delivery (F.A.D):	2.15m³/min / 76cfm





TUNDRA 10 BAR SCREW COMPRESSORS/REFRIGERATED DRYERS

- · Variable speed permanent magnet oil cooled motor
- · Direct drive
- · Includes refrigerated dryer and pre & after filter
- · Fitted with an energy efficient heavy duty three-phase electric motor (IE4)
- · Low noise levels with sound levels measured at 69/70dB(a) from a 1.5 metre distance
- · 96% efficiency at full load
- · 100% duty cycle application
- · Schneider switchgear

	TUNCINDSPMVS-30.0	TUNCINDSPMVS-50.0
Voltage	3 Phase (50Hz)	3 Phase (50Hz)
Power	30HP / 22kW	50HP / 37kW
Input Current	50A	90A
Motor Speed	3000rpm	3000rpm
Max Pressure	10bar / 145psi	10bar / 145psi
Discharge Air Connection	1"	1.5"
Free Air Delivery (F.A.D.)	2.8m³/min @ 10bar / 99cfm	5.9m³/min @ 10bar / 209cfm
Weight	370kg	505kg
Dimensions	1150 x 895 x 1100mm	1300 x 1000 x 1210mm















REFRIGERATED DRYER AND PRE & AFTER FILTER INCLUDED

TUNDRA 30HP 10 BAR SCREW COMPRESSOR/REFRIGERATED DRYER

TUNCINDSPMVS-30.0





TUNDRA 50HP 10 BAR SCREW COMPRESSOR/REFRIGERATED DRYER

TUNCINDSPMVS-50.0





COMPRESSOR SPARES






































	PRODUCT	DESCRIPTION	PRICE EX. VAT
1	JEFLD040	Air Filter for 25L, 50L & Twin Tank	£8.96
2	JEFC050V10B230-P026	Air Filter for 50L & 100L V Pump	£11.63
3	JEFC050V08B-SP030	Air Filter for JEFC050V08B / JEFC100V08B-230E	£11.63
4	JEFLD4009-002	Air Filter for 100L & 200L (Screw Type)	£9.67
5	JEFC200L10B-P018	Air Filter for 100L, 150L & 200L (Bolt On Type)	£11.46
6	JEFLD001	Air Breather for 25L, 50L & Twin Tank	£7.71
7	JEFC050V08B-SP012	Air Breather for JEFC050V08B / JEFC100V08B-230E	£7.29
8	JEFLD048 Compressor Single Phase Pressure Switch for 25L, 50L & Twin Tank		£31.25
9	JEFLD050	Compressor Single Phase Pressure Switch c/w lever for 25L, 50L & Twin Tank	£32.46
10	JEFLD049	Compressor Three Phase Pressure Switch	£34.58
11	JEFLD051	Compressor Air Cock 25 & 50L	£5.21
12	JEFLD4009-081	Compressor 1/4" Pressure Gauge compatible with all models	£14.38
13	JEFLD4009-062	Compressor 3/8" Pressure Regulator for 100L, 150L & 200L	£37.29
14	JEFLD022	Compressor Motor Cover 25 & 50L	£21.63
15	JEFC150L10B-S028	Compressor 3HP Motor 100, 150 & 200L	£270.83
16	JEFLD3008-HEAD	Compressor Head for 100L	£215.83
17	JEFC150L10B-S050	Compressor Head/Pump for 150L & 200L	£279.17

AIR FILTER REGULATORS & LUBRICATORS

- · Removes moisture from air to protect tools & equipment
- · Auto-draining flotation valve
- · Design includes air pressure pre-set locking control knob & pressure gauge
- · Polycarbonate water trap with metal protector
- · Equipped with wall mounting bracket
- · Pressure Regulation: 0.05 0.85MPa
- · Rated Filtration: 5µm
- · Max Supply Pressure: 1.0MPa / 145psi
- · Max. Outlet Pressure: 0.9MPa / 130psi
- · Rated Outlet Pressure: 0.8MPa / 116psi







RECOMMENDED OIL: ISO VG 32 TURBINE 1

	PRODUCT	DESCRIPTION	MAX AIRFLOW	DRAIN VALVE OUTLET / THREAD	PRESSURE Gauge Thread	PRICE EX. VAT
1	JEFFR2000-02	1/4" Outlet Filter Regulator c/w Gauge	550L/min / 19cfm	1/4" BSP	1/8" BSP	£24.96
	JEFFR4000-04	1/2" Outlet Filter Regulator c/w Gauge	4000L/min/141cfm	1/2" BSP	1/4" BSP	£43.29
	JEFFR5000-06	3/4" Outlet Filter Regulator c/w Gauge	5000L/min/176cfm	3/4" BSP	1/4" BSP	£55.83
	JEFFR5000-10	1" Outlet Filter Regulator c/w Gauge	5000L/min/176cfm	1" BSP	1/4" BSP	£68.33
	JEFFRAL2010-02	1/4" Outlet Filter Regulator / Lubricator	500L/min/18cfm	1/4" BSP	1/8" BSP	£38.13
	JEFFRAL4010-04	1/2" Outlet Filter Regulator / Lubricator	3000L/min/106cfm	1/2" BSP	1/4" BSP	£59.58
2	JEFFRAL5010-06	3/4" Outlet Filter Regulator / Lubricator	4000L/min/141cfm	3/4" BSP	1/4" BSP	£82.50
	JEFFRAL5010-10	1" Outlet Filter Regulator / Lubricator	4000L/min/176cfm	1" BSP	1/4" BSP	£95.83





HIGH-VIS AIRLINE SUZIS

1

- · Swivel female 1/4" BSPT ends
- · Pre-treated thread sealant fittings
- · PU material
- · Straight hose ends



	PRODUCT	DESCRIPTION	INNER Diameter	OUTER Diameter	MAX. WORKING PRESSURE	FITTING	PRICE EX. VAT
1	JEFA070	7.5m High-Vis Airline Suzi	5mm	8mm	12 bar / 174psi	1/4" BSP	£14.96
2	JEFA071	15m High-Vis Airline Suzi	5mm	8mm	12 bar / 174psi	1/4" BSP	£18.96
3	JEFA072	7.5m Heavy Duty High-Vis Airline Suzi	8mm	12mm	12 bar / 174psi	1/4" BSP	£20.79
4	JEFA073	15m Heavy Duty High-Vis Airline Suzi	8mm	12mm	12 bar / 174psi	1/4" BSP	£30.79

RUBBER AIRLINE HOSES



- · Manufactured in accordance with EN 2398
- · Ideal for workshops, garages and bodyshops
- · Max 20bar (290psi) working pressure
- · 10m hoses fitted with BSP female swivel unions





INDUSTRIA

	PRODUCT	HOSE Diameter	LENGTH	FITTING	PRICE Ex. Vat
1	JEFHOSAR08-010	8mm	10m	1/4"	£26.46
2	JEFHOSAR10-010	10mm	10m	3/8"	£31.04
	JEFHOSAR08-050	8mm	50m	-	£99.17
3	JEFHOSAR10-050	10mm	50m	-	£115.83
	JEFHOSAR08-100K	8mm	100m	-	£187.50
	JEFHOSAR10-100K	10mm	100m	-	£204.17

INDUSTRIAL AUTO RETRACTING AIR HOSE REELS

- Heavy-duty steel construction designed for wall, floor or ceiling mounting, applicable for use in long life industrial and automotive applications
- · Spring located in the middle to ensure stability of the reel
- · Four-direction non-snag hose rollers reduce hose wear
- · Adjustable arm guide (wall, floor, ceiling and pit) and dual pedestal base
- Ball bearing swivel joint structure for easy maintenance and large reduction in the friction between swivel spool and swivel body
- · Auto-rewinding with spring powered recoil

15M 3/8" HOSE

JEFHOSRLH15-3-8

· Length: 15m / 50ft

· Working Pressure: 28bar / 400psi



15M 1/2" HOSE

JEFHOSRLH15-1-2

- · Length: 15m / 50ft
- · Working Pressure: 20bar / 300psi



PRICE EX. VAT **£245.83**

10M 3/4" HOSE

JEFHOSRLH10-3-4

- · Length: 10m / 32ft
- · Working Pressure: 150bar / 2200psi



£424.17

15M 3/8" AUTO RETRACTING HOSE REEL

JEFHOSRL15-3-8P

- Retractable air hose reel with industrial steel casing & corrosion-resistant, powder-coated finish
- · Hose manufactured in accordance with ISO2398:2016
- · 20bar / 300psi maximum working pressure
- 1m Fly Lead: with 3/8" BSP Female to 3/8" BSPT Male fittings
- · Outlet Connection: 3/8" BSPT
- · Reel Casing: Steel
- · Weight: 15.25kg

IS02398:2016



£126.67



HIGH-VIS HYBRID HOSE

SPREMIUM PERFORMANCE KINK-RESISTANT SILICONE-FREE

15M 3/8" AUTO RETRACTING HOSE **REEL WITH HIGH-VIS HYBRID HOSE**



JEFHOSRL15-3-8HVP

- · Impact-resistant polypropylene reel casing
- · Working Pressure: 300psi/20bar
- · Inlet/Outlet Connection: 1/4" BSPT
- · Lenath: 15m / 50ft



25M 1/4" 360° **HIGH-VIS AIR HOSE REEL**



JEFHOSRLHY25-14S

- · Heavy-duty swivel-type hose with all steel frame and spool construction
- · Working Pressure: 1.6 MPa (16 bar) @ 23°C / 1.1 MPa (11bar) @ 60°C
- · Fitted with 1/4" BSPT male and quick-release couplings
- · Robust, easy-wind rubber covered handle
- · Length: 25m
- · Hose Diameter: 1/4"




RETRACTABLE HIGH-VIS HYBRID HOSE REELS

- · Retractable air hose reel with industrial steel casing & corrosion-resistant, powder-coated finish
- · Heavy duty, L-shaped bracket that enables the unit to be wall, floor or ceiling mounted
- · Spring-powered, auto-rewind mechanism
- · Multi-position ratchet locking bracket with 9-position guide arm & 4 non-snag rollers
- · Working Pressure: 1.6MPa (16bar) @ 23°C / 1.1MPa (11bar) @ 60°C

15M 10MM HOSE

JEFHOSRLHY15-1-4 · Comes complete with 1m





IS05774:2016



15M 1/2" HOSE

JEFHOSRLHY15-1-2

· 1/2" BSPT male air outlet

· Comes complete with 1m flv lead; 1/2" BSP female to 1/2" BSPT male fittings



IS05774:2016

PRICE EX. VAT

FEATURES

- · Manufactured from a kink-resistant rubber hybrid that
- · High-visibility maximise safety in the working environment
- · High-visibility maximise safety in the working environment





60CM HIGH-VIS AIR LEADER (WHIPLEAD)

JEFHOSALHY10-600

- · Leader hose designed to increase the lifespan of the main air hose
- · Swivel fittings to increase mobility and reduce twisting/stress on the main hose
- · Supplied with tailpiece and 1/4" BSP Female fittings
- · Length: 600mm
- · Hose Diameter: 10mm



£9.67

10M HIGH-VIS HYBRID AIRLINE





- · Working Pressure: 1.6 MPa (16bar) @23°C 1.1 MPa (11bar) @60°C
- · Fitted with 1/2" BSP female swivel fittings
- · Length: 10m
- · Hose Diameter: 1/2" / 12.7mm





PRICE EX. VAT

IS05774:2016

IS05774:2016

HIGH-VIS HYBRID AIRLINE HOSES

5M, 10M, 15M & 20M HOSES

· Fitted with 1/4" BSP female swivel unions to reduce hose twist

· Working Pressure: 290psi / 20bar · Hose diameter: 10mm

50M & 100M HOSES · Working Pressure: 1.6 MPa (16bar) @23°C 1.1 MPa (11bar) @60°C · Hose diameter: 10mm

IDEAL FOR SPRAY PAINTING



PRODUCT	HOSE LENGTH	FITTING	EX. VAT
JEFHOSAHY10-05	5m	1/4"	£18.96
JEFHOSAHY10-10	10m	1/4"	£29.83
JEFHOSAHY10-15	15m	1/4"	£40.63
JEFHOSAHY10-20	20m	1/4"	£51.04
JEFHOSAHY10-50	50m	-	£124.17
JEFHOSAHY10-100K	100m	-	£220.83



PROLONGED SERVICE LIFE **S**LOW FOAMING TENDENCY

GOOD DEMULSIBILITY

PRICE EX.VAT £9.50

IS05774:2016



HOSE CLIPS & CLIP DRIVER

ZINC OR STAINLESS STEEL CONSTRUCTION











- HIGH GRADE STAINLESS STEEL 316 IS IDEAL FOR: Marine environments (boats, docks, shipbuilding)
- ★ Food processing equipment
- ★ Architectural components (especially in coastal areas)



ZINC

PRODUCT	CLAMPING CAPACITY	PRICE EX. VAT
JEFHCPZI12	9.5 - 12.0mm	£0.42
JEFHCPZI16	11.0 - 16.0mm	20.46
JEFHCPZI20	13.0 - 20.0mm	20.50
JEFHCPZI22	16.0 - 22.0mm	20.58
JEFHCPZI25	18.0 - 25.0mm	20.63
JEFHCPZI30	22.0 - 30.0mm	20.68
JEFHCPZI35	25.0 - 35.0mm	20.74
JEFHCPZI40	30.0 - 40.0mm	20.78
JEFHCPZI45	32.0 - 45.0mm	£0.83
JEFHCPZI50	35.0 - 50.0mm	20.89

STAINLESS STEEL

PRODUCT	CLAMPING CAPACITY	PRICE EX. VAT
JEFHCPSS12	9.5 - 12.0mm	£1.41
JEFHCPSS16	11.0 - 16.0mm	£1.46
JEFHCPSS20	13.0 - 20.0mm	£1.54
JEFHCPSS22	16.0 - 22.0mm	£1.91
JEFHCPSS25	18.0 - 25.0mm	£1.99
JEFHCPSS30	22.0 - 30.0mm	£2.08
JEFHCPSS35	25.0 - 35.0mm	E2.16
JEFHCPSS40	30.0 - 40.0mm	£2.24
JEFHCPSS45	32.0 - 45.0mm	£2.46
JEFHCPSS50	35.0 - 50.0mm	£2.66

HIGH FLOW FITTINGS



























	PRODUCT	DESCRIPTION	EX. VAT
1	JEFA026-CD	1/4" x 1/4" BSPT Male Plug (2 Pack)	£4.16
2	JEFA027-CD	1/4" x 3/8" BSPT Male Plug (2 Pack)	£4.33
3	JEFA028-CD	1/4" x 3/8" BSP Female Plug (2 Pack)	£4.16
4	JEFA029-CD	1/4" x 1/2" 10mm Hose Barb Coupler	£5.83
5	JEFA030-CD	1/4" x 1/2" 8mm Hose Barb Plug (2 Pack)	£4.16
6	JEFA031-CD	1/4" x 1/4" BSP Female Coupler	£5.83
7	JEFA032-CD	1/4" x 3/8" BSP Female Coupler	£5.83
8	JEFA033-CD	1/4" x 1/4" BSPT Male Coupler	£5.83
9	JEFA034-CD	1/4" x 3/8" BSPT Male Coupler	£5.83
10	JEFA059-CD	3/8" BSP Male Locking Quick Release Coupling	£8.46
11	JEFA060-CD	1/4" BSP Male Screwed Swivel Adaptor	£3.46





	PRODUCT	DESCRIPTION	PRICE Ex. Vat
1	JEFA001-CD	1/4" Female Q/Release to 1/4" Female Thread	£5.29
2	JEFA002-CD	1/4" Female Q/Release to 1/4" Male Thread	£5.29
3	JEFA003-0.8-CD	8mm Hose to 1/4" Male Q/Release Coupling (2 Pack)	£3.54
4	JEFA004-CD	1/4" Male Q/Release to 1/4" Female Thread (2 Pack)	£3.54
5	JEFA005-CD	1/4" Male Thread to 1/4" Male Q/Release (2 Pack)	£3.54
6	JEFA006-CD	8mm Barbed To 1/4" Male Thread	£1.99
7	JEFA007-CD	11mm Barbed To 1/4" Male Thread (2 Pack)	£3.54
8	JEFA008-CD	Twin Coupling 1/4" Female to 2 x Female Q/Release	£15.50
9	JEFA021-CD	Double Hose Barb 8mm (2 Pack)	£3.54
10	JEFA022-CD	Conical Reduction 1/2" Male To 1/4" Female (2 Pack)	£6.63
11	JEFA023-CD	Cylindrical Nipple 1/4" Male To 1/4" Male (2 Pack)	£3.54
12	JEFA024-CD	1/4" Female Q/Release to 8mm Barbed Hose	£5.29
13	JEFA025-CD	1/4" x 3/8" BSP Female Coupler	£5.29
14	JEFA054-CD	Z-Swivel Air Connector 1/4" BSP	£7.04
15	JEFA055-CD	Lever Ball Valve	£6.08
16	JEFA056-CD	1/4" Screwed Swivel Adaptor	£3.71
17	JEFA057-CD	3 Piece Male Air Tool Coupling Kit	£8.96
18	JEFA061-CD	3 Piece Female Air Tool Coupling Kit	£8.96



PCL AIR FITTINGS































	PRODUCT	DESCRIPTION	PRICE EX. VAT
1	JEFPCLAC21CF	Rp 1/4" Female Airflow Coupling	£7.41
2	JEFPCLAC21CM	R 1/4" Male Airflow Coupling	£7.41
3	JEFPCLAC5EF	Rp 3/8" Female Coupling 100 Series	£31.63
4	JEFPCLAC5EM	R 3/8" Male Coupling 100 Series	£31.63
5	JEFPCLACA2593	Rp 1/4" Male Standard Adaptor	£1.83
6	JEFPCLACA2746	Rp 1/4" Female Standard Adaptor	£1.83
7	JEFPCLACA2999	R 3/8" Male Adaptor 100 Series	£6.08
8	JEFPCLHC20031-4	Rp 1/4" Female Equal Tee	£3.49
9	JEFPCLHC25431-2	Rp 1/2" Female - Female Parallel Socket	£3.49
10	JEFPCLAC5JF	Rp 1/2" Female Coupling 100 Series	£31.63
11	JEFPCLAC5JM	Rp 1/2" Male Coupling 100 Series	£31.63
12	JEFPCLACA3035	R 1/2" Male Adaptor 100 Series	£6.08
13	JEFPCLACA3036	12.7mm / 1/2" Hose Tailpiece 100 Series	£6.08
14	JEFPCLHC6889	Rp 1/4" Female - Female Parallel Socket	£1.58

10 LITRE PAINT POT SYSTEM & ACCESSORIES

JEFA052-P0T

- · Ideally suited for painting semi-trailers, houses, or any large object that requires a lot of material
- · Suitable for spraying acrylic, 2Pac Paint, and most water based materials
- · Produces up to a 250mm wide spray pattern to get the job done quickly but correctly
- · Average air consumption varies between 6.0-8.8cfm depending on the material you are spraying
- · Heavy Duty Cast Iron Paint Pot
- · Spray Gun (1.8mm Nozzle)
- · Pressure Gauge & Regulator
- · Complete with 8m Air Hose and 8m Paint Hose











	PRODUCT	ACCESSORIES	PRICE Ex. Vat
1	JEFA052-GUN	Spray Gun	£40.79
2	JEFA052-SP38	Regulator	£25.79
3	JEFA052-SP37	Gauge	£9.79
4	JEFA052-SP51	Air Hose (Red)	£33.13
5	JEFA052-SP52	Paint Hose (Black)	£33.13





INDUSTRIAL



SUCTION FEED SPRAY GUNS



- · Suitable for water-based paints
- Ideal for applying base coats & general purpose spraying
- · Adjustable flow and spray pattern controls
- Equipped with aluminium screw-type 750ml suction pot
- · Air Inlet: 1/4"





- · High quality fine atomisation spray gun
- Nozzle size of 1.8mm for paint and filler work
- 100% manually adjustable nozzle sets, ensure consistent, even coverage
- Suitable for use with all water-based paints supplied with standard stainless steel nozzle and needle

PROFESSIONAL

· Air Inlet: 1/4"





	PRODUCT	DESCRIPTION	AIR PRESSURE	AIR CONSUMPTION	CUP Capacity	FLUID Nozzle	PRICE Ex. Vat
1	JEFA046	Suction Feed Spray Gun	50psi / 2bar - 3.4bar	5 - 11cfm	750ml	1.5mm	£27.46
2	JEFA050	Professional Suction Feed Spray Gun	30psi - 70psi / 2bar - 4.8bar	7 - 12cfm	1000ml	1.8mm	£45.33



	PRODUCT	DESCRIPTION	PRICE Ex. Vat
1	JEFA047	Gravity Feed Spray Gun	£27.29
2	JEFA047-CUP	Gravity Spray Gun Cup	£5.42

HVLP PROFESSIONAL GRAVITY FEED SPRAY GUN JEFA048 - Air Pressure: 50psi / 3.4bar - Air Inlet: 1/4" - Air Consumption: 10cfm - Cup Capacity: 600ml - Fluid Nozzle: 1.5mm SPARE SPRAY GUN CUP AVAILABLE

	PRODUCT	DESCRIPTION	PRICE Ex. Vat
1	JEFA048	HVLP Professional Gravity Feed Spray Gun	£36.25
2	JEFA048-CUP	HVLP Gravity Spray Gun Cup	£5.79

PARAFFIN SPRAY GUN

JEFA063

· Includes 1/4" BSPT Male Connection



PRICE EX. VAT

22 PIECE SPRAY GUN CLEANING KIT

JEFA093

- · Includes:
- · 1 x Long handled angle brush
- · 1 x Long handled straight fibre brush
- · 1 x Medium sized fibre brush
- · 1 x Medium sized wire brush
- · 5 x Fine fibre brushes
- · 2 x Hobby knife holders
- · 6 x Fine points
- 1 x Plastic handled brush
- · I x Plastic Hariuleu bru
- · 3 x Detail brushes
- · 1 x Vessel for lubrication oil



PRICE EX. VAT £16.63

GRAVITY FEED SPRAY GUNS

- · Teflon seals and No-Rubber O-Ring design
- · Brass air cap, stainless steel needle and tip
- · Enhanced control and efficient coverage
- · Air and paint flow controls for fine spray pattern adjustments
- · Feed Type: Gravity
- · Construction: Nylon Cup Aluminium Die Cast Body
- · Cup Capacity: 600ml / 600cc
- · Air Inlet: 1/4"

- · Nozzle Range: 1.0 2.0mm
- · Max. Pressure: 6.8bar / 98psi
- · Temperature Range: 5~40°C
- · Weight: 0.7kg

HIGH VOLUME LOW PRESSURE (HVLP)

JEFA090B

- · Designed for DIY and professional workshops and ideal for applying base coats and other high-pressure spraying applications
- · Ideal for working with most low viscosity materials and suitable for metallic and water-based paints
- · Produces a fine, controlled jet for smooth coverage and a great finish with reduced overspray



MEDIUM VOLUME MEDIUM PRESSURE (MVMP)

JEFA091G

- · Designed for DIY and professional workshops and ideal for mid-pressure spraying applications on a variety of surfaces
- · Uses standard pressure which creates a flat and smooth fan pattern ideal to get the best clear finishing coats
- · Air cap supplies a strong mist pressure for fast application and extended working distance



LOW VOLUME LOW PRESSURE (LVLP)

JEFA092Y

- Ideal for working with thin and waterborne paints, stains, lacquers and varnishes
- Suitable for use with small and low-pressure compressors
- Produces a fine, controlled jet for smooth coverage and a superior finish



	PRODUCT	DESCRIPTION	SUPPLIED NOZZLE	PATTERN WIDTH	AIR CONSUMPTION	WORKING Pressure	PRICE EX. VAT
1	JEFA090B	HVLP Gravity Feed Spray Gun	1.3mm	220-250 @ 1.3mm	12-14cfm / 350-400lpm	2.0bar / 29psi	£67.50
2	JEFA091G	MVMP Gravity Feed Spray Gun	1.4mm	260-280 @ 1.4mm	10.6-12cfm / 300-350lpm	2.5bar / 36psi	£67.50
3	JEFA092Y	LVLP Gravity Feed Spray Gun	1.4mm	220-250 @ 1.4mm	8.8-10.6cfm / 250-300lpm	1.5bar / 22psi	£67.50

TUNDRA BLOW GUNS

- · Air blow gun with stainless steel outlet
- · Variable speed triggers
- · 1/4" (Female) BSP threads
- · Soft moulded handle with rubber grip

SHORT NOZZLE





LONG NOZZLE



COMPOSITE PLASTIC NOZZLE BLOW GUNS

- · Made of durable lightweight composite plastic with a reinforced inlet for strength
- · Ergonomically designed handle


- · Angled nozzle easily gets into tight places
- · 1/4" fitting

SHORT NOZZLE

JEFA064



LONG NOZZLE



PRICE EX. VAT



SIDE OUTLET BLOW GUN







FEATURES







1200MM



- particulates from air filters, radiators, condensers and other equipment
- bodyshop environments
 Lance allows projection of airflow directly to required area at a 90° angle to the body
 Nozzle fitted with six air outlets



PRICE EX. VAT £45.79

SHORT NOZZLE PLASTIC BODY BLOW GUN

JEFA009





LONG NOZZLE PLASTIC BODY BLOW GUN

JEFA010



SHORT NOZZLE METAL BODY BLOW GUN

JEFA011



LONG NOZZLE METAL BODY BLOW GUN

JEFA012



PRICE EX. VAT £10.42

36" 6 PIECE AIR BLOW GUN KIT

JEFA062

- · Air blow gun with stainless steel nozzle
- · 1/4" (Female) BSP threads
- · Variable speed triggers
- · Soft moulded handle with rubber grip

Set includes:

- · Air blow gun
- · 2" nozzle
- · 1/4" BSPT adaptor
- · 3x 10" barrel extensions





£28.75

AIR-HYDRAULIC BLIND RIVETERS

- · Trigger-operated
- · Air Consumption: 4cfm
- · Hardened steel jaw assembly · Suitable for steel & aluminium
- · Maximum Operating Pressure: 90psi
- · Air Inlet Size: 1/4" BSP

3/16" AIR-HYDRAULIC **BLIND RIVETER**



1/4" PROFESSIONAL **AIR-HYDRAULIC BLIND RIVETER**



- · For aluminium and steel blind rivets from 3/32" to 1/4"
- · Includes two spanners and five nozzles
- Weight: 1.55kg



1/4" INDUSTRIAL AIR-HYDRAULIC BLIND RIVETER

JEFARIVT02H

- · A trigger-operated air hydraulic riveter for aluminium, steel, stainless steel and structural blind rivets from 3/16" to 1/4"
- · With hardened steel iaw assembly and air-actuated vacuum rivet shaft collector
- · Hanging loop for use with balancer
- · Includes two spanners and oil can in a durable carry case
- · Air Consumption: 4cfm
- · Maximum Operating Pressure: 90psi
- · Air Inlet Size: 1/4" BSP
- · Weight: 1.9kg





6" PALM SANDER NON-VACUUM

JEFPNPLMSD06N

- · Orbit diameter: 5mm
- · Free speed: 11,000rpm
- · Pad size: 6"/150mm
- · Min hose: 10mm
- Air pressure: 90psi Composite motor housing
- Well-balanced
- · Low vibration
- · Oil-free
- · Low noise emissions: 76dBa
- · Light weight: 0.78kg



PRICE EX. VAT **£135.00**

1/2" AIR IMPACT WRENCH

JEFIW7733

- · Forward & reverse action
- · 5-Step Forward Air / Torque Control
- · Handle exhaust for reduced noise
- · Twin hammer mechanism
- · Anti-slip rubber grip handle
- · Square Drive: 1/2"
- · Torque Range (Forward): 34-680Nm
- · Max Torque (Reverse): 748Nm
- · Blows/min: 1300
- · Free Speed: 7000rpm
- · Air Inlet: 1/4"
- Working Pressure:
 6-8bar / 87-116psi
- · Min. Hose: 10mm
- · Weight: 2.6kg





3/4" AIR IMPACT WRENCH

JEFIW772

- · Drive: 3/4"
- Torque Range (Forward): 200-1300 Nm
- · Max Torque (Reverse): 1300 Nm
- Blows/min: 1300
- · Free Speed: 5000 rpm
- · Standard Bolt Capacity: M21mm
- · Air Inlet: 1/4"
- · Min. Hose: 1/2'
- · Weight: 4.6kg



PRICE EX. VAT **£207.50**

6MM DIE GRINDER WITH SAFETY LEVER

JEFPNDIEGR-06SL

- · Free Speed: 22,000rpm
- · Max. Pressure: 90psi
- · Min. Hose: 10mm
- Collet Size: 1/4" or 1/8"



SAFETY LEVER FITTED AS STANDARD PRICE EX. VAT

£65.83

1/2" RATCHET WRENCH WITH AIR REGULATOR

JEFPNRTWRH-1-2R

- · 1/2" Drive professional
- · Min. Hose: 10mm
- · Max. Torque: 14-68Nm
- · Adjustable air inlet and exhaust



RUBBER COMFORT GRIP £76.25

1" AIR IMPACT WRENCHES

- · Forward & reverse action
- · 3-Step Forward Air / Torque Control
- · Pinless hammer mechanism
- · Square Drive: 1"
- Torque Range (Forward):100-1800Nm
- Max Torque (Reverse): 2600Nm
- Air consumption: 250L/min
- · Free Speed: 4000rpm
- Air Inlet: 1/2"
- Working Pressure:
- 6-8bar / 87-116psi
- · Min. Hose: 8*12mm
- · Net Weight:12.6kg



LONG ANVIL
JEFIW797-6



£357.50

DIGITAL TYRE INFLATOR

JEFGTYJTPC10D

- · Die cast aluminium body
- · High contrast large backlit LCD screen for easy viewing in any light condition
- · Auto on upon air pressure sensing
- · One button operation with pressed operating lever: full press to inflate, halfway to deflate, release to measure pressure
- · Low battery alert
- · Four pressure settings: psi, bar, kPa, kg/f
- · Hose Length: 500mm
- · Tyre Valve Connection: Twin push on/hold on
- · Air Supply Connection: 1/4" Female BSP Thread - 1/4" Male (Quick Release)
- · Max. Inlet Pressure: 15bar
- · Tyre Pressure Range: 0.5-12bar / 7-174psi 50-1200kPa / 0.5-12kg/f
- · Flow Rate: 900L/min @ 12bar
- · Lithium-ion battery
- 0.8m USB-C charging cable included
- Max. Run Time: 40 hours
- · Max. Charge: 2.5 hours



SWIVEL DIAL TYRE INFLATOR JEFGTYLCLC09

- · Display head can be rotated 360°
- · Two unit pressure gauge: psi, bar
- · One lever operation
- · Durable rubber sleeve
- · Hose Length: 500mm
- · Air Supply Connection: 1/4" Female BSP Thread - 1/4" Male (Quick Release)
- · Max. Inlet Pressure: 15bar
- · Tyre Pressure Range:
 - 0.5 12bar
- 7 180psi
- · Flow Rate: 500L/min @ 174psi



TWIN HOLD TYRE INFLATOR CONNECTOR

JEFGTYCONTH

· 1/4" fitting



PRICE EX. VAT

TYRE INFLATING GUN **FLEXIBLE CONNECTOR**

JEFG52

· Air Pressure: 0 - 174psi / 0 -12bar

· Push fit valve connector 360° turning



TYRE INFLATING GUN RIGID CONNECTOR

JEFG04

- · Air Pressure: 0 220psi / 0 -15bar
- · Push fit valve connector
- · 360° turning capacity







FEATURES









ADAPTORS INCLUDED



ANALOGUE GAUGE

PRICE EX. VAT £15.79

JUMBO TYRE INFLATORS

- · Manufactured with a composite body and dial-type jumbo 80mm gauge with protective rubber casing displaying pressure in bar and psi
- · Fitted with rubber hose, valve connector and UK quick release air supply fitting
- · Tested and calibrated to comply with EN 12645:2014
- · Supplied with a serial-numbered calibration certificates
- · Display Type: 80mm Dial-type pressure gauge

500MM HOSE

JEFGTYJTPC07

· Hose Length: 500mm / 20" · Tyre Valve Connection: Twin - push on / hold on · Weight: 0.9kg · Dimensions: 270 x 96 x 120mm

> **JUMBO** DIAL-TYPE GAUGE



PRICE EX. VAT £61.63



2750MM HOSE

JEFGTYJCLC08

· Hose Length: 2750mm / 108"

· Tyre Valve Connection: clip on

Weight: 1.3kg

· Dimensions: 270 x 96 x 120mm





CLIP-ON CONNECTOR





Pro<mark>fessional</mark>

LINEAR

DISPLAY

ON BOTH MODELS

PROFESSIONAL TYRE INFLATORS

- · Manufactured with a heavy-duty aluminium body with protective impact resistant rubber bumpers and a stainless steel pressure lever handle
- · Fitted with magnified linear pressure gauge, dualcalibrated in psi and bar scales, with parallax correction · Minimum Inlet Pressure: 100psi / 7bar
- · Flexible hose fitted with hanging ring
- · Tested and calibrated to comply with EN 12645:2014
- · Supplied with a serial-numbered calibration certificate
- · Display Type: Linear
- · Air Supply Connection: 1/4" Male BSP Thread 1/4" Male (Quick Release)
- · Reading Accuracy: 2psi / 0.1bar
- · Maximum Inlet Pressure: 200psi / 13.8bar
- · Flow Rate: 500L/min @ 13bar
- · Tyre Pressure Range: 0-9.5bar / 0-138psi
- · Temperature Range: -10°C to 60°C

500MM HOSE

JEFGTYLTPC05

- · Hose Length: 0.5m / 20"
- · Tyre Valve Connection: Twin - Hold On
- · Weight: 0.9kg





2750MM HOSE

JEFGTYLCLC06

- · Hose Length: 2.7m / 108"
- · Tyre Valve Connection: Clip connector
- · Weight: 1kg



CLIP-ON CONNECTOR





PRICE EX. VAT £68.75

£65.63

PRICE EX. VAT

HIGH PRECISION TYRE INFLATOR

JEFGTYH03

- · Air Pressure: 0 - 214psi / 0 -14.5bar
- · Push/pull valve connector
- · 360° turning capacity
- · Extra large easy to read gauge
- · Rubber protective bumper





PRICE EX. VAT £45.63

MK4 TYRE INFLATOR BY PCL

JEFPCLAFG4H03

- · Accuracy standards tested to over 400,000 cycles at 100% accuracy
- · Lighter weight new gauge body weighs 923g - lightest gauge tested
- · New valve mechanism simplified 2 stage mechanism design
- · Complies with: EC Directive 86/217/EEC & BS EN 12645:1999
- · Calibration: Pressure gauge range: 0-138lbf/in2 & 0-9.6bar (Calibration certificate included)
- · Supply Pressure: max 13.8bar / min 6.9bar
- · Inflation flow rate: 500L/min / 18cfm



INDUSTRIAL







TUNDRA INDUSTRIAL **IMPACT SOCKET SETS**

NON-SLIP GEOMETRY







6 GRIPPING POINTS





TUNDRA 3/8" DRIVE 18 PIECE SET

INCLUDES

- 3/8" Standard Sockets
- 3/8" Universal joint 3/8" Extension bars 50mm, 125mm











£79.17

TUNDRA 1/2" DRIVE 34 PIECE SET

TUNISOCS12-34

- · Includes:
- · 1/2" Standard Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm Universal Joint
- · 1/2" Deep Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
- · 1/2" Impact
- · 1/2" Impact







PRICE EX. VAT £162.50











TUNDRA 1/2" DRIVE DEEP 16 PIECE SET

TUNISOCS12-16

- · Deep wall construction allows for greater clearance for protruding bolts
- Set includes sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm









DEEP SOCKETS





PRICE EX. VAT £112.50



PAGES 33 & 34

TUNDRA INDUSTRIAL **IMPACT SOCKET SETS**

chrome molybdenum steel, they excel in heavy-duty tasks while preventing fastener our Lifetime Warranty and meeting DIN industry standards, these Impact Sockets are your reliable choice for demanding jobs.

TUNDRA 1/2" DRIVE DEEP 9 PIECE SET

TUNISOCS12-09D

- · Deep wall construction allows for greater clearance for protruding bolts
- · Set includes sizes: 10, 12, 13, 17, 19, 21, 22, 24, 27mm





IS01174-2











TUNDRA 9 PIECE 1/2" DRIVE IMPACT MALE HEX SET

TUNIHEXS12-09M

Set includes sizes:













TUNDRA 8 PIECE 1/2" DRIVE IMPACT ADAPTOR SET

TUNIADPS12-08

Set includes sizes:

- · 3/8"F x 1/4"M · 1/2"F x 3/4"M
- · 1/4"F x 3/8"M · 3/4"F x 1/2"M
- · 3/8"F x 1/2"M · 3/4"F x 1"M
- · 1/2"F x 3/8"M · 1"F x 3/4"M





IS01174-2









£56.63

TUNDRA 4 PIECE 1/2" DRIVE IMPACT EXTENSION BAR SET

TUNIEXTS12-04

- · Ball deten design for better impact socket retention
- · Further reach to easier access to hard to reach places Set includes sizes:
- · 50, 75, 100, 125mm





IS01174-2









PRICE EX. VAT £35.79

TUNDRA INDUSTRIAL **IMPACT SOCKETS**

- drivers, ratchets, and adaptors
- 6-Point gripping for best fit and performance in high-torque

NEW SIZES!

TUNDRA 1/2" IMPACT SOCKETS













PRODUCT	SIZE	PRICE EX. VAT
TUNISCI12-10	10mm	£3.75
TUNISCI12-13	13mm	£3.96
TUNISCI12-15	15mm	£3.96
TUNISCI12-17	17mm	£4.33
TUNISCI12-19	19mm	£4.38
TUNISCI12-24	24mm	£5.42
TUNISCI12-27	27mm	£5.79
TUNISCI12-30	30mm	£7.29
TUNISCI12-32	32mm	£9.96
TUNISCI12-33	33mm	£14.58
TUNISCI12-36	36mm	£17.46

TUNDRA 1/2" DEEP IMPACT SOCKETS

NEW SIZES! 33mm, 36mm













PRODUCT	SIZE	PRICE Ex. Vat
TUNISCI12-10D	10mm	£6.25
TUNISCI12-13D	13mm	£6.63
TUNISCI12-17D	17mm	£7.46
TUNISCI12-19D	19mm	£7.71
TUNISCI12-21D	21mm	£8.13
TUNISCI12-22D	22mm	£8.29
TUNISCI12-24D	24mm	£8.29
TUNISCI12-27D	27mm	£9.96
TUNISCI12-30D	30mm	£12.46
TUNISCI12-32D	32mm	£15.79
TUNISCI12-33D	33mm	£19.96
TUNISCI12-36D	36mm	£27.92

WHY CHOOSE CHROME MOLYBDENUM?

HIGH STRENGTH & DURABILITY

to absorb the impact forces that are common in heavy-duty applications

☑ DESIGNED FOR IMPACT WRENCHES ☑ CORROSION RESISTANT

Our Tundra Cr-Mo sockets are specifically engineered to handle high torque conditions without breaking.

KESISTANT TO DEFORMATION

Cr-Mo can be heat-treated to achieve a high level of hardness, which helps the socket maintain its shape and size even under high torque

The chromium in the alloy provides a level of corrosion resistance, which helps the sockets last longer, especially moisture, chemicals, or other corrosive substances

S REDUCED SPLINTERING

ing in a way that sends sharp pieces flying.

S TOUGH & DUCTILE

Cr-Mo is flexible under stress, an important attribute for sockets that need to withstand repeated impacts. The toughness ensures the sockets can endure many cycles of use, reducing the likelihood of cracks developing over time.





TUNDRA INDUSTRIAL **IMPACT SOCKETS**

NON-SLIP GEOMETRY

CHROME MOLYBDENUM STEEL

6 GRIPPING POINTS

TUNDRA 3/4" IMPACT SOCKETS



Cr-Mo

IS01174-2

INDUSTRIAL



NEW SIZES! 27mm, 32mm, 33mm, 41mm, 46mm

PRODUCT	SIZE	PRICE Ex. Vat
TUNISCI34-24	24mm	£14.13
TUNISCI34-27	27mm	£15.79
TUNISCI34-30	30mm	£16.63
TUNISCI34-32	32mm	£17.92
TUNISCI34-33	33mm	£18.29
TUNISCI34-36	36mm	£18.75
TUNISCI34-41	41mm	£19.96
TUNISCI34-46	46mm	£26.63

TUNDRA 3/4" DEEP IMPACT SOCKETS



IS01174-2

INDUSTRIAL



PRODUCT	SIZE	PRICE Ex. Vat
TUNISCI34-24D	24mm	£21.63
TUNISCI34-27D	27mm	£23.75
TUNISCI34-30D	30mm	£24.58
TUNISCI34-32D	32mm	£24.96
TUNISCI34-33D	33mm	£25.79
TUNISCI34-36D	36mm	£27.46
TUNISCI34-41D	41mm	£33.29
TUNISCI34-46D	46mm	£34.96

TUNDRA 1" DEEP IMPACT SOCKETS



Cr-Mo

IS01174-2

INDUSTRIAL



PRODUCT	SIZE	EX. VAT
TUNISCI10-27D	27mm	£27.46
TUNISCI10-30D	30mm	£28.54
TUNISCI10-32D	32mm	£29.96
TUNISCI10-33D	33mm	£31.63
TUNISCI10-36D	36mm	£31.25
TUNISCI10-41D	41mm	£34.96
TUNISCI10-46D	46mm	£37.50
TUNISCH0-50D	50mm	£45.83

TUNDRA 1/2" IMPACT HEX MALE DRIVERS



IS01174-2

INDUSTRIAL



NEW SIZES! 17MM, 19MM

PRODUCT	SIZE	PRICE Ex. Vat
TUNIHXI12-05	5mm	£6.25
TUNIHXI12-06	6mm	£6.25
TUNIHXI12-08	8mm	£6.63
TUNIHXI12-10	10mm	£6.63
TUNIHXI12-12	12mm	£7.46
TUNIHXI12-14	14mm	£7.71
TUNIHXI12-17	17mm	£9.38
TUNIHXI12-19	19mm	£11.25

FEATURES

- Dual hole configuration and ring groove for effortless attachment and removal
- Manufactured from Chrome Molybdenum steel for extreme impact durability 6-Point gripping for best fit and exceptional durability and lasting
- performance in high-torque applications
- Laser etched part numbers





PRODUCT

TUNIEXI34-150

TUNIEXI34-250

TUNIEXI34-400



SI7F

150mm

250mm

400mm



TUNDRA EXTENSION BARS 3/4" & 1"



EX. VAT

£24.96

£34.96

£46.63



300mm TUNIEXI10-300

INDUSTRIAL








3





- · Ball deten design for better impact socket retention
- · Further reach to easier access to hard to reach places



200mm 2

IS01174-2

INDUSTRIA

PRODUCT	SIZE	PRICE EX. VAT
1 TUNIEXI12-150	150mm	£9.38
2 TUNIEXI12-200	200mm	£14.58
3 TUNIEXI12-250	250mm	£16.46

TUNDRA IMPACT ADAPTORS



INDUSTRIAL

PRODUCT	SIZE	PRICE Ex. Vat
TUNIADI12M-34F	3/4" Female to 1/2" Male	£14.96
TUNIADI12F-34M	1/2" Female to 3/4" Male	£10.79
TUNIADI01F-34M	1" Female to 3/4" Male	£18.29

TUNDRA 1/2" SQUARE DRIVE IMPACT UNIVERSAL SOCKET

250mm



INDUSTRIAL

PRICE EX. VAT £14.96

8 PIECE IMPACT ADAPTOR SET

JEFIADPS12-02

- · 1/2" Drive, 6pt
- · Black oxide finish for improved corrosion resistance

Includes

· 8 x sockets: 3/8"F x 1/4"M, 1/4"F x 3/8"M, 3/8"F x 1/2"M, 1/2"F x 3/8"M, 1/2"F x 3/4"M, 3/4"F x 1/2"M, 3/4"F x 1"M, 1"F x 3/4"M





5 PIECE 1/2" ALLOY WHEEL IMPACT SOCKET SET

JEFISOC05A-12

- · Cr-MO Steel with anodised finish

Includes:

· 5 x sockets: 15mm, 17mm, 19mm, 21mm, 22mm







16 PIECE 3/8" DEEP IMPACT SOCKET SET

JEFISOC38-01

ılılılı IMPERIAL

- · Manufactured from Chrome Vanadium Steel (Cr-V)
- · Black phosphate finish for improved corrosion resistance
- · Suitable for use with impact air wrenches
- · Set supplied in robust moulded carry-case



Includes:

- · 14 sockets: 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm
- · 2 extension bars: 3" & 6"



PRICE EX. VAT £43.13

10 PIECE 1/2" IMPACT SOCKET SET

JEFISOC12-03

- · 1/2" Drive, 6pt
- · Suitable for use with impact air wrenches
- Set supplied inside a durable metal box
- CR-V

Includes:

· 10 x sockets: 9, 10, 11, 13, 14, 17,







PRICE EX. VAT

13 PIECE 1/2" IMPACT SOCKET SET

JEFISOC12-05

- · 1/2" Drive, 6pt
- · Black oxide finish for improved corrosion resistance

Includes:

· 13 x sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm









PRICE EX. VAT £24.58

10 PIECE 1/2" DEEP IMPACT SOCKET SET

JEFISOC12-02

- · 1/2" Drive, 6pt Includes:
- · 10 x sockets: 9, 10, 11, 13, 14, 17, 19, 22, 24, 27mm









PRICE EX. VAT £34.



13 PIECE 1/2" IMPACT SOCKET SET

JEFISOC12-06

- · 1/2" Drive, 6pt
- · Black phosphate finish for improved corrosion resistance
- · Impact resistant and high strength







Includes:

· 13 x sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm



PRICE EX. VAT £38.75

16 PIECE 1/2" DEEP IMPACT SOCKET SET

JEFISOC12-01

- · 1/2" Drive, 6pt
- · Black phosphate finish for improved corrosion resistance
- · Impact resistant and high strength



Includes:

 16 x sockets: 10. 11. 12. 13. 14. 15. 16. 17. 18. 19, 21, 22, 24, 27, 30, 32mm



PRICE EX. VAT

34 PIECE 1/2" IMPACT SOCKET SET

JEFISOC12-04

- · 1/2" Drive, 6pt
- · Black oxide finish for improved corrosion resistance







Includes:

- · Standard socket: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
- · Deep socket: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
- · 1/2" Dr. 125mm Extension Bar
- · 1/2" Dr. Universal Joint



PRICE EX. VAT £70_79

13 PIECE 3/4" IMPACT SOCKET SET

JEFISOC34-01

- · 3/4" Sq Drive, 6pt
- · Metric & Imperial
- · Black oxide finish for improved corrosion resistance

Includes:

· 13 x sockets: 22, 24, 27, 30, 32, 33, 34, 36, 38mm, 1" 1-1/8", 1-3/8", 1-7/16"













PRICE EX. VAT

10 PIECE 3/4" DEEP IMPACT SOCKET SET

JEFISOC34-02

- · Black phosphate finish for improved corrosion resistance
- Suitable for use with impact air wrenches
- · Set supplied in robust moulded carry-case

Includes:

· 10 x sockets: 24, 27, 30, 32, 33, 34, 36, 38, 41, 46mm

Cr-Mo





PRICE EX. VAT £104.13

8 PIECE 1" DEEP IMPACT SOCKET SET

JEFISOC01-02

- · 1" Drive, 6pt
- Metric
- · Black phosphate finish for improved corrosion resistance

Includes:

· 8 x sockets: 24, 27, 30, 32, 33, 34, 36, 41mm







PRICE EX. VAT £93.33

10 PIECE 1" DEEP IMPACT SOCKET SET

JEFISOC01-01

- · 1" Drive, 6pt
- · Metric & Imperial
- · Black phosphate finish for improved corrosion resistance

Includes:

· 10 x sockets: 24, 27, 30, 32, 33, 36, 38, 41mm, 1", 1-1/8"







PRICE EX. VAT



GAS/GASLESS MIG WELDERS (230V)

in gasless mode will require the purchase of a spool of fluxed cored wire, a pack of 1.0mm tips

- Torch: Non-live
 Wire Capacity: 5-15kg
 Gas Type: C02 / Argon Mix & Argon & CO₂
 Input Voltage: 230V Single Phase

151 AMP

Includes:

- · 1.8m 10mm² 160A Earth cable with clamp
- · 1m Gas hose
- · 1.8m MIG welding torch
- · Hand held face shield
- · Hammer & brush comb





185 AMP

Includes:

- · 2.5m 16mm² 300A Earth cable with clamp
- · 1.4m Gas hose
- · 2 x Hose clamps
- · 250Amp 3m Binzel type torch
- · Argon gas regulator



INCLUDES ARGON

GAS REGULATOR

215 AMP

Includes:

- · 2.5m 16mm² 300A Earth cable with clamp
- · 1.4m Gas hose
- · 2 x Hose clamps
- · 250Amp 3m Binzel type torch
- · Argon gas regulator



INCLUDES ARGON GAS REGULATOR





	PRODUCT	WELDING WIRE DIAMETER	MAX. Input Capacity	OUTPUT Current Range	RATED OUTPUT Current	RATED DUTY CYCLE	POWER SUPPLY CIRCUIT BREAKER	DIMENSIONS	WEIGHT	PRICE EX. VAT
1	JEFMIG151-AM	0.6-0.9mm	5.5kVA	30-151A	50-150A	100% @ 50A 60% @ 80A 15% @ 150A	-	720 x 320 x 540mm	21.2kg	£229.17
2	JEFMIG185-AM	0.6 - 0.8mm	7.35kVA	35-180A	90-185A	60% @ 90A 30% @ 130A 15% @ 185A	32A	800 x 460 x 675mm	42kg	£599.17
3	JEFMIG215-AM	0.6 - 0.8mm	8.95kVA	40-215A	100-215A	60% @ 100A 30% @ 145A 15% @ 215A	32A	800 x 460 x 675mm	44kg	£665.83

AUTOMIG CONSUMABLES (150AMP)







	PRODUCT	DESCRIPTION	PRICE EX. VAT
1	JEFTIPBZ15-0.6	0.6mm Tip MB15 Binzel Torch (5 Pack)	£3.13
1	JEFTIPBZ15-0.8	0.8mm Tip MB15 Binzel Torch (5 Pack)	£3.13
1	JEFTIPBZ15-1.0	1.0mm Tip MB15 Binzel Torch (5 Pack)	£3.13
2	JEFNOZBZ15	Nozzle MB15 Binzel Torch (3 Pack)	£11.83

AUTOMIG CONSUMABLES (250AMP)







	PRODUCT	DESCRIPTION	PRICE EX. VAT
1	JEFTIPBZ25-0.8	0.8mm Tip MB25 Binzel Torch (5 Pack)	£5.25
1	JEFTIPBZ25-1.0	1.0mm Tip MB25 Binzel Torch (5 Pack)	£5.25
2	JEFNOZBZ25	Nozzle MB25 Binzel Torch (3 Pack)	£14.83

JEFFERSON® WELDERS SHOULD BE FITTED WITH THE CORRECT PLUG. FAILURE TO COMPLY WITH THIS INSTRUCTION WILL VOID WARRANTY



due to their reliability, these Jefferson MIG welders have a anti-dust protection. Robust housing and complete with handle and castor wheels for manoeuvrability.

- - Large cabinets allow for full height gas cylinders
- Heavy duty front and rear wheels
- Double support straps for gas cylinder Variable wire speed Spot weld timer

225 AMP MIG WELDER (230V)

KIT-JEFMIG225

- · Output: 225Amp
- · Wire Feed: 2 Roll
- · Welding Wire Diameter: 0.6-1.0mm
- · Voltage Steps: 6
- · Dimensions (LxBxH): 830 x 440 x 760mm

Comes complete with:

- Argon Regulator
- · 3m Earth Lead
- 250Amp Binzel Type MIG Torch









275 AMP MIG WELDER (230V)

KIT-JEFMIG275

- Output: 275Amp
- Wire Feed: 4 Roll
- Welding Wire Diameter: 0.6-1.2mm
- Voltage Steps: 12
- Dimensions (LxBxH): 830 x 440 x 760mm

Comes complete with:

- · Argon Regulator
- · 3m Earth Lead
- 250Amp Binzel Type MIG Torch







160 AMP ARC TIG INVERTER WELDER (230V)

JEFTARC160-230

- · Features a Lift TIG Function · Compatible with 2.5, 3.2. 4.0mm electrodes
- · Digital LED Display
- · Hot Start · Arc Force
- · Overheat Protection
- Generator Friendly

- · Voltage: 230V
- · Frequency: 50Hz
- · No Load Voltage: 60V

- Duty Cycle: 40% @ 160A · No Load Loss: 50W
- · Output Current
- Range: 30-160A
- · Efficiency: 85%
- · Power Factor: 0.73
- · Rated Input Current: 16A · Cable Connections: 35 x 50mm
 - · Insulation Class: F
 - · Protection Class: IP21S
 - · Weight: 8kg
 - · Dimensions: 430 x 150 x 390mm



160 AMP ARC TIG INVERTER WELDER (DUAL VOLTAGE)

JEFTARC160-DV

- · Equipped with the latest IGBT inverter technology
- · Anti-stick, arc-force, hot start, minimal spatter & high efficiency
- · Thermal overload cut-out and LED indicator
- Generator-friendly with auto-correction for voltage fluctuation (+/- 15%)
- · Compact, lightweight and robust in durable moulded casing and carry handle
- · Ingress Protection: IP21 / S
- · Electrode Capacity: 1.6 4.0mm
- Display: Analogue
- Ingress Protection: IP21 / S
- Electrode Capacity: 1.6 4.0mm



- · Display: Analogue
- · Cable: 4m x 2.5mm 3 core
- · Connections: 35/50 Dinze
- · Dimensions: 310 x 140 x 210mm
- · Weight: 7.9kg
- · Current Range: 230V: 10-160A 110V: 10-90A
- · Duty Cycle: 230V: 160A @ 30% 110V: 90A @ 25%
- · No Load Voltage: 230V: 90.2V 110V: 86.5V
- Max Input Current: 230V: 32A 110V: 36.5A



Blow Moulded Carry Case 5m x 16mm Electrode Holder 3m x 10mm Earth Lead & 200A Clamp



PRICE EX. VAT

MMA/Arc Welding: ☑ Carbon Steel

✓ Low Alloy Steel ✓ Stainless Steel

☑ Cast Iron

TIG Welding:

☑ Titanium

Copper

☑ Carbon Steel

☑ Low Alloy Steel

☑ Stainless Steel ☑ Cast Iron

JEFFERSON® WELDERS SHOULD BE FITTED WITH THE CORRECT PLUG. FAILURE TO COMPLY WITH THIS INSTRUCTION WILL VOID WARRANTY

160AMP HIGH FREQUENCY PULSE TIG WELDER (230V)

KIT-JEFTP1600-230

- · Input: 230V 16A
- · Output: 160Amp
- Comes with a 3m earth lead and 200Amp TIG Torch
- · Duty Cycle: 25% @ 160A
- · Dimensions: 400 x 140 x 230mm
- · Weight: 7.5kg









TUNDRA AC/DC 320AMP TIG WELDER (3 PHASE)

KIT-TUNTIG320AC-DC

TIG AC/DC welding machines are specifically designed to achieve perfect aluminium and aluminium alloy welding with alternating current. In DC mode they can also weld other metals such as stainless steel, mild steel, alloy steel, titanium and copper alloys. Coated electrodes — MMA welding is possible in either AC or DC with digital polarity change. Switchable HF arc ignition, 2-step/4-step/two level 4-step mode, 500 Hz DC pulse, AC pulse, 4 different AC forms and memory for operator's own settings. Options include remote control, foot pedal and TIG cold wire feeder.

- · Supply voltage: 415V
- · Supply current: 32A
- · Welding current: 5-320A
- · Duty cycle: 35%
- · DC pulse frequency: 0.5-500Hz
- · AC frequency: 35-250Hz
- · AC pulse frequency: 0.5-10Hz
- · Dimensions: 540 x 250 x 480mm
- · Weight: 30kg









£3270.83

WELDING SAFETY EQUIPMENT



JEFFERSON® WELDERS SHOULD BE FITTED WITH THE CORRECT PLUG. FAILURE TO COMPLY WITH THIS INSTRUCTION WILL VOID WARRANTY

40AMP PLASMA CUTTER (DUAL VOLTAGE)

JEFPLAS40A-DV

- · Input Voltage ~ Frequency: 230V / 110V ~ 50Hz
- · Maximum Amp Output: 40A (@230V) 20A (@110V)
- · Cutting Capacity: 25mm
- · Open Circuit Voltage: 300V
- · Duty Cycle: 230V: 40A @ 30% 110V: 20A @ 60%
- · Torch Cable Length: 6m
- · Working Pressure: 80-110psi
- · Display: Analogue
- · Cable / Plug:
 - 4m x 2.5mm 3 core / 16A
- · Dimensions: 582 x 343 x 381mm
- · Weight: 9.6kg



PRICE EX. VAT £832.50

CAPACITY













TUNPLAS45A-DV

- \cdot Input Voltage \sim Frequency: 230V / 110V \sim 50Hz
- · Maximum Amp Output: 45A (@230V) 20A (@110V)
- Cutting Capacity: 28mm
- · Open Circuit Voltage: 300V
- · Duty Cycle: 230V: 45A @ 30% 110V: 20A @ 60%

- · Torch Cable Length: 6m
- · Working Pressure: 80-110psi
- Display: Digital
- · Cable / Plug: 4m x 2.5mm 3 core / 16A
- · Dimensions: 582 x 343 x 381mm
- · Weight: 9.6kg



WARRANTY DOES NOT INCLUDE TORCH & CONSUMARIES



28MM CUTTING



PT60 60A 6M PLASMA TORCH



PLASMA TORCH CONSUMABLES




JEFFERSON® PLASMA CUTTERS SHOULD BE FITTED WITH THE CORRECT PLUG. FAILURE TO COMPLY WITH THIS INSTRUCTION WILL VOID WARRANTY



(JEFPROREG-F OR JEFPROREG-M)







LOW PRESSURE PROPANE GAS REGULATORS JEFPROREG-F JEFPROREG-M PROPANE CYLINDERS **FFMALE** MALE AND GAS HEATERS - EU STANDARD - UK STANDARD · Max temperature: 50°C · Flow rate: 8.0kg · Operation pressure: 0.5 - 4bar · Inlet connector: G5/8" LH · Outlet connector: G3'/8" LH PRICE EX. VAT



GAS HOSE



£12.46

MAPP & OXYGEN BRAZING KIT & CONSUMABLES

JEFGASBRAZKIT







- Compatible with CGA 600 connection, MAPP and Europe type M12*1 & M10*1 thread oxygen cylinder
- Features an adjustable flame which is perfect for cutting light steel, brazing, soldering and light welding
- Durable brass burn wand with independent fuel and oxygen controls
- Pressure regulated for consistent performance when inverted
- Max. Temp. 3000°C making it ideal for small brazing, welding and metal-cutting projects
- · Lightweight and portable with 1.8m hose



COMPATIBLE WITH JEFGASBRAZKIT Includes:

- · 1x Metal Carry Case
- 1x Torch
- · 1x Oxygen Bottle
- · 1x MAPP Bottle
- 1x M10 Adaptor
- · 3x Nozzles
- · 1x Sparker
- · 1x Safety Glasses



*WARNING: <u>NOT</u> SUITABLE FOR ACETYLENE



PRICE EX. VAT £162.50

BRAZING GAS TORCH

JEFGASBRAZTCH

 Advanced gas control system on the handle improves precision

 Durable brass burn wand, independent fuel and oxygen controls and is pressure regulated for consistent performance when inverted

· Lightweight and portable with 1.8m hose



||||| INFERNO™

*WARNING: <u>NOT</u> SUITABLE FOR ACETYLENE £107.50

OXYGEN CYLINDER ADAPTOR

JEFGASOXYADPT







PRICE EX. VAT **£5.79**

SOLDERING IRONS PAGE 187


SOLDERING MAT

JEFMATSOL

· Fibreglass material

OR BRAZING

- · Max. Temperature: 1200°C
- · Dimensions: 200 x 300mm



INDUSTRIAL GAS TORCH

JEFGASTORCHIND

- · Adjustable turbo flame enabling a high concentrated heat with anti-flare
- · Equipped with instant Piezo ignition
- · Can be operated with disposable propane or MAPP gas cylinders
- · Fits all cylinders/cartridges with 1" US thread and other cylinders with the use of optional adaptors
- · Solid die-cast torch body
- Fine filtered jet
- · Works in any position including upside down
- · Dead mans trigger function
- · Burner Diameter: 15mm
- · Burner Length: 64mm
- · Gas Consumption at Working Pressure: 250g/hr
- Max Heat Output: 2300 kW

WARNING: NOT

SUITABLE FOR

ACETYLENE

INFERNO

- Maximum Temperature: 2400 °C
- · Valve Type: Fine Regulating Valve
- · Working Pressure (bar): 0-3.5 bar



Ideal for: ✓ Plumbing

☑ Heating ☑ Refrigeration

☑ Air conditioning



GAS FLOW ADJUSTER

ON/OFF BUTTON AND CONTINUOUS WORKING BUTTON

PRICE EX. VAT

SOLDERING & BRAZING GAS TORCH



- Push-button for trigger start, Piezo self-igniting system
- · 360° swivel flametube design
- · Compatible with Propane, Mapp® Mapp/Pro™ gases & MT-1 & PT-1 fuel containers
- · Brass tip, built-in gas regulator & safety trigger lock

Propane (JEFGASPR00400)

- · Soft solder: 19mm 76mm
- · Brazing: 6mm 19mm MAPP (JEFGASMAP0453)
- · Soft solder: 19mm 102mm
- · Brazing: 6mm 32mm





PRICE EX. VAT



GAS TORCH EXTENSION HOSE 1.5M

JEFGAST-EXT1.5

- · CGA 600 Standard torch connection
- · Gas flow control knob
- · 1.5m reinforced gas hose





SOLDERING & BRAZING GAS TORCH & MAPP GAS KIT

JEFGASTORCHKIT


· JEFGASTORCH Soldering & Brazing Gas Torch · JEFGASMAP0453

MAPP Gas -FLAMMABLE, N.O.S (Methyl Acetylene & Propadiene Mixtures, Stabilized)





PRICE EX. VAT



ARGON REGULATOR SIDE ENTRY

JEFRGR-ARG-SE

- · Input pressure: 300bar
- · Output pressure: 30L/min
- Gauge pressure range Input: 400bar Output: 40L/min
- · Inlet connector: G5/8"-14
- · Outlet connector: G3'/8"-19



PRICE EX. VAT

ARGON REGULATOR

JEFRGR-ARG

- · Input pressure: 300bar
- · Output pressure: 30L/min
- Gauge pressure range: Input: 400bar Output: 40L/min
- · Inlet connector: G5/8"-14
- · Outlet connector: G3'/8"-19



PRICE EX. VAT **£37.08**

ACETYLENE GAS REGULATOR

JEFRGR-ACE

- · Input pressure: 25bar
- Output pressure: 1.5bar
- Gauge pressure range: Input: 40kg/cm²
 Output: 2.5kg/cm²
- · Inlet connector: G5/8"-14LH
- · Outlet connector: G3'/8"-19LH



£37.08

OXYGEN REGULATOR

JEFRGR-OXY

- · Input pressure: 300bar
- Output pressure: 10bar
- Gauge pressure range Input: 400kg/cm²
 Output: 16kg/cm²
- · Inlet connector: G5/8"-14
- Outlet connector: G3'/8"-19



PRICE EX. VAT **£37.08**

PROPANE GAS REGULATOR

JEFRGR-PRO

- · Input pressure: 25bar
- · Output pressure: 4bar
- Inlet connector:
 5/8" BSP LH
- Outlet connector:
 3/8" BSP LH

FOR USE WITH CUTTING TORCHES



PRICE EX. VAT **£34.38**

GAS ACCESSORIES



PRODUCT	DESCRIPTION	PRICE Ex. Vat
JEFCOMBTLS	Combination Bottle Spanner	£3.46
JEFSPINKEY	7mm Spindle Key	£2.58

HICKORY HAMMERS





PAGE 165

SG2 SOLID MIG WELDING WIRE - 0.7KG, 5KG & 15KG

Mild steel welding wire is widely used in ship, vehicle, bridge, engineering machinery and various other fields. Mild steel welding wire is highly anti-corrosive, it uses CO_2 gas shielded welding and is widely applied in marine boilers, marine pipelines and marine cargo manufacturing industries. Our SG2 solid wire mild steel welding wire is coated with a copper layer for high anti-corrosion.



CE 0035 14, EN ISO 14341-A-G42 3 C1 3SI1, EN13479:2017





PRODUCT	WIRE DIAMETER	PACK SIZE	PRICE EX. VAT
JEFWP0.6-0.7	0.6mm	0.7kg	£5.33
JEFWP0.8-0.7	0.8mm	0.7kg	£4.75
JEFWP0.6-05	0.6mm	5kg	£23.96
JEFWP0.8-05	0.8mm	5kg	£22.08
JEFWP1.0-05	1.0mm	5kg	£21.04
JEFWP0.8	0.8mm	15kg	£34.58
JEFWP1.0	1.0mm	15kg	£33.29
JEFWP1.2	1.2mm	15kg	£33.29

0.9MM FLUX CORED WELDING WIRE - 0.9KG

JEFWP0.9-0.9FC

- · Manufactured to BS EN ISO14341:2008
- Suitable for use with the Jefferson autoMIG 151A gas/no gas welder (JEFMIG151-A) and other gas/no gas welders
- · Ideal for a range of industry uses



PRICE EX. VAT **£11.42**

WELDING RODS



A versatile, deep penetrating steel electrode with smooth, stable arc characteristics. It is used for the welding of mild steels, galvanized and some low alloy steels. The coating produces a forceful, spray-type arc, resulting in deep penetrating welds. The slag is thin and easily removable.

Class E6013 blue rutile coated electrodes suitable for welding Carbon and C-Mn steels with medium mechanical properties. Typical

 Soft arc therefore suitable for relatively thin plates and bridging wide gaps

and worn mild steel surfaces, general light

Application: Vehicles, ship building and repair, sheet metal, build-up of over machined

- · All position electrode including vertical down
- · Rutile general purpose

fabrication.

PRODUCT	SIZE	PRICE Ex. Vat
JEFWR2.5-2.5KG	2.5 x 350mm	£10.83
JEFWR3.2-2.5KG	3.2 x 350mm	£10.83
JEFWR4.0-2.5KG	4.0 x 350mm	£10.83

BINZEL TYPE MIG TORCHES



250A 4 METRE

250A 5 METRE

360A 5 METRE

JEFTORBZL250A4M

JEFTORBZL250A5M

JEFTORBZL360A5M

PRICE EX. VAT £62.92 PRICE EX. VAT £68.13 PRICE EX. VAT £95.00

BINZEL TYPE 250AMP MIG TORCH CONSUMABLES




	PRODUCT	DESCRIPTION	PRICE Ex. Vat
1	JEFTORBZ2506	Tip Holder M6	£1.24
2	JEFTORBZ2504-08	0.8mm Tip M6	£0.72
2	JEFTORBZ2504-10	1.0mm Tip M6	£0.72
2	JEFTORBZ2504-12	1.2mm Tip M6	£0.72
3	JEFTORBZ2508	Gas Nozzle 15mm bore	£2.95
	JEFTORBZ2524-50	Steel Liner 1.0mm-1.2mm x 5m	£8.71
	JEFTORBZ2513-50	Teflon Liner 1.0mm-1.2mm x 5m	£16.92

NZEL TYPE 360AMP MIG TORCH **CONSUMABLES**



	PRODUCT	DESCRIPTION	EX. VAT
1	JEFTORBZ3614	Tip Holder M8	£1.40
2	JEFTORBZ4014-10	1.0mm Tip M8	£0.96
2	JEFTORBZ4014-12	1.2mm Tip M8	£0.96
3	JEFTORBZ3605W	White Diffuser	£2.38
4	JEFTORBZ3616	Gas Nozzle 16mm bore	£4.99
	JEFTORBZ2524-50	Steel Liner 1.0mm-1.2mm x 5m	£8.71
	JEFTORBZ2513-50	Teflon Liner 1.0mm-1.2mm x 5m	£16.92

TWECO TYPE 400AMP MIG TORCH CONSUMABLES



MIG WELDERS




auto MG





PAGES 38 & 39

BERNARD TYPE 400AMP MIG TORCH CONSUMABLES



	PRODUCT	DESCRIPTION	PRICE EX. VAT
1	JEFTORBND4435	Tip Holder	£4.88
2	JEFTORBND7496	1.0mm Short Tip	£0.95
2	JEFTORBND7490	1.2mm Short Tip	£0.95
3	JEFTORBND1596	1.0mm Long Tip	£1.10
3	JEFTORBND1590	1.2mm Long Tip	£1.10
4	JEFTORBND4491	Brass Nozzle 19mm Bore	£6.04
	JEFTORBND44115	Steel Liner 0.8mm-1.2mm x 4.5m	£8.71

WARRIOR LIGHTNING TYPE 450AMP 4.5 METRE MIG TORCH JEFTORLGN450A45M PRICE EX. VAT



BINZEL TYPE 500AMP WATERCOOLED MIG TORCH CONSUMABLES

£128.33



	PRODUCT	DESCRIPTION	PRICE EX. VAT
1	JEFTORWAT5001	Tip Adaptor 25mm	£1.62
2	JEFTORWAT5005C	Ceramic Diffuser	£1.58
2	JEFTORWAT5005W	White Diffuser	£1.58
3	JEFTORBZ4014-10	1.0mm Tip M8	£0.96
3	JEFTORBZ4014-12	1.2mm Tip M8	£0.96
4	JEFTORWAT5028	Conical Nozzle 16mm bore	£5.08
	JEFTORBZ2513-50	Teflon Liner 1.0mm-1.2mm x 5m	£16.92

WARRIOR TREGASKISS TYPE 500AMP MIG TORCH CONSUMABLES



	PRODUCT	DESCRIPTION	PRICE EX. VAT
1	JEFTORTR404-3	Heavy Duty Tip Holder	£5.50
2	JEFTORTR4031-10	Heavy Duty 1.0mm Tip Zirconium	£1.16
2	JEFTORTR4031-45	Heavy Duty 1.2mm Tip Zirconium	£1.16
3	JEFTORTR4016-62	Heavy Duty Nozzle 16mm bore	£9.38
	JEFTORTR4153515	Steel Liner 0.9mm-1.2mm x 4.8m	£11.46





14" WELDING GAUNTLETS

JEFGLWG-14RS

- Red leather welding glove with double reinforced palm
- · Cotton & foam lining
- Protective gauntlet cuff, wing thumb design









16" WELDING GAUNTLETS

JEFGLWG-16YS

- Yellow leather welding glove with double reinforced palm
- palm
 Cotton & foam
 lining
- Protective gauntlet cuff, wing thumb design



KEVLAR





16" PREMIUM WELDING GAUNTLETS

JEFGLWG-16BP

- Blue cow split leather welding glove with blue double reinforced palm.
- · Cotton & foam lining.
- Protective gauntlet cuff, wing thumb design











21" WELDING SLEEVES

JEFGLWLSLV

- · Yellow leather welding sleeve
- · Elasticated wrists for easy and comfortable wear
- · Hook & loop adjustable design
- Manufactured & Tested to: ISO 13688:2013 & EN ISO 11611:2015



CAT.II



14" PREMIUM TIG WELDING GAUNTLETS

JEFGLWG-TIGP

- Soft, comfortable, goat skin leather glove designed to offer the required dexterity & protection for TIG welding processes
- · Heavy duty leather cuffs providing extra protection to the forearm
- · Kevlar stitched lining
- Manufactured & Tested to: EN 420: 2003+A1: 2009, EN 407:2004 EN 12477:2001+A1:2005, BS EN 388:2016+A1:2018, according to regulation (EU) 2016/425
- These gloves are classed as CAT.II Personal Protective Equipment by the PPE Regulation (EU) 2016/425








KEVLAR STITCHING SUPERIOR QUALITY



WELDING CURTAINS WITH FRAME

- · Easy to assemble, lightweight and portable
- · 24 eyelets for securely fixing all four sides of the curtain
- · Nylon ties provide strong fastening to the frame
- · Colour: Orange



WELDING CURTAINS

 Attaches to the Jefferson JEFCURTOR6X6FR/ JEFCURTOR8X6FR welding curtain frame and other standard welding curtain frames



6X6FT

JEFCURTOR6X6

PRICE EX. VAT **£42.50**

8X6FT

JEFCURTOR8X6

PRICE EX. VAT

£51.25

MATTE BLACK

HAND HELD WELDING MASK

JEFHNDMSK

· Fixed window: 3-1/4" x 4-1/4"





JEFWELHT4G

- · Welding mode & grinding mode
- · Includes replaceable cover lenses
- · Variable shades 9 -13
- · Lens darkening reaction: 1/25,000th
- · Long-lasting, environmentally friendly power supply

AUTOMATIC WELDING & GRINDING HELMET

- · External and internal shade, sensitivity, delay time and grinding mode controls
- · Photoelectric sensor technology with high-quality dual LCD and filter
- · Reliable and safe arc protection
- · Operating temperatures ranging from -5°C and 55°C
- · Portable and balanced design
- · Fully compliant with current safety and technical standards

EN 175:1997

COMPATIBLE LENSES: JEFWELHT4G-IN & JEFWELHT4G-OUT



6G SERIES AUTO DARKENING WELDING & GRINDING HELMETS

- · Available in 3 shell designs
- · Slim. lightweight and well-balanced
- · Fully adjustable headgear for comfort and fatigue reduction
- · Powered by 1x CR2032 lithium battery and solar cells
- · Features auto-off circuitry at 15-20 minutes and low-battery indicator
- · Two independent ARC Sensors for increased safety and protection
- · Variable shade 9-13 with sensitivity and delay controls
- · Suitable for MMA, MIG, TIG, PAC, PAW, CAC-A processes
- · Optical Class: 1/2/1/2 (DIN EN 379:2009-07)
- · Impact Rating: B (120m/s) (DIN EN 175:1997) Protection Against High Speed Particles
- · Viewing Area: 92×42mm
- · Cartridge Size: 110×90×9mm
- · Light State: DIN 4
- · Power On/Off: Fully automatic
- · Sensitivity Control: Low / Medium / High
- · UV/IR Protection: DIN 16
- · Switching Time Light to Dark: 1/15000s
- · Dark to Light: 0.25~0.30s (High Sensitivity) 0.35~0.6s (Medium Sensitivity) 0.65~0.85s (Slow Sensitivity)
- · Low Amperage TIG: 20A (DC, AC)
- Operating Temperature: 5°C to + 55°C
- · Weight: 480g





PRODUCT	DESCRIPTION	PRICE EX. VAT
JEFWELHT6G-04	Type 4	£57.50
JEFWELHT6G-05	Type 5	£57.50
JEFWELHT6G-06	Type 6	£57.50

EN 175:1997

COMPATIBLE LENSES: JEFWELHT6G-IN & JEFWELHT4G-1230UT

CARBON FIBRE STYLE AUTOMATIC WELDING HELMET

JEFWELHT3C

- · Slim & lightweight
- · Welding mode & grinding mode
- · Carbon fibre wrap finish
- · Automatic light adjustment from light to dark in 1/20,000th of a second
- · Shade control from DIN 9 13
- · Adjustable sensitivity
- · Viewing Area: 98 x 55mm
- · Light State: DIN Shade 4
- · UV/IR Protection: DIN 16
- · Power On/Off: Fully automatic



SHADE CONTROL FROM **DIN 9-13**



SENSITIVITY SETTINGS & GRIND WELD MODE **TOGGLE**



EN 175:1997

COMPATIBLE LENSES: JEFWELHT3C-IN & JEFWELHT3C-OUT

4X ARC

TREAD PLATE STYLE AUTOMATIC WELDING HELMET

JEFWELHT5TP

- · Advanced Jefferson Clearweld: Automatic darkening filter (ADF) significantly reduces ARC glare during welding processes
- · External 9-13 DIN shade, delay & sensitivity controls
- · Powered by solar cells, with built-in Lithium battery
- · Viewing area: 98mm x 55mm
- · Switching time: light to dark: 1/20000s (0.00005s)
- · Dark to light: 0.3s 0.9s
- · Light state: DIN shade 4
- · Impact resistant shell with tread · Net Weight: 470g plate wrap finish
- · Operating temperature: -5°C to + 55°C (23°F to 131°F)
- · Cartridge size: 110 x 90 x 9mm
- · Function modes: welding & grinding
- · Impact resistant polymide nylon



EN 379 1/1/1/2

COMPATIBLE LENSES: JEFWELHT3C-IN & JEFWELHT3C-OUT



TUNDRA PM1 AUTO DARKENING WELDING & GRINDING HELMET

TUNWELHTPM1

- · Large viewing area
- · Fully adjustable shade control suitable for all high and low current welding requirements
- · Lightweight construction to reduce neck strain and enhance comfort
- · Tilt adjustment and pivot style headgear for even weight distribution
- · Robust and impact resistant polyamide nylon
- · Replaceable solar cell / lithium battery pack
- · Battery life expectancy up to 5 years
- · Welding mode & grinding mode
- · Viewing area: 100 x 73mm (3.94" x 2.87")
- · Cartridge size: 133 x 114mm
- · UV / IR protection:
- Permanent Shade DIN 16 · Light state: DIN shade 4
- · Dark state: From DIN4 DIN13 (Variable)
- · Power supply: Solar cells + 1 x CR2450 lithium battery · Impact rating: B
- · Power On/Off: Fully automatic
- · Switching time: Light to dark 1/30,000s
- · Switching time: Dark to light 0.25 ~ 0.8s

- · Operating temperature:
- 5°C to + 55°C (23°F to 131°F)
- · Storing temperature:
- 20° C $\sim + 70^{\circ}$ C (-4 $^{\circ}$ F to 158 $^{\circ}$ F)
- · Function Modes: Grinding / Welding
- · Helmet material: Impact resistant polyamide nylon
- · Dimensions: 194 x 245 x 334mm
- · Weight: 0.5kg
- · Minimum amperage required: ≥3 Amp





HI-DEFINITION OPTICAL CLASS 1/1/1/1

MANUFACTURED & TESTED TO **EN175B & EN379 STANDARDS**

COMPATIBLE LENSES: TUNWELHTPM1-IN & TUNWELHTPM1-OUT



WELDING HELMET **LENSES**



PRODUCT	DESCRIPTION	
WEG11	Glass Shade 11 Lens for JEFHNDMSK	£0.79
WEASL	Anti Spatter Lens for JEFHNDMSK	£1.08
JEFWELHT4G-IN	Inner Lens for JEFWELHT4G	£0.72
JEFWELHT4G-OUT	Outer Lens for JEFWELHT4G	£1.10
JEFWELHT3C-IN	Inner Lens for JEFWELHT3C & JEFWELHT5TP (108 x 59mm)	£1.21
JEFWELHT3C-OUT	Outer Lens for JEFWELHT3C & JEFWELHT5TP (123 x 99mm)	£1.54
TUNWELHTPM1-IN	Inner Lens for TUNWELHTPM1	
TUNWELHTPM1-OUT	Outer Lens for TUNWELHTPM1	
JEFWELHT1-IN	Inner Lens for JEFWELHT1	£0.78
JEFWELHT1-OUT	Outer Lens for JEFWELHT1	£1.15
JEFWELHT6G-IN	Inner Lens JEFWELHT6G (103.7 x 53.2 x 0.8mm)	£0.72
JEFWELHT4G-1230UT	Outer Lens JEFWELHT4G-01-3 & JEFWELHT6G01-3 (116mm x 89mm)	£1.10

WIDE-VISION GRINDING LENS

TUNDRA AIR FED WELDING HELMET KIT

TUNAWH02

- · Heavy duty protection whilst welding, gouging & grinding
- · Offering heavy duty protection from welding fumes and dust when welding, gouging & grinding
- · ADF technology offers true colour vision
- · Lightweight helmet design manufactured from impact resistance Nylon
- · Adjustable air flow settings to suit different environments and tasks





KIT INCLUDES

- Powered air respirator
 Protected air hose
 Carrying belt
 Li-ion 7.4V 7800mAh battery with charger

- · Operating Temperatures: 0-40°
- · Operating Duration: 6-8 hours (L/H setting) with new filter
- · Charging Time: 6 hours
- · Viewing Area: 100mm x 50mm
- · Shade State: DIN 4 13.5
- · Shade Control: Internal Adjust
- · Switching Time: 0.08 ms
- · Delay Time: 0.1 1.9s (Internal Variable)
- · Arc Sensors: 4
- · Dimensions (HxWxD): 210 x 230 x 480mm
- · Helmet Weight: 1.03kg
- · Respirator Weight: 1.02kg



WIDE-VISION GRINDING LENS

COMPATIBLE **GRINDING LENS**

TUNAWH-S21

- · Pack of 5
- · 180° wide vision grinding lens





ADJUSTABLE CARRYING BELT



PROTECTED AIR HOSE



TUNAWH02

PRICE EX. VAT

OPTICAL CLASS 1/1/1/2





SAFETY FEATURE: **VIBRATION ALERT & SOUND** TO INDICATE CLOGGED FILTER **FULL RANGE OF CONSUMABLES AVAILABLE**



TUNDRA AIR FED WELDING HELMET CONSUMABLES

MAIN FILTER

TUNAWH-S01



PRICE EX. VAT £20,79

PRE-FILTER (PACK OF 10)

TUNAWH-S02



PRICE EX. VAT £16.00

MAIN SHELL CLEAR LENS (PACK OF 5)

TUNAWH-S03



PRICE EX. VAT £36.04

ADF OUTER CLEAR LENS (PACK OF 10)

TUNAWH-S04



PRICE EX. VAT £16.00

ADF INSIDE COVER LENS (PACK OF 10)

TUNAWH-S05



PRICE EX. VAT £11.46

FACE SEAL

TUNAWH-S06



PRICE EX. VAT £37.29

7.4V HEAVY DUTY BATTERY

TUNAWH-S07



PRICE EX. VAT £138.33

BATTERY CHARGER

TUNAWH-S08



PRICE EX. VAT £39.13

HEAD SWEATBAND (PACK OF 2)

TUNAWH-S10



PRICE EX. VAT £8.33

HEADGEAR WITH AIRDUCT

TUNAWH-S11



PRICE EX. VAT £55.00

AIR HOSE & COVER

TUNAWH-S12



PRICE EX. VAT £36.25

BLOWER UNIT WITH FILTER COVER

TUNAWH-S13



PRICE EX. VAT £210.00

FILTER COVER FOR BLOWER UNIT

TUNAWH-S14



EX. VAT

AUTO DARKENING FILTER

TUNAWH-S15



PRICE EX. VAT £63.33

HARNESS FOR WAIST BELT

TUNAWH-S16



WAIST BELT

TUNAWH-S17



PRICE EX. VAT £41.04

EARTH CLAMPS

- · Lightweight, tough and durable construction with easy clamping mechanism
- · HDG steel body & lever with copper conductor
- Torsion spring type for strong, easy connection to the clamp



	PRODUCT	DESCRIPTION	RATING	MAX CABLE Capacity	PRICE Ex. Vat
1	JEFECCR0200	200Amp Earth Clamp Croc	200Amp @ 35% Duty Cycle, 150Amp @ 60% Duty Cycle	25mm ²	£5.58
2	JEFECCR0400	400Amp Earth Clamp Croc	400Amp @ 35% Duty Cycle, 300Amp @ 60% Duty Cycle	70mm ²	£8.49
3	JEFECCR0500	500Amp Earth Clamp Croc	500Amp @ 35% Duty Cycle, 400Amp @ 60% Duty Cycle	70mm ²	£10.21
4	JEFECSCW600	600Amp Earth Clamp Screw	600Amp @ 35% Duty Cycle, 500Amp @ 60% Duty Cycle	95mm²	£15.21
5	JEFECSCW600BR	600Amp Brass Jaw Earth Clamp Screw	600Amp @ 35% Duty Cycle, 500Amp @ 60% Duty Cycle	95mm²	£17.71
6	JEFECSCW600MY	600Amp Myking Earth Clamp Screw	600Amp @ 35% Duty Cycle, 500Amp @ 60% Duty Cycle	95mm²	£24.13
7	JEFECSCW600ST	600Amp Steel Jaw Earth Clamp Screw	600Amp @ 35% Duty Cycle, 500Amp @ 60% Duty Cycle	95mm²	£12.71

ELECTRODE HOLDERS

- · Designed to reduce overheating and ensure maximum comfort for the user
- · Brass conductor body with DMC handle
- · Spiral spring type



	PRODUCT	DESCRIPTION	RATING	MAX CABLE CAPACITY	PRICE Ex. Vat
1	JEFEHT400	400Amp Electrode Holder	400Amp @ 35% Duty Cycle, 300Amp @ 60% Duty Cycle	50mm ²	£10.75
2	JEFEHT600	600Amp Electrode Holder	600Amp @ 35% Duty Cycle, 500Amp @ 60% Duty Cycle	70mm ²	£14.79
3	JEFEHT600MY	600Amp Myking Electrode Holder	400Amp @ 35% Duty Cycle, 300Amp @ 60% Duty Cycle	95mm²	£19.13

200AMP 3 METRE EARTH LEAD

JEFECPLEADS03

- · Cable Length: 3m
- · Cable Diameter: 16mm
- · 35-50 Dinze Connector



300AMP 5 METRE ELECTRODE LEAD

JEFEHRLEADS05

- · Cable Length: 5m
- · Cable Diameter: 16mm
- · 35-50 Dinze Connector



PRICE EX. VAT

DINZE & PANEL SOCKETS













- Rating: 400Amp @ 35% Duty Cycle 300Amp @ 60% Duty Cycle
- · Maximum cable capacity: 50mm²







3







- Rating: 600Amp @ 35% Duty Cycle
 500Amp @ 60% Duty Cycle
- Maximum cable capacity: 95mm²

	PRODUCT	DESCRIPTION	PRICE EX. VAT
1	JEFDP35-50F	Dinze Socket 35/50 Female	£4.25
2	JEFDP35-50M	Dinze Socket 35/50 Male	£4.25
3	JEFDP70-95F	Dinze Socket 70/95 Female	£6.58

	PRODUCT	DESCRIPTION	PRICE Ex. Vat
4	JEFDP70-95M	Dinze Socket 70/95 Male	£6.58
5	JEFPS35-50F	Panel Socket M-10 Female 35/50mm ²	£6.54
6	JEFPS70-95F	Panel Socket M-12 Female 70/95mm ²	£7.79



	PRODUCT	DESCRIPTION	
1	JEFCOUP1-4L	1/4" Coupler Left Hand Straight (each)	£1.75
2	JEFCOUP1-4R	1/4" Coupler Right Hand Straight (each)	£1.75
3	JEFCOUP3-8L	3/8" Coupler Left Hand Straight (each)	£2.29
4	JEFCOUP3-8R	3/8" Coupler Right Hand Straight (each)	£2.29
5	JEFNUTU1-4L	1/4" Left Hand Union Nut (each)	£1.41
6	JEFNUTU1-4R	1/4" Right Hand Union Nut (each)	£1.41
7	JEFNUTU3-8L	3/8" Left Hand Union Nut (each)	£1.63
8	JEFNUTU3-8R	FNUTU3-8R 3/8" Right Hand Union Nut (each)	
9	JEFSPLICER1-4	1/4" Splicer (each)	£1.04
10	JEFSPLICER5-16	5/16" Splicer (each)	£1.45
11	JEFTAIL14-14	Tail 1/4" Bore x 1/4" Nut (each)	£1.58
12	JEFTAIL14-38	Tail 1/4" Bore x 3/8" Nut (each)	£1.58
13	JEFTAIL38-38	Tail 3/8" Bore x 3/8" Nut (each)	£1.58









SPRING HANDLED CHIPPING HAMMER

JEFCHIHAM

- · Alloy carbon steel head 40HRC
- · Spring steel handle



PRICE EX. VAT £4.13

FRENCH CHALK HOLDER JEFFCHOLD · Includes chalk 2 2 2 2 2 2 PRICE EX. VAT

MIG WELDING PLIERS

JEFMIGPLI

- · Manufactured from high quality carbon steel
- · Spring loaded
- · Can be used for hammering, wire cutting, spatter removal and insulation bushing removal and installation









- · Holds metal securely 45° & 90°
- · Operated with on/off switch
- · Easily cleaned
- · Designed for brazing, soldering and tacking: flat, round, angular and square stock

	PRODUCT	SIZE	PULLING FORCE	PRICE EX. VAT
	JEFWELMAG01	110 x 95 x 25mm	30lbs / 13kgf	£30.42
2	JEFWELMAG02	150 x 130 x 32mm	100lbs / 45kgf	£49.13

MAGNETIC WELDING CLAMPS

- · Magnetic position holders can hold welding jobs at angles of 45°, 90° or 135° as needed
- · Suitable for use on square or round materials



PRODUCT	SIZE	HOLDING Capacity	PRICE Ex. Vat
JEFMAGHOL075	75mm	4.1kg	£6.66
JEFMAGHOL092	92mm	9.2kg	£9.92
JEFMAGHOL116	116mm	15kg	£15.63



WELDING GAUGE FILLET TYPE

JEFWELGAU-FIL

- · High quality stainless steel blades
- · Metric & Imperial
- · Sizes: 1/8" - 1"
- 3.2-25.4mm
- · Set of 7 blades · Vinyl pocket case
- with snap lock



PRICE EX. VAT

WELDING GAUGE CAM TYPE

JEFWELGAU-CAM

- · High quality stainless steel blades
- · Accurate measuring of fillet leg length and weld throat size
- · Undercut and pitting depth
- · Excess weld metal
- · Root and face gap



PRICE EX. VAT £30.79

SLIDING COMPOUND MITRE SAWS 10" & 12"





✓ LASER CUTTING GUIDE ✓ INTEGRATED DUST EXTRACTION



ELECTRONIC SOFT-START TECHNOLOGY

FEATURES





EXTENSION SUPPORT WINGS





BEVEL CUT ADJUSTMENT

	10"	12"
CUTTING CAPACITY	WIDTH X	HEIGHT
Cross Cut: 0° x 0°	340 x 90mm	330 x 105

Left Bevel Cut: 0° x 45° Right Bevel Cut: 0° x 45° Mitre Cut: 45° x 0° Right Compound Cut: 45° x 45° Left Compound Cut: 45° x 45°

330 x 60mm 340 x 45mm 330 x 33mm 240 x 90mm 230 x 105mm 230 x 33mm 240 x 45mm 230 x 60mm



JEFMTRSW10-230

- Sound Pressure Level: 97.2dB (A)
 Weight: 14.3kg

INCLUDES 1X BLADE JEFSAWB250-60

PRICE EX. VAT £212.50



JEFMTRSW12-230

- Sound Pressure Level: 95.2dB (A)
 Weight: 20.5kg

INCLUDES 1X BLADE JEFSAWB305-60

PRICE EX. VAT £299.17

UNIVERSAL MITRE SAW STAND


JEFMTRSWSTND



TCT BLADES

· Each of the Jefferson TCT blades come complete with bushings to accommodate for a range of saw sizes






355MM CUT OFF SAWS

- · 14" (355mm) cut-off saw for DIY and professional use
- · Ideal for cutting a variety of metallic materials including: steel pipe, box section, angle iron, steel bars etc.
- · Supplied with a Ø355mm abrasive metal cutting disc
- · Heavy-duty cast steel base and saw arm
- · Fitted with adjustable mitre vice
- $\cdot~0^{\circ}~\&~45^{\circ}$ left / right clamping and cutting angles
- Ergonomic soft grip control handle
- Spindle lock for convenient blade replacement
- Safe operation with dead man's trigger control and blade guard
- · Portable fold-down design with carry handle
- · Motor Power: 2480W / 3.2HP
- No Load Speed: 3800rpm

CUTTING CAPACITIES			
	45°	90°	
	56mm	100mm	
	50mm	105mm	
	50 x 50mm	105 x 105mm	
	Ø 80mm	Ø 120mm	
	80 x 50mm	90 x 130mm	





PRODUCT	INPUT VOLTAGE	INPUT CURRENT	PRICE EX. VAT
JEFSWCFF14-110A	110V	16A	£199.17
JEFSWCFF14-230A	230V	13A	£199.17



355MM TCT METAL CUTTING CHOP SAW & BLADE

· This is a hand-operated, industrial chop saw and has been designed for cutting mild steel, steel plate, square tube, angle iron, pipe, aluminium and wood materials

· High-speed carbide-tipped blade cuts easily and effectively to produce a straight, burr-free clean edge

· Fast action swivel vice enables cuts to be made from 0-45°

· Hi-torque gearbox reduces motor load and improves performance

· Pull-out collection tray makes it easy to dispose of waste debris

· Max. Speed: 1500rpm

- · Blade Diameter: 355mm / 14"
- · Blade Bore / Arbor: 25.4mm / 1"
- · Blade Kerf: 2.4mm / 0.094"
- · Sound Pressure Level: 108dB
- · Sound Power Level: 121dB
- · Vibration Level: 1.39m/s2
- · Protection Class: I
- · Ingress Protection: IP20
- · Weight: 28kg

CUTTING CAPACITIES				
	45°	90°		
	12mm (½")			
	80mm ² (3 1/8")	120mm² (4¾")		
	-	130mm ² (5 1/8")		
	95 x 180mm (3¾ x 7 1/8)	120mm² (4¾")		

Supplied with:

1x 14" / 355mm Mild Steel TCT Blade (66 teeth)

1x 8mm blade locking hex key

1x V-clamp jaw











PRODUCT	INPUT VOLTAGE	MOTOR	INPUT CURRENT	PRICE EX. VAT
JEFTCTMCSW355-110	110V	2200W / 3.2HP	10A	£329.17
JEFTCTMCSW355-230	230V	1800W / 2.4HP	16A	£329.17

14" METAL CUTTING ABRASIVE DISC **COMPATIBLE** FOR USE WITH Jefferson **JEFFERSON 355MM CUT OFF SAWS** 14" x %4" x 1" 8000 **PRO DISC** *PAGE 231*

355MM TCT METAL CHOP SAW BLADE

JEFTCTMCSW355-BS66

IDEAL FOR USE WITH JEFFERSON TCT METAL CUTTING CHOP SAWS 20 x CONVENTIONAL ABRASIVE DISCS



PRICE EX. VAT £92.50

MAGNETIC DRILLS

STORAGE CASE INCLUDED WITH ALL MODELS

INCREDIBLE MAGNETIC
ADHESION ON ALL MODELS

⋘ 35-65MM CUTTING RANGE

MINDUSTRIAL MODELS AVAILABLE

40MM INDUSTRIAL MAGNETIC DRILLS

- · Maximum Cutting Capacity: 40mm
- · Maximum Cutting Depth: 30mm
- · Electro Magnetic Base Plate
- · Magnetic Adhesion: 14,000N / 1428kg
- Motor: 1500W
- · No Load Speed: 800rpm
- · Dimensions:
- 250 x 80 x 340mm · Weight: 10.25kg



Includes: Chuck & Adaptor WORTH £12.25 EX.VAT







PRODUCT	VOLTAGE	PRICE Ex. Vat
JEFMGNDR40-110	110V	£395.83
JEFMGNDR40-230	230V	£395.83


65MM INDUSTRIAL **MAGNETIC DRILL (110V)**

JEFMAGD65HD-110

- · Maximum Cutting Capacity: 65mm
- · Maximum Tapping Diameter: M20mm
- · Maximum Twist Drill Diameter: 25mm
- · Maximum Cutting Depth: 50mm
- · Input Voltage: 110V
- · Magnetic Adhesion: 15,800N
- · Motor Power / Speed: 1890W
- · No Load Speed: 100-180/500rpm
- · Dimensions: 390 x 110 x 390mm
- · Weight: 28kg



VARIABLE SPEED





PRICE EX. VAT

BLACK CUT SLUGGER BITS

- · The perfect accessory alongside your Jefferson Magnetic Drill
- · HSS annular hole cutters, offer fast and accurate hole drilling
- · Complete with a Weldon shank and are available in two lengths. 25mm and 50mm
- · The unique cutting teeth design continues to deliver peak performance, extending work-life well beyond that of our competitors



25MM SHORT SLUGGERS

PRODUCT	SIZE	PRICE EX. VAT
JEFSLGS12	12mm	£12.46
JEFSLGS13	13mm	£12.67
JEFSLGS14	14mm	£13.00
JEFSLGS15	15mm	£13.25
JEFSLGS16	16mm	£13.71
JEFSLGS17	17mm	£14.38
JEFSLGS18	18mm	£14.79
JEFSLGS19	19mm	£15.33
JEFSLGS20	20mm	£17.04
JEFSLGS21	21mm	£17.50

PRODUCT	SIZE	PRICE Ex. Vat
JEFSLGS22	22mm	£18.25
JEFSLGS23	23mm	£18.83
JEFSLGS24	24mm	£20.17
JEFSLGS25	25mm	£21.67
JEFSLGS26	26mm	£22.25
JEFSLGS27	27mm	£23.13
JEFSLGS28	28mm	£25.63
JEFSLGS30	30mm	£27.08
JEFSLGS32	32mm	£28.75

PRODUCT	SIZE	PRICE Ex. Vat
JEFSLGS33	33mm	£31.25
JEFSLGS34	34mm	£31.88
JEFSLGS35	35mm	£32.92
JEFSLGS36	36mm	£33.75
JEFSLGS38	38mm	£36.58
JEFSLGS40	40mm	£40.79
JEFSLGS42	42mm	£44.58
JEFSLGS45	45mm	£48.54
JEFSLGS50	50mm	£57.46

FEATURES

Designed for drilling holes in steel fabrication work. It is an ideal portable drilling solution equally suited for use in building sites or the workshop environment and can be used to cut in horizontal, vertical and overhead positions. The magnetic drill uses an annular hole cutter (sometimes called a slugger bit) to cut clean and accurate holes without pre-drilling or step drilling. After cutting through the steel the cutter produces a "slug" (a cylindrical lump of steel) that falls from the centre of the cut.

40MM VARIABLE SPEED MAGNETIC DRILLS

- · Maximum Cutting Capacity: 40mm
- · Maximum Cutting Depth: 30mm
- · Magnetic Adhesion: 14,000N / 1428kg
- · Motor: 1500W
- · No Load Speed: 100 - 800rpm
- · Dimensions:
- 250 x 80 x 340mm
- · Weight: 10.25kg









PRODUCT	VOLTAGE	PRICE EX. VAT
JEFMAGD40VAR-110	110V	£507.50
JEFMAGD40VAR-230	230V	£507.50

35MM AUTOMATIC DRIVE **MAGNETIC DRILL (230V)**

JEFMAGDAUT35-230

This model features an automatic feed and return system (automatic cutting and return after cutting) for fast, efficient, accurate and safe core drilling.

- · Maximum Cutting Capacity: 35mm
- · Maximum Cutting Depth: 35mm
- · Magnetic Adhesion: 16,000N
- · Motor: 1600W
- · No Load Speed: 760rpm
- · Dimensions: 420 x 180 x 350mm









50MM LONG SLUGGERS

PRODUCT	SIZE	PRICE Ex. Vat
JEFSLGL12	12mm	£18.17
JEFSLGL13	13mm	£18.67
JEFSLGL14	14mm	£19.33
JEFSLGL15	15mm	£19.79
JEFSLGL16	16mm	£20.17
JEFSLGL17	17mm	£20.79
JEFSLGL18	18mm	£21.58
JEFSLGL19	19mm	£22.71

PRODUCT	SIZE	PRICE Ex. Vat
JEFSLGL20	20mm	£24.13
JEFSLGL21	21mm	£25.21
JEFSLGL22	22mm	£26.04
JEFSLGL23	23mm	£27.25
JEFSLGL24	24mm	£28.83
JEFSLGL25	25mm	£30.33
JEFSLGL26	26mm	£31.25
JEFSLGL27	27mm	£32.75

PRODU	CT	SIZE	EX. VAT
JEFSLG	L28	28mm	£33.75
JEFSLG	L30	30mm	£36.25
JEFSLG	L32	32mm	£38.13
JEFSLG	L34	34mm	£41.96
JEFSLG	L35	35mm	£44.13
JEFSLG	L36	36mm	£46.04
JEFSLG	L38	38mm	£50.33
JEFSLG	L40	40mm	£55.33

PILOT BITS

PRODUCT	SIZE	PRICE Ex. Vat
JEFSLGPILOTS	Short	£5.16
JEFSLGPILOTL	Long	£6.41



DESIGNED TO CUT UP TO MORE THAN CONVENTIONAL



TCT SLUGGER BITS

The range of Jefferson sluggers have a Tungsten Carbide Tip which extend the life span of the slugger. They are ideal for high performance drilling through Steel, Stainless Steel, Grey Cast Iron, Aluminium, Copper, Brass, Tin and many more. Each slugger is 35mm in length, and ranges from 12mm to 40mm in diameter, making them ideal for any job.




TCT SLUGGER BIT PILOT BITS

- · JEFSLGTCTPIL01 size: 6.34 x 90mm
- Compatible with Jefferson TCT Slugger Bits in sizes 12-16mm
- · JEFSLGTCTPIL02 size: 7.98 x 90mm

Compatible with Jefferson TCT Slugger Bits in sizes 18-40mm

	PRODUCT	DESCRIPTION	PRICE EX. VAT
1	JEFSLGTCTPIL01	Small TCT Slugger Pilot Bit	£4.96
2	JEFSLGTCTPIL02	Large TCT Slugger Pilot Bit	£5.79



11 PIECE DIAMOND CORE BIT SET

JEFCB11SET

- · Dry cutting laser welded
- · For cutting fast clean holes in concrete, brick & aerated block
- · Angled slots extend through back end to expel dust
- · Unique "Helix" barrel design draws dust down the barrel



METAL CARRY CASE WITH FOAM INSET

Includes:

- · 5x Core Drill Bits (150mm long): 42mm
- 52mm





PRICE EX. VAT 132.50



TUNGSTEN CARRIDE TIP

PRODUCT	SIZE	PRICE Ex. Vat
JEFSLG35TCT12	12mm	£18.13
JEFSLG35TCT14	14mm	£20.42
JEFSLG35TCT16	16mm	£23.29
JEFSLG35TCT18	18mm	£26.25
JEFSLG35TCT20	20mm	£28.96
JEFSLG35TCT22	22mm	£30.63
JEFSLG35TCT24	24mm	£34.96
JEFSLG35TCT25	25mm	£36.46
JEFSLG35TCT26	26mm	£38.29
JEFSLG35TCT28	28mm	£39.96
JEFSLG35TCT30	30mm	£42.92
JEFSLG35TCT32	32mm	£46.46
JEFSLG35TCT35	35mm	£49.96
JEFSLG35TCT40	40mm	£61.63

90° MAGNETIC DRILL **COUNTERSINK BITS**

- · Spiral flute
- · Manufactured from tough, high speed steel
- · 90° head angle
- · Weldon shank
- · 3 flute design





PRODUCT	SIZE	PRICE Ex. Vat
JEFMAGDCS30	30mm	£41.63
JEFMAGDCS50	50mm	£88.29

CORE DRILL BITS (WET)

- · Ideal accessories for use with an electric core drill in order to drill into hard surfaces
- · 1 1/4" female thread



PRODUCT	SIZE	PRICE Ex. Vat
1 JEFCB051-450	51 x 450mm	£40.83
2 JEFCB152-450	152 x 450mm	£85.42

MULTI-TOOL BLADES

- & WOOD
- & NAILS
- & SCREWS
- & PLASTIC
- & COPPER PIPE
- & PLASTERBOARD
- S NON-FERROUS METALS
- & FIBREGLASS

FEATURES

- for quick & easy blade change
 Tough titanium-coated teeth
 Long-lasting performance
 Provides a clean and precise cut

BI-METAL MULTI-TOOL BLADES (PACKS OF 5)




PRODUCT	SIZE	PRICE Ex. Vat
JEFMTB034-05	34 x 0.8mm	£12.29
JEFMTB044-05	44 x 0.8mm	£13.13

75MM MULTI-TOOL DRYWALL BOX CUTTER

JEFMTBC075

· 75mm x 75mm x 35mm single box / socket cutter







PRICE EX. VAT £9.13

4 PIECE BI-METAL MULTI-TOOL BLADE SET

JEFMTBS-04



Includes: 53 x 32mm 53 x 44mm 40 x 65mm 67 x 32mm

PRICE EX. VAT

8 PIECE BI-METAL MULTI-TOOL BLADE SET

JEFMTBS-08











Includes:

- 2 x 40 x 34mm Coarse Timber Blade
- 2 x 40 x 68mm Coarse Timber Blade
- 1 x 51 x 32mm
- 1 x 34 x 40mm
- 1 x 40 x 68mm
- 1 x 51 x 44mm

PRICE EX. VAT £20.21

COMPATIBLE MULTI-TOOL

- **☑** AEG
- **☑** CRAFTSMAN
- **☑** HIKOKI
 - - **☑** JCB
- **☑** METABO **☑** MILWAUKEE
- **☑** ROCKWELL **☑** RYOBI
- **☑** SMART

- ☑ BOSCH
- **☑** MAKITA
- **☑** STANLEY

- **BRANDS**
- **☑** BLACK & DECKER
 - **☑** DEWALT
 - **☑** FEIN*
- **☑** RIGID
- **☑** SKIL
- **☑** WORX

BENCH DRILLS

- Fitted with a heavy duty motor, capable of drilling into wood, plastics, ceramics and many metals
 Cast iron working table and cast iron base
 Micro-switch inside pulley cover box

- Front emergency switchCast iron feeding handle

- Chuck guard
 Cast iron belt pulley
 Rack lifting system
 Flexible LED working light
- (550W & 750W models) Cross laser light





OFF SWITCH



	JEFPDB0350	JEFPDB0550	JEFPDB0750-16S
HEIGHT	580mm	980mm	1000mm
CHUCK Size	1.5-13mm	16mm	16mm
SPINDLE Taper	B16	MT2	MT2
SPINDLE Travel	50mm	80mm	85mm
SPEED	620-2620rpm	180-2770rpm	180-2770rpm
MOTOR Power	350W	550W	750W
DRILLING CAPACITY	13mm	16mm (5/8")	16mm (5/8")
SWING	210mm	325mm	360mm
COLUMN DIAMETER	46mm	92mm	72mm
TABLE Size	160 x 160mm	250 x 250mm	290 x 290mm
WEIGHT	17kg	45kg	55kg







PRICE EX. VAT £118.33




550W 2 JEFPDB0550

PRICE EX. VAT £307.50



750W



PRICE EX. VAT £349.17

DRILL ACCESSORIES

Heavy duty to ensure accuracy and extended work life



	PRODUCT	DESCRIPTION	PRICE Ex. Vat
		CHUCKS	
1	JEFCS1	Drill Chuck 1/2" 20UNF & Key	£13.13
2	JEFCS2	Drill Chuck 1/2" 20UNF & SDS & Key	£15.42
3	JEFCS6	Drill Chuck 1/2" 20UNF Part Metal Keyless	£15.75
4	JEFCS12	Drill Chuck 1/2" -20UNF Keyless	£20.79
5	JEFCS14	Drill Chuck 1/2" -20UNF Keyless & SDS	£22.46
		CHUCK KEYS	
6	JEFCS4	Drill Chucks 5/8" Key	£4.13
7	JEFCS8	Drill Chuck 1/2" SDS Adaptor	£3.83
8	JEFCS11	Drill Chuck 1/2" Chuck Key	£3.13
9	JEFCS17	20mm Chuck Key	£3.71
10	JEFMAGDSP29	Magnetic Drill Adaptor 1/2" 20UNF Weldon	£13.08
11	JEFMAGDSP30	Chuck & Adaptor for Magnetic Drill	£23.75
		MORSE TAPERS	
12	JEFMT3-JT3	Morse Taper Arbor MT3	£23.29
13	JEFMT3-MT2	Morse Taper Sleeve MT3-MT2	£32.29
14	JEFMT4-MT3	Morse Taper Sleeve MT4-MT3	£38.96
15	JEFMAGDBH01	Weldon Magnetic Drill Bit Holder with Morse 3 Taper MT3	£72.46
16	JEFMAGDBH02	Weldon Magnetic Drill Bit Holder with Morse 4 Taper MT4	£87.50

PILLAR DRILLS

- Fitted with heavy duty motors, capable of accurate drilling into wood, plastic, ceramics and many metals Cast iron working table and base









	JEFPDB0750-12S	JEFPDB1100	JEFPDB1500
HEIGHT	1600mm	1710mm	1710mm
CHUCK Size	5-20mm	5-20mm	5-20mm
SPINDLE Taper	MT3	MT3	MT4
SPINDLE Travel	85mm	120mm	120mm
MAX. DISTANCE SPINDLE TO TABLE	685mm	765mm	745mm
MAX. DISTANCE SPINDLE TO BASE	1175mm	1225mm	1205mm
SPEED	280-2830rpm	150-2450rpm	150-2450rpm
MOTOR POWER	750W	1100W	1500W
DRILLING Capacity	25mm (1")	25mm (1")	32mm (11/4")
SWING	352mm	440mm	510mm
COLUMN Diameter	80mm	92mm	92mm
TABLE Size	290 x 290mm	350 x 350mm	420 x 480mm
WEIGHT	71kg	106kg	125kg



1 750W JEFPDB0750-12S

PRICE EX. VAT £432.50



1100W

JEFPDB1100

PRICE EX. VAT £637.50



3 1500W

JEFPDB1500

PRICE EX. VAT £799.17





HSS STEP DRILLS

High speed steel drill bits that are extremely hard wearing and more resistant to heat while drilling into metal surfaces.





HSS

PRODUCT	DESCRIPTION	PRICE Ex. Vat
1 JEFSTPHSS4-12	4-12mm HSS Step Drill	£10.50
2 JEFSTPHSS4-20	4-20mm HSS Step Drill	£14.96
3 JEFSTPHSS4-32	4-32mm HSS Step Drill	£28.54

3 PIECE HSS STEP DRILL SET



PRICE EX. VAT £34.79

M2 STEP DRILLS

Suitable for thin materials, e.g. non-ferous metals, sheet steel. plastic or stainless steel.



	PRODUCT	DESCRIPTION	PRICE Ex. Vat
1	JEFSTPM2-4-12	4-12mm M2 Step Drill	£13.29
2	JEFSTPM2-4-20	4-20mm M2 Step Drill	£18.29
3	JEFSTPM2-4-32	4-32mm M2 Step Drill	£35.79

3 PIECE M2 STEP DRILL SET

JEFSTPSM2-03

- · Spiral flute
- · Clog-free precision
- · Black oxide finish
- Includes:

- · 4-12mm: JEFSTPM2-4-12
- · 4-20mm: JEFSTPM2-4-20



PRICE EX. VAT £46.67

6 PIECE HSS COUNTER SINK SET

JEFCSBS06

- · 90° Drill Bits
- · For Carbon Steel, Sheet Iron, PVC, Wood

Includes:

- · 6.3mm
- · 8.3mm
- · 10 4mm
- · 12.4mm · 16.5mm
- · 20.5mm



3 PIECE TCT ROTARY BURRS

JEFBURTCTR03

HSS Diamond Tooth Cut

Includes:

- · B1020 10x6mm
- · F1020 10x6mm
- · D1009 10x6mm



PRICE EX. VAT £29.67

8 PIECE TCT ROTARY BURRS

JEFBURTCTR08

- · HSS Diamond Tooth Cut
- · For Steel, Aluminium, Cast Iron, Wood, Acrylics, Fibreglass & Plastics

Includes:

- · A1225 12x6mm
- · C1020 10x6mm
- · F1225 12x6mm
- · D1009 10x6mm
- · A1020 10x6mm · C0616 6x6mm
- · F1020 10x6mm
- · D0605 6x6mm



HSS

NEWY DRILL BITS & SETS

HSS FULLY GROUND

HSS DIN

The Jefferson range of drill bits are fully ground, manufactured from high speed steel (HSS) increasing their heat resistance and available from 2mm to 13mm.

Manufactured to DIN 338 standard with 135° conical section.



PRODUCT	SIZE	PACK SIZE	PRICE EX. VAT
JEFDBH02.0-C	2.0mm	2	£1.25
JEFDBH02.5-C	2.5mm	2	£1.41
JEFDBH03.0-C	3.0mm	2	£1.66
JEFDBH03.5-C	3.5mm	2	£1.83
JEFDBH04.0-C	4.0mm	2	£1.92
JEFDBH04.5-C	4.5mm	2	£2.21
JEFDBH05.0-C	5.0mm	2	£2.46
JEFDBH05.5-C	5.5mm	2	£2.75
JEFDBH06.0-C	6.0mm	2	£3.13
JEFDBH06.5-C	6.5mm	1	£1.88
JEFDBH07.0-C	7.0mm	1	£2.13
JEFDBH07.5-C	7.5mm	1	£2.29
JEFDBH08.0-C	8.0mm	1	£2.49
JEFDBH08.5-C	8.5mm	1	£2.79
JEFDBH09.0-C	9.0mm	1	£3.13
JEFDBH09.5-C	9.5mm	1	£3.54
JEFDBH10.0-C	10.0mm	1	£3.75
JEFDBH10.5-C	10.5mm	1	£4.13
JEFDBH11.0-C	11.0mm	1	£4.71
JEFDBH11.5-C	11.5mm	1	£4.96
JEFDBH12.0-C	12.0mm	1	£5.21
JEFDBH12.5-C	12.5mm	1	25.63
JEFDBH13.0-C	13.0mm	1	26.04

170 PIECE HSS FULLY GROUND DRILL BIT SET

JEFDBSG170HSS

FEATURES

- ★ Ideal for drilling wood, plastics and
- ★ Made from high speed stee
- ★ Strong metal locking storage cas
- ★ Increasing in increments of 0.5m
- 135° Split point tip

INCLUDES

- * 10x of each: 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0mm
- * 5x of each: 8.5, 9.0 9.5, 10.0mm



PRICE EX. VAT **£137.50**

M35

Manufactured with 5% cobalt content for increased cutting performance and heat resistance. Produced in accordance to DIN 338 standard for high pressure and accuracy. Cobalt bits cut faster and longer.

M35 DIN 338



PRODUCT	SIZE	PACK SIZE	PRICE EX. VAT
JEFDBM35-02.0-C	2.0mm	2	£2.08
JEFDBM35-02.5-C	2.5mm	2	£2.46
JEFDBM35-03.0-C	3.0mm	2	£2.92
JEFDBM35-03.5-C	3.5mm	2	£3.29
JEFDBM35-04.0-C	4.0mm	2	£3.88
JEFDBM35-04.5-C	4.5mm	2	£4.58
JEFDBM35-05.0-C	5.0mm	2	₽5.63
JEFDBM35-05.5-C	5.5mm	2	£6.25
JEFDBM35-06.0-C	6.0mm	2	£7.08
JEFDBM35-06.5-C	6.5mm	1	£4.13
JEFDBM35-07.0-C	7.0mm	1	£4.79
JEFDBM35-07.5-C	7.5mm	1	25.63
JEFDBM35-08.0-C	8.0mm	1	€6.04
JEFDBM35-08.5-C	8.5mm	1	26.88
JEFDBM35-09.0-C	9.0mm	1	£7.91
JEFDBM35-09.5-C	9.5mm	1	£8.29
JEFDBM35-10.0-C	10.0mm	1	£9.13
JEFDBM35-10.5-C	10.5mm	1	£10.21
JEFDBM35-11.0-C	11.0mm	1	£11.25
JEFDBM35-11.5-C	11.5mm	1	£12.92
JEFDBM35-12.0-C	12.0mm	1	£14.79
JEFDBM35-12.5-C	12.5mm	1	£15.79
JEFDBM35-13.0-C	13.0mm	1	£16.25

170 PIECE M35 BIT SET

JEFDBSG170M35

FEATURES

- ★ Ideal for drilling wood, metals and plastics
- ★ Made from 5% Cobalt HSS bit for optimum heat dissipation
- ★ Strong metal locking storage case
- ★ Increasing in increments of 0.5m
- ★ 135° Split point tip

INCLUDES

- * 10x of each: 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0,
- 9.0, 9.5, 10.0mm



PRICE EX. VAT **£240.83**

MI M2 REDUCED SHANK DRILL BITS

FEATURES









PRODUCT	SIZE	PRICE EX. VAT
JEFDBM2-13.0RS	13.0mm	£11.63
JEFDBM2-13.5RS	13.5mm	£12.08
JEFDBM2-14.0RS	14.0mm	£12.46
JEFDBM2-14.5RS	14.5mm	£13.54
JEFDBM2-15.0RS	15.0mm	£14.13
JEFDBM2-15.5RS	15.5mm	£14.96
JEFDBM2-16.0RS	16.0mm	£15.42
JEFDBM2-16.5RS	16.5mm	£16.25
JEFDBM2-17.0RS	17.0mm	£16.63
JEFDBM2-17.5RS	17.5mm	£17.92
JEFDBM2-18.0RS	18.0mm	£19.13
JEFDBM2-18.5RS	18.5mm	£19.96
JEFDBM2-19.0RS	19.0mm	£20.79

PRODUCT	SIZE	PRICE EX. VAT
JEFDBM2-19.5RS	19.5mm	£22.08
JEFDBM2-20.0RS	20.0mm	£22.92
JEFDBM2-20.5RS	20.5mm	£24.13
JEFDBM2-21.0RS	21.0mm	£24.96
JEFDBM2-22.0RS	22.0mm	£26.63
JEFDBM2-23.0RS	23.0mm	£29.13
JEFDBM2-24.0RS	24.0mm	£30.42
JEFDBM2-25.0RS	25.0mm	£32.46
JEFDBM2-26.0RS	26.0mm	£34.96
JEFDBM2-27.0RS	27.0mm	£36.65
JEFDBM2-28.0RS	28.0mm	£38.29
JEFDBM2-29.0RS	29.0mm	£41.63
JEFDBM2-30.0RS	30.0mm	£43.29

HSS FULLY GROUND DRILL BITS - PACKS OF 10



PRODUCT	SIZE	PRICE EX. VAT
JEFDBH02.0	2.0mm	£0.81
JEFDBH02.5	2.5mm	£0.81
JEFDBH03.0	3.0mm	£0.81
JEFDBH03.2	3.2mm	£0.98
JEFDBH03.5	3.5mm	£0.98
JEFDBH04.0	4.0mm	£1.06
JEFDBH04.2	4.2mm	£1.16
JEFDBH04.5	4.5mm	£1.16
JEFDBH04.8	4.8mm	£1.24
JEFDBH05.0	5.0mm	£1.24
JEFDBH05.2	5.2mm	£1.28
JEFDBH05.5	5.5mm	£1.33
JEFDBH05.6	5.6mm	£1.37
JEFDBH05.8	5.8mm	£1.42
JEFDBH06.0	6.0mm	£1.50
JEFDBH06.5	6.5mm	£1.71
JEFDBH06.6	6.6mm	£1.79

The Jefferson range of drill bits are fully ground, manufactured from high speed steel (HSS) increasing their heat resistance and available from 2mm to 13mm. Manufactured to DIN 338 standard with 135° conical section. Drill bits are priced individually, but only sold in packs of 10

PRODUCT	SIZE	PRICE Ex. Vat
JEFDBH06.8	6.8mm	£1.88
JEFDBH07.0	7.0mm	£1.88
JEFDBH07.2	7.2mm	£2.00
JEFDBH07.5	7.5mm	£2.15
JEFDBH08.0	8.0mm	£2.33
JEFDBH08.5	8.5mm	£2.69
JEFDBH08.8	8.8mm	£2.83
JEFDBH09.0	9.0mm	£2.91
JEFDBH10.0	10.0mm	£3.41
JEFDBH10.2	2.5mm	£3.99
JEFDBH10.3	3.0mm	£3.99
JEFDBH10.5	3.2mm	£3.99
JEFDBH12.0	3.5mm	£4.99
JEFDBH12.5	4.0mm	£5.33
JEFDBH12.7	4.2mm	£5.54
JEFDBH13.0	4.5mm	£5.71

WHICH MATERIAL DO I NEED? HSS

For general-purpose drilling. They are cost-effective and widely used for everyday tasks in wood, plastic, and some metals

For more demanding drilling applications, such as drilling into harder metals like stainless steel, cast iron, and other tough materials

M35

For drilling into materials such as stainless steel, titanium, and other tough alloys. Often used in industrial settings where high performance and durability are required

M35 COBALT DRILL BITS - PACKS OF 10



PRICE EX. VAT **PRODUCT** SIZE JEFDBM35-02.0 2.0mm £1.24 JEFDBM35-02.5 2 5mm £1.33 JEFDBM35-03.0 3.0mm £1.49 JEFDBM35-03.5 3.5mm £1.74 JEFDBM35-04.0 4.0mm £1.91 JEFDBM35-04.5 4 5mm £2.29 JEFDBM35-05.0 5.0mm £2.79 5 5mm JEFDBM35-05.5 £3.13 JEFDBM35-06.0 6.0mm £3.54 JEFDBM35-06.5 6.5mm £4.13 JEFDBM35-07.0 7.0mm £4.79 JEFDBM35-07.5 7 5mm £5.79

Manufactured with 5% cobalt content for increased cutting performance and heat resistance. Produced in accordance to DIN 338 standard for high pressure and accuracy. Cobalt bits cut faster and longer. Drill bits are priced individually, but only sold in packs of 10

PRODUCT	SIZE	PRICE EX. VAT
JEFDBM35-08.0	8.0mm	£6.46
JEFDBM35-08.5	8.5mm	£7.29
JEFDBM35-09.0	9.0mm	£7.71
JEFDBM35-09.5	9.5mm	£8.29
JEFDBM35-10.0	10.0mm	£8.96
JEFDBM35-10.5	10.5mm	£10.21
JEFDBM35-11.0	11.0mm	£11.25
JEFDBM35-11.5	11.5mm	£12.92
JEFDBM35-12.0	12.0mm	£14.79
JEFDBM35-12.5	12.5mm	£15.79
JEFDBM35-13.0	13.0mm	£16.25

19 PIECE SETS

· Each set includes: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, and 10mm

HSS FULLY GROUND

JEFDBSG19HSS

- · HSS drill bits are designed to reduce friction and heat
- · 135° Split point tip
- · DIN338





PRICE EX. VAT

25 PIECE SETS

Each set includes: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, and 13mm

HSS FULLY GROUND

JEFDBSG25HSS

- · HSS drill bits are designed to reduce friction and heat
- 135° Split point tip
- DIN338



PRICE EX. VAT £42.50

M35 COBALT

JEFDBSG19M35

· M35 contains 5% cobalt meaning it will cut faster and last longer

· 135° Split point tip

 \mathbf{n}_{1}

338

- · M35 thread size
- · 5% Cobalt
- · DIN338



M35 COBALT

JEFDBSG25M35

M35 contains 5% cobalt meaning it will cut faster and last longer

- · 135° Split point tip
- M35 thread size
- 5% Cobalt
- **DIN338**

 $\mathbf{D}[V]$ M35 338



M2

JEFDBSG19M2



M2

JEFDBSG25M2

M2 is the industry standard and offers high wear resistance

- · 135° Split point tip
- · M2 thread size
- DIN338







PRODUCT	DESCRIPTION	PRICE EX. VAT
JEFDBSDSP05.0-160	5.0mm SDS Plus Bit 160-100mm	£2.46
JEFDBSDSP05.5-160	5.5mm SDS Plus Bit 160-100mm	£2.46
JEFDBSDSP05.5-210	5.5mm SDS Plus Bit 210-150mm	£2.99
JEFDBSDSP06.0-160	6.0mm SDS Plus Bit 160-100mm	£2.46
JEFDBSDSP06.0-210	6.0mm SDS Plus Bit 210-150mm	£3.13
JEFDBSDSP06.5-160	6.5mm SDS Plus Bit 160-100mm	£2.49
JEFDBSDSP06.5-210	6.5mm SDS Plus Bit 210-150mm	£3.13
JEFDBSDSP07.0-160	7.0mm SDS Plus Bit 160-100mm	£2.66
JEFDBSDSP07.0-210	7.0mm SDS Plus Bit 210-150mm	£3.16
JEFDBSDSP08.0-210	8.0mm SDS Plus Bit 210-150mm	£3.33
JEFDBSDSP08.0-260	8.0mm SDS Plus Bit 260-200mm	£3.83
JEFDBSDSP10.0-210	10.0mm SDS Plus Bit 210-150mm	£3.83
JEFDBSDSP10.0-260	10.0mm SDS Plus Bit 260-200mm	£4.13
JEFDBSDSP10.0-350	10.0mm SDS Plus Bit 350-300mm	£5.33
JEFDBSDSP12.0-210	12.0mm SDS Plus Bit 210-150mm	£4.96
JEFDBSDSP12.0-260	12.0mm SDS Plus Bit 260-200mm	£5.16

PRODUCT	DESCRIPTION	PRICE EX. VAT
JEFDBSDSP12.0-360	12.0mm SDS Plus Bit 360-300mm	£6.49
JEFDBSDSP14.0-210	14.0mm SDS Plus Bit 210-150mm	£6.25
JEFDBSDSP14.0-260	14.0mm SDS Plus Bit 260-200mm	£6.50
JEFDBSDSP14.0-310	14.0mm SDS Plus Bit 310-250mm	£6.96
JEFDBSDSP16.0-210	16.0mm SDS Plus Bit 210-150mm	£7.13
JEFDBSDSP16.0-310	16.0mm SDS Plus Bit 310-260mm	£7.96
JEFDBSDSP18.0-200	18.0mm SDS Plus Bit 200-150mm	£8.83
JEFDBSDSP18.0-300	18.0mm SDS Plus Bit 300-250mm	£13.29
JEFDBSDSP20.0-200	20.0mm SDS Plus Bit 200-150mm	£10.71
JEFDBSDSP20.0-300	20.0mm SDS Plus Bit 300-250mm	£12.49
JEFDBSDSP20.0-450	20.0mm SDS Plus Bit 450-400mm	£16.88
JEFDBSDSP22.0-250	22.0mm SDS Plus Bit 250-200mm	£15.13
JEFDBSDSP22.0-450	22.0mm SDS Plus Bit 450-400mm	£20.50
JEFDBSDSP24.0-450	24.0mm SDS Plus Bit 450-400mm	£24.38
JEFDBSDSP25.0-450	25.0mm SDS Plus Bit 450-400mm	£24.96
JEFDBSDSP26.0-450	26.0mm SDS Plus Bit 450-400mm	£25.79

SDS CHISELS



SDS PLUS CHISELS

	PRODUCT	DESCRIPTION	PRICE EX. VAT
1	JEFCHSDSP20-250	20mm x 250mm SDS Plus Cold Chisel	£8.29
2	JEFCHSDSP40-250	40mm x 250mm SDS Plus Cold Chisel	£10.21





	PRODUCT	DESCRIPTION	PRICE EX. VAT
	JEFCHSDSM25-280	25mm x 280mm SDS Max Cold Chisel	£10.67
	JEFCHSDSM25-400	25mm x 400mm SDS Max Cold Chisel	£12.71
3	JEFCHSDSM25-600	25mm x 600mm SDS Max Cold Chisel	£17.29
	JEFCHSDSM50-300	50mm x 300mm SDS Max Cold Chisel	£18.96
	JEFCHSDSM50-400	50mm x 400mm SDS Max Cold Chisel	£20.50
	JEFCHSDSM80-300	80mm x 300mm SDS Max Cold Chisel	£21.58
	JEFCHSDSM25-400SH	25mm x 400mm Self Sharpening SDS Max Cold Chisel	£19.79
4	JEFCHSDSM40-350SH	40mm x 350mm Self Sharpening SDS Max Cold Chisel	£20.63
5	JEFBPSDSM-400	400mm SDS Max Bull Point	£9.96

BIT SETS

23 PIECE IMPACT SCREWDRIVER BIT SET

JEFBITST023I

FEATURES

- S2 Steel with phosphate finishing Hex shank Colour rings



INCLUDES

- 25mm long impact bits: 4x Philips: 3x PH2, 1x PH3 4x Pozi: 3x PZ2, 1x PZ3 3x Hex: 4, 5, 6mm 7x TRX-Star: 2x T20, 2x T25, 2x T30, 1x T40
- 60mm long impact bits: 1x Phillips: PH2 1x Pozi: PZ2 2x TRX-Star: 1x T20, 1x T30 1x 1/4" Hex Magnetic Bit Holder




PRICE EX. VAT £10.79

26 PIECE SOCKET & SCREWDRIVER BIT SET

JEFBITST026

FEATURES

- Chrome plated S2 steel
 Hex shank
 Colour rings
 Suitable for for 1/4" hex chuck
 impact drivers
 Supplied in robust ABS plastic case



INCLUDES

- 3x Philips: PH1, PH2, PH3 3x Pozi: PZ1, PZ2, PZ3 3x Slotted: 4, 5.5, 6mm 4x Hex: 3, 4, 5, 6mm 5x TRX-Star: TR10, TR15, TR20, TR25, TR30 5x Sockets: 6, 7, 8, 10,

- 1/4" square x 1/4" hex adaptor 50mm 1/4" square extension bar 1/4" square x 1/4" hex adaptor reversible ratchet



PRICE EX. VAT £18.29

32 PIECE SCREWDRIVER BIT SET

JEFBITST032

FEATURES

- Hex shank
 Colour rings
 Suitable for for 1/4" hex
 chuck impact drivers
 Supplied in robust ABS
 plastic case

INCLUDES

- * 4x Philips: PH1, 2x PH2, PH3 ?

 * 4x Pozi: PZ1, 2x PZ2, PZ3

 * 4x Slotted: 3, 4, 5, 6mm

 * 4x Hex: 3, 4, 5, 6mm

 * 7x TRX-Star: T10, T15, T20, T25, T27, T30, T40
- 7x Torx Security: TR10, TR15, TR20, TR25, TR27, TR30, TR40
 - 1/4" Hex magne bit holder 1/4" adaptor



PRICE EX. VAT £12.46

60 PIECE SCREWDRIVER BIT SET

JEFBITST060

FEATURES

- Hex shank
 Colour rings
 Suitable for for 1/4" hex chuck impact drivers
 Supplied in robust ABS plastic case
 25mm long

INCLUDES

- * 13x Philips: 2x PH0, 4x PH1, 4x PH2, 3x PH3 * 13x POzi: 2x PZ0, 4x PZ1, 4x PZ2, 3x PZ3 * 6x Slotted: 2x SL4, 2x SL5, 2x SL6 * 5x Hex: 3, 4, 5, 6, 8mm * 14x TRX-Star: 2x T10, 2x T15, 2x T20, 2x T25, 2x T27, 2x T30, 2x T40 * 7x Torx Security: TR10, TR15, TR20, TR25, TR27, TR30, TR40
- 1/4" Hex magnetic locking bit holder 1/4" Hex magnetic bit holder



PRICE EX. VAT £20.79



VEW! IMPACT BITS







🕢 FLEX SHANK TORSION TECHNOLOGY







TUNDRA 32 PIECE IMPACT BIT SET

TUNIBST01-32

INCLUDES

- 25mm flex shank: 3x Philips: PH1, PH2, PH3 3x Pozi: PZ1, PZ2, PZ3 7x TRX-Sbar: T10, T15, 2x T20, T25, T30, T40 7x Torx Securiby: TR8, TR9, TR10, TR15, TR20, TR25, TR30 4x Hex: 3, 4, 5, 6mm
- 50mm flex shank: 2x Philips: PH2 5x Pozi: 3x PZ2, 2x PZ3 60mm magnetic quick-lock bit holder







PRICE EX. VAT £16.63

TUNDRA 46 PIECE IMPACT BIT SET

TUNIBST03-46

INCLUDES

- 25mm flex shank:
 2x Slotbed: 4.5, 5.5mm
 5x Philips: PH1, 3x PH2, PH3
 6x Pozi: PZ1, 3x PZ2, 2x PZ3
 12x TRX-Star: 2x Ti0,
 2x Ti5, 2x T20, 2x T25, T27,
 2x T30, T40
 5x Torx Security: TR10,
 TR15, TR20, TR25, TR30
 4x Hex: 3, 4, 5, 6mm
 2x Square: R1, R2
- 125mm:
 3x Philips: PH1, PH2, PH3
 150mm:
 3x Pozi: 2x PZ2, PZ3
 1x Square: R2
 1/4" adaptor
 60mm extension bar
 Magnetic quick-lock bit
 holder





STACKABLE WITH TUNIBST02-54





TUNDRA 54 PIECE IMPACT BIT SET

TUNIBST02-54

INCLUDES

- 25mm flex shank:
 4x Philips: PH1, 3x PH2
 4x Pozi: 1x PZ1, 3x PZ2
 19x TRX-Star: 2x T10,
 2x T15, 4x T20,
 4x T25, 4x T30, 3x T40
 4x Torx Security: TR15,
 TR20, TR25, TR30

 x 3x Hex: 4, 5, 6mm
- 50mm flex shank: 2x Philips: 2x PH2 3x Pozi: 2x PZ, PZ3 12x TRX-Star: T10, 2x T15, 3x T20, 2x T25, 2x T30, 2x T40 2x 1/4" nut drivers: 8, 10mm 60mm magnetic extension bar





PRICE EX. VAT £26.25













PRODUCT	SIZE	PACK SIZE	PRICE EX. VAT
	50MM LEN	IGTH	
TUNIBT050-PH2	PH2	4	£4.13
TUNIBT050-PH3	PH2	4	£4.13
TUNIBT050-PZ2	PH2	4	£4.13
TUNIBT050-PZ3	PH2	4	£4.13
	89MM LEN	IGTH	
TUNIBT089-PZ2	PH3	2	£4.79
TUNIBT089-PZ3	PZ2	2	£4.79
	150MM LEN	NGTH	
TUNIBT150-PZ2	PH3	2	26.88
TUNIBT150-PZ3	PZ2	2	26.88

TUNDRA 4 PIECE IMPACT **NUT DRIVER SET**

TUNIBS065-MND

FEATURES

Non-slip hex geometry Colour band 65mm long Includes: 7, 8, 10, 13mm





TUNDRA 3 PIECE **IMPACT ADAPTOR SET**

TUNIBS050-ADP

FEATURES

CR-V

< 50mm long <u>< Includes:</u> 1/4", 3/8", 1/2"



PRICE EX. VAT

TUNDRA 1/4" LOCKING IMPACT BIT HOLDERS

FEATURES

- ★ Shock-resistant Chrome Vanadium ★ Suitable for high-torque ₺ impact applications ★ 1/4" hex locking reception





PRODUCT	LENGTH	PRICE EX. VAT
TUNIBHD076M	76mm	£7.92
TUNIBHD152M	152mm	£9.96

40 PIECE POWER BIT SET

JEFDBS040

· 3/8" & 1/2" Sq Drive

Includes:

- 2 x Bit Adaptor: 3/8" & 1/2" drive
- 7 x 30mm: 4, 5, 6, 7, 8, 10, 12mm
- 7 x 30mm TRX-Star: T20, 25, 30, 40, 45, 50, 55
- 5 x 30mm Spline Bits: 5, 6, 8, 10,12mm
- 7 x 75mm Hex: 4, 5, 6, 7, 8, 10, 12mm
- 7 x 75mm TRX-Star: T20, 25, 30, 40, 45, 50, 55
- 5 x 75mm Spline Bits: 5, 6, 8, 10, 12mm







SUPPLIED IN A DURABLE AND PORTABLE CARRY-CASE

PRICE EX. VAT £20.79

60MM MAGNETIC BIT HOLDER

JEFMBH



3 PIECE SOCKET ADAPTOR SET

JEFDBSAS03

- · Cr-V Steel with sandblasted finish
- · Includes:
- · 1/4" Sq. x 65mm
- · 3/8" Sq. x 65mm
- · 1/2" Sq. x 72mm





PRICE EX. VAT

ADJUSTABLE MULTI-FUNCTION PIN SPANNER

JEFAPS01

- · Suitable for any size of grinder
- · Adjustable from 15-57mm
- · Hardened steel
- · Flat handle base that can be used as a screwdriver





EASIER ACCESS


INTO HARDER TO REACH PLACES

13MM THICK ANGLE **GRINDER QUICK NUT**

JEFCS15

- · Suitable for use with all angle grinders with an M14 thread
- · Allows for quick disc changing without requiring additional tools

· Thickness: 13mm




PRICE EX. VAT £19.00

8MM THICK ANGLE **GRINDER OUICK NUT**

JEFCS18

- · Suitable for use with all angle grinders with an M14 thread
- · Allows for quick disc changing without requiring additional tools



PRICE EX. VAT

PLANER BLADES (PAIR)

JEFPLAB01

- · Universal / reversible fit, compatible with most table-top and hand held electric planers
- · High-quality HSS blade
- · Dimensions: 82mm x 5.5mm



HOLESAW ARBOR & PILOT DRILL



PRODUCT	SIZE	PRICE Ex. Vat
JEFHSA14-30	Ø 14 - 30mm 7/16" Hex Shank	£5.29
JEFHSA32-152	Ø 32 - 152mm 7/16" Hex Shank	£8.83

9 PIECE PLUMBERS HOLESAW SET

JEFHSK09P

- · HSS-M3 High performance steel cutting edge suitable for cutting a wide range of metals, alloys & plastics with ideal sizes for plumbers.
- · Bi-Metal
- · Variable pitch tooth profile

Includes:

- 10mm
- · 22mm
- 29mm · 38mm
- · 44mm
- · 57mm
- · Pilot Drill Bit
- Ø 14-30mm Arbor
- Ø 32-152mm Quick Release Arbor



9 PIECE ELECTRICIANS HOLESAW SET

JEFHSK09E

- · HSS-M3 High performance steel cutting edge suitable for cutting a wide range of metals, alloys & plastics with ideal sizes for electricians.
- · Bi-Metal
- · Variable pitch tooth profile

Includes:

- · 16mm
- · 20mm
- · 25mm
- · 32mm
- · 40mm
- · 51mm
- · Pilot Drill Bit · Ø 14-30mm Arbor
- Ø 32-152mm Quick Release Arbor



BENCH GRINDERS

All Jefferson bench grinders are pre-drilled for bench mounting











	PRODUCT	DESCRIPTION	DIAMETER	OUTPUT	GRINDING WHEEL DIMENSIONS	GRINDING Wheel Bore	GRINDING SPEED	WEIGHT	PRICE EX. VAT
1	JEFBGS06	6" Bench Grinder 1/2HP	150mm	370W/1/2HP	150 x 20mm	12.7mm	2850rpm	9.5kg	£99.17
2	JEFBGS08	8" Bench Grinder 3/4HP	200mm	550W / 3/4HP	200 x 25mm	15.8mm	2850rpm	13ka	£124.17

INDUSTRIAL BENCH GRINDERS 2 SEE BENCH GRINDING WHEELS ON PAGE 233 INDUSTRIAL

	PRODUCT	SIZE	DIAMETER	OUTPUT	GRINDING WHEEL DIMENSIONS	GRINDING WHEEL BORE	GRINDING SPEED	WEIGHT	PRICE Ex. Vat
1	JEFBG6	6" Industrial Bench Grinder	150mm	500W	150 x 25mm	32mm	2950rpm	16.5kg	£169.00
2	JEFBG8	8" Industrial Bench Grinder	200mm	900W	200 x 32mm	32mm	2950rpm	26.5kg	£239.17

BENCH GRINDER ADJUSTABLE STAND

JEFBGSSTDADJ

- Built-in accessory tray and compartment for storing spare grinding wheels, safety goggles etc.
- Pre-set working heights from 700-900mm
- Heavy duty cast iron base for added stability
- Power cable hook for safe
- storage of grinder power cords
 Dimensions: 315 x 250 x 700-
- 900mm (adjustable height)
- · Weight: 17.0kg

ONLY COMPATIBLE WITH JEFBGS06 AND JEFBGS08 BENCH GRINDERS





7" BANDSAW BELT DRIVEN ON WHEELS

JEFBAN180-07W

- · Motor: 0.75kW (230V)
- · Belt Driven
- · Blade Size: 2360 x 20 x 0.9mm
- · Blade Speed: 34, 41, 59, 98m/min
- · Pivoting band holder bow: 0 60°
- · Dimensions (H X W): 1260 x 1100mm
- · Weight: 145kg





C	UTTING	CAPACITIES
ANGLE	SHAPE	LENGTH
@ 90°		180mm
@ 90		180mm x 300mm
@ 45°		100mm
@ 45		170mm x 300mm



PROFESSIONAL

PROFESSIONAL BANDSAWS







PROFESSIONAL

- Equipped with gearbox drive, cast iron 0-60° swivelling arm with hydraulic cylinder, roller-bearing blade guides, coolant pump and control panel Safe and efficient use with blade guards, micro-switches and auto-cutoff system

8" SWIVEL HEAD BANDSAW

JEFBAN200-08

- · Blade Size: 2085 x 20 x 0.9mm
- · Blade Speed: 80m/min
- · Dimensions (H X W): 1620 x 1500mm
- · Weight: 173kg

C	UTTING	CAPACITIES
ANGLE	SHAPE	Length
		170mm
@ 90°		200 x 170mm
		170 x 170mm
		120mm
@ 45°		120 x 110mm
		120 x 120mm
@ 60°	•	70mm
@ 00		60 x 60mm

10" SWIVEL HEAD BANDSAW

JEFBAN260-10

- · Blade Size: 2455 x 27 x 0.9mm
- · Blade Speed: 72m/min (230V)
- · Dimensions (H X W): 1810 x 1720mm
- · Weight: 220kg

227mm 260 x 200mm 200 x 200mm 150mm 150 x 125mm 125 x 125mm 90mm	ANGLE	SHAPE	Length
200 x 200mm 150mm 150 x 125mm 125 x 125mm 90mm			227mm
150mm 150 x 125mm 125 x 125mm 90mm	@ 90°		260 x 200mm
@ 45° 150 x 125mm 125 x 125mm 90mm			200 x 200mm
125 x 125mm			150mm
90mm	@ 45°		150 x 125mm
			125 x 125mm
	ത ബം		90mm
85 x 85mm	@ 00		85 x 85mm

CUTTING CAPACITIES







PRICE EX. VAT

INDUSTRIAL BANDSAWS

INDUSTRIA

& SWIVEL HEAD & GEAR BOX DRIVEN & O-60° PIVOTING ARM



- Equipped with gearbox drive, cast iron 0-60° swivelling arm with hydraulic cylinder, roller-bearing blade guides, coolant pump and control panel Safe and efficient use with blade guards, micro-switches and auto-cutoff system ldeal in metal-working workshops where durability, precision, quality and high cutting speeds are essential

8" SWIVEL HEAD BANDSAW

JEFWE210S


- · Blade Size: 2110 x 20 x 0.9mm
- · Blade Speed: 90m/min
- · Dimensions (H X W): 1620 x 1500mm
- · Weight: 156kg



10" SWIVEL HEAD BANDSAW

JEFWE260S

- · Blade Size: 2460 x 27 x 0.9mm
- · Blade Speed: 72 m/min (230V)
- · Dimensions (H X W): 1870 x 1720
- · Weight: 216kg





Jefferson

PRICE EX. VAT F2749₋1

225mm

225mm x 450mm

225mm x 255mm

225mm x 300mm

CUTTING CAPACITIES

ANGLE SHAPE

@ 90°

@ 45°

18" SWIVEL HEAD BANDSAW

- · Motor: 1.5kW (230V) or (415V) Belt Driven - Variable Speed
- · 450 x 225mm Cut Capacity
- · Swivel Head
- Blade Size: 10' 11 3/4" x 1" 3340 x 25mm
- · Dimensions (L X W): 1828 x 762mm
- · Weight: 420kg



BELT DRIVEN -VARIABLE SPEED





VOLTAGE 230V JEF918S £5199.17 JEF918S3 3 Phase £5199.17

BELT LINISHERS

- · The Jefferson Belt Linishers are ideally used to conduct surface polishing and grinding of metal and non-metal parts, to enhance the roughness and glossiness of spare parts surface
- \cdot Highly efficient in the grinding of materials, its industrial construction makes it an ideal substitute for polishing machines
- · Belt Speed: 30m/s
- · High performance 2800rpm belt sander
- · Quick change belt system
- · Premium swallow tail structure to ensure the belt off-tracking
- · 100mm outlets for dust extraction
- · Tilting head for different working height
- · Overload protection on motors
- Sound Power:

LWA = 94.5 dB(A)

LWA = 103 dB(A) on load



	PRODUCT	BELT SIZE	INPUT SUPPLY	TABLE SIZE	DIMENSIONS	WEIGHT	PRICE Ex. Vat
1	JEFBLTSND075-230	75 x 2000mm	2200W / 2800rpm	75 x 460mm	480 x 1000 x 580mm	63kg	£707.50
	JEFBLTSND075-400	75 x 2000mm	2600W / 2800rpm	75 x 460mm	480 x 1000 x 580mm	63kg	£740.83
2	JEFBLTSND150-230	150 x 2000mm	2200W / 2800rpm	150 x 460mm	540 x 1000 x 610mm	81kg	£845.83
	JEFBLTSND150-400	150 x 2000mm	2400W @ 1400rpm /2800W @ 2800rpm	150 x 460mm	540 x 1000 x 610mm	81kg	£882.50

ELECTRONIC HEAT GUN VARIABLE (230V)

JEFHTGVAR-230

- · Power Supply: 2000W
- · Voltage: 230V / 50Hz
- · Air Temp / Flow: 50-450° 250L/min (Low Setting) 60-600° 500L/min (High Setting)
- · With built in overheat protection
- · Includes JEFHTGAS 5 Piece Heat Accessory Kit





ELECTRONIC HEAT GUN 2 STAGE (230V)







5 PIECE HEAT GUN ACCESSORY KIT

JEFHTGAS

Includes:

- · Spoon reflector nozzle
- · Cone nozzle
- · Glass protection nozzle
- · Fish tail surface nozzle
- · Paint & varnish scraper







DIGITAL ELECTRONIC HEAT GUN (110V)

JEFHTG-110

- · Input Power: 110V
- · Output: 2000W
- · Heat Range: 50-630°C
- · Constant heat control (overload protection)
- · 5 air flow settings for a wide range of applications
- · Removable front ring enables working in hard-to-reach places
- · Stable stationary position for safe hands-free use







ELECTRIC CEMENT MIXERS

- · Stand incorporates tilt and turn mechanism
- · 130 Litre Belle-type mixer
- · Wheeled unit with supplied static stand
- · Portable cement mixer
- · All steel construction
- · 4 legged stand for a steady and stable working platform
- · Motor: 0.5HP Single Phase
- · Speed: 1440rpm
- · Voltage: 110V / 230V
- · Drum Diameter: 610mm
- · Drum Capacity: 130L / 5ft3
- · Batch Output: 70L / 2.5ft3
- · Discharge Outlet Height: 1040mm
- · Wheel Size: 255 x 65mm
- · Protection Rating: IP44
- · Guaranteed Sound Power Level: 90dB Lwa
- · Operating Dimensions: 1380 x 1100 x 620mm
- · Storage Dimensions: 720 x 660 x 660mm
- · Weight: 72kg













JEFCEMPETORG-L2

- · A powerful and reliable petrol driven cement mixer with quality 3.5HP Loncin engine
- · Drum tilt action allows for easy pouring and cleaning
- · Orange powder coated finish with UV-Protection
- · Compact and portable for easy transportation
- · Fitted with barrow height swivel
- · Complete with rubber wheels and 4 legged stand for a steady and stable working platform
- · Proven robust and durable design
- · Engine: Loncin 3.5HP Stage V OHV Petrol
- · Starting System: Recoil
- · Drum Capacity: 134L / 5ft3
- · Batch Output: 100L / 3.5ft3
- · Drum Diameter: 610mm
- · Engine Speed: 3200rpm
- · Drum Speed: 28-32rpm
- · Discharge Outlet Height: 1040mm
- · Wheel Size: 250 x 65mm
- · Guaranteed Sound Power Level: 101dB Lwa
- · Operating Dimensions: 1380 x 1100 x 620mm
- · Storage Dimensions: 930 x 660 x 930mm
- · Weight: 75kg

















ELECTRIC HAND MIXER

- · Ergonomic soft grip
- · Class II insulation
- · External accessible brushes for greater serviceability & longer motor life
- · Infinitely variable speed for power transmission without splashing
- · Ideal for mixing sticky & viscous materials e.g. tile adhesive, bonding, mortar, joint compound, ready-mixed plaster, floor screen & fillers
- · Strong welded joints for strength & safety
- · Continuous guard ring protects the tub which guarantees smooth and safe rotation
- Powerful 1400W motor
- · Speeds: 0-480rpm / 0-80rpm



- · Paddle Dimensions: Diameter:140mm Length: 600mm Fitting: 2x M14
- · Protection Rating: IP20
- · Guaranteed Sound Power Level: 98dB Lwa
- · Total Weight: 5.4kg Mixer: 4.1kg









PRODUCT	VOLTAGE	PRICE Ex. Vat
JEFEHM2-110	110V	£179.17
JEFEHM2-230	230V	£179.17

ELECTRIC MIXER PADDLE

JEFEHMPAD

- · Diameter:140mm
- · Length: 600mm
- · Fitting: 2x M14



UNIVERSAL MIXING PADDLE

JEFUNMPAD125

- · Dimensions: 125 x 600 x 10mm
- · Can be used with power tools of at least 600W with 1/2" capacity chuck
- · Suitable for mixing adhesives, artex, screed, mortar, plaster, paste and paint



PRICE EX. VAT £8.29

FLEXITUBS



- · Available in 26 Litre or 42 Litre
- Frost proof
- Strong handles for easy carrying
- Ideal for gardens, homes, stables, construction sites and a huge range of alternative applications

PRODUCT	COLOUR	PRICE EX. VAT
	26 LITRE	
JEFFLXTUB26-B	Black	£9.13
JEFFLXTUB26-Y	Yellow	£9.13
JEFFLXTUB26-G	Green	£9.13
	42 LITRE	
JEFFLXTUB42-B	Black	£10.79
JEFFLXTUB42-Y	Yellow	£10.79
JEFFLXTUB42-G	Green	£10.79

15 LITRE TUFF-BULL BUCKETS

- · Heavy duty design
- · Weather resistant
- · High rubber content that allows the material to bend and flex
- · Comfort grip handle
- Ideal for mixing, pouring liquid, transporting waste and rubbish
- · Internal fill markings for accurate measurements of liquids and powders



MADE IN U.K.



5 GALLON WHITE PLASTERERS BUCKET

JEFBTPL5G

- · Heavy duty bucket which can be used for mixing plaster
- · Strong wire handle with plastic grip







STAINLESS STEEL WET & DRY VACUUM CLEANERS



BLOW/DRAIN FUNCTIONS

· Ideal for domestic or industrial vacuuming

20L & 30L MODELS

FEATURE VACUUM &

- With filter shaker
- · Insulation Rating: IPX4



	PRODUCT	CAPACITY	RATED INPUT POWER			TANK DIAMETER	PRICE EX. VAT
1	JEFVACWDSS-20	20L	1200W	1.8m³/min	20kPa	295mm	£83.29
2	JEFVACWDSS-30	30L	1200W	1.8m³/min	20kPa	295mm	£104.17
3	JEFVACWDSS-60	60L	2000W	2x3.2m³/min	22kPa	410mm	£290.83

TILT TO DRAIN FUNCTION

PAPER DUST BAGS



PRODUCT	DESCRIPTION	
JEFVACWDSS2030-01	Compatible with JEFVACWDSS-20 & JEFVACWDSS-30	£2.38
JEFVACWD020-016	Compatible with JEFVACWD035-230N	£1.66
JEFVACWD035-016	Compatible with JEFVACWD035-230N	£2.38



INDUSTRIAL





£374.17

INFRARED **HEATERS**

Infrared heating delivers fast, effective heat through the combustion of gases. The heat produced by infrared radiant energy, radiates downward warming objects such as the floor, machinery, tools and building components, as well as people in the room. Suitable for indoor and outdoor use, Infrared Heat replicates the feeling of warmth from the sun. Suitable for use with diesel, kerosene or paraffin fuel. Both designs include an LED thermostatic control with automatic cut-off for cost savings from reduced energy and fuel usage. Fitted with a timed ventilation system to help cool the combustion chamber. Designed with a tough powder-coated housing to enhance protection from the elements and the working environment.

INFRARED 75 HEATER

JEFHTRAD075TH

- · Voltage ~ Frequency: 230V
- · Power: 105W
- Power Cable / Plug: 1770mm / 13A
- Heat Output: 70,000 BTU/hr (20.5kW)
- · Average Heating Capacity: 14,000ft3 / 396m3
- · Fuel Consumption: 1.6L/hr
- · Fuel Type: Diesel / Kerosene / Paraffin

//// INFERNO™

- · Maximum Running Time: 7 hours
- · Automatic Shut-Off: Yes
- Dimensions (LxWxH): 576 x 330 x 575mm
- · Weight: 16.5kg

INFRARED 125 HEATER

||||| INFERNO™

JEFHTRAD125TC

- · Voltage ~ Frequency: 230V
- · Power: 59W
- Heat Output: 125,000 BTU / 31,499 Kcal/h (36.6kW)
- · Average Heating Capacity: 280m2
- Fuel Consumption: 3.44 L/hour
- · Fuel Type: Diesel / Kerosene / Paraffin
- · Fuel Tank Capacity: 40L
- · Maximum Running Time: 12 hours
- · Dimensions (LxWxH): 1155 x 696 x 930mm
- · Weight: 43kg









HEATING &

COOLING

SETTINGS

PTC INDUSTRIAL ELECTRIC FAN HEATERS

PTC heating is an efficient heat technology which uses heat conducting ceramic elements to produce superior, odour free heat within a small space. Fitted with a 13Amp plug, the PTC heater is ideal for domestic and industrial use.

|||| PTC

2000W PTC INDUSTRIAL ELECTRIC FAN HEATER

JEFHTPTC2.0-230

- · Power Supply: 230V / 50Hz
- · Air Displacement: 158m3/h
- · Heated area: 40m3
- · Summer Winter settings for ventilation
- · Fan Only Setting: 25W
- · Two Heat Settings: 1000W / 2000W
- · Weight: 1.7kg
- · Dimensions:
- 210 x 160 x 217mm



PRICE EX.VAT

2800W PTC INDUSTRIAL ELECTRIC FAN HEATER

JEFHTPTC2.8-230

- · Power Supply: 230V
- · Required Power: 2800W
- · Current: 11.7A
- Required Fuse: 13A
- Fan Only Setting: 25W
- · Two Heat Settings: 1900/2800W
- · Self-resetting Thermostat: 85°C
- · Weight: 2.4kg
- Dimensions: 200 x 220 x 280mm





PRICE EX.VAT £59.58









INFERNO INDIRECT OIL HEATERS

HIGH PRESSURE HEATERS

THERMALLY PROTECTED MOTOR





- · Fuel type: Diesel/Kerosene
- · Input Power: 230V
- · Fuel tank capacity: 80 Litres
- · Clean hot air
- · Flue gas exhaust
- · Heat exchanger
- · Overheat thermostat
- · Thermally protected motor
- Oil pump filter and external suction filter with transparent glass cup
- · Diagnostic LED
- · Post-ventilation
- · Electronic flame control with photocell
- · Stainless steel combustion chamber
- · Oil tank with level indicator
- Built in trolley system for easy maneuverability which makes it perfect for transporting across numerous sites
- · Fuel pump with access for easy maintenance



IDEAL FOR USE IN AREAS WITH LIMITED VENTILATION (WHEN USED WITH DUCTING)

- · Event tents
 - Exhibition halls
- · Military and aerospace
- · Rental companies
- · Commercial buildings

HOSE KIT

JEFHTINDHOSK

 Includes hose and adaptor ring









170,000 BTU

JEFHTIND170

- · Thermal Power: 41.7kW
- · Max. Fuel Consumption: 4L/hr
- · Endurance: 20 hours
- · Heating Capacity: 240m²
- · Power: 300W
- · Dimensions: 1215 x 685 x 860mm
- · Weight: 65kg



240,000 BTU

JEFHTIND240

- Thermal Power: 58.1kW
- · Max. Fuel Consumption: 5.7L/hr
- · Endurance: 14 hours
- · Heating Capacity: 340m²
- · Power: 330W
- · Dimensions: 1215 x 685 x 860mm
- · Weight: 65kg



DISCOVER MORE

£1662.50

PRICE EX.VAT **£1958.33**

INFERNO INFRARED & BUILT-IN THERMOSTAT **OIL HEATERS**

& COST & ENERGY EFFICIENT





- · Fuel Type: Diesel/Kerosene
- · Input Power: 230V
- · Spreads heat evenly in all directions
- · Low noise, minimal odour and highly efficient to run
- · Auto shut-off if power is interrupted or if flame is extinguished
- · Includes flame detection, overheating and over-current shorting protection, indoor temperature detection and motor rotation detection equipment
- · LED panel features full thermostatic control and 24-hour timer
- · Rugged steel construction
- · Lockable castor wheels
- · Flue kit can be purchased separately





IDEAL FOR USE IN WELL VENTILATED AREAS

- · Marquees
- Workshops
- · Sheds
- · Warehouses
- · Garages



75,000 BTU MODEL



52,000 BTU MODEL



JEFHTINFR052

- ★ Thermal Power: 15kW
- * Max. Fuel Consumption: 1.4L/hr
- ★ Fuel Tank Capacity: 30 Litres
- ★ Heating Capacity: up to 99m²
- ★ Dimensions: 920 x 320 x 1120mm
- ★ Weight: 47kg

PRICE EX.VAT £1579.17



60,000 BTU

JEFHTINFR060

- · Thermal Power: 17.5kW
- · Max. Fuel Consumption: 1.7L/hr
- · Fuel Tank Capacity: 45 Litres
- · Heating Capacity: up to 132m2
- · Dimensions: 1235 x 320 x 1120mm
- · Weight: 58kg

PRICE EX.VAT 1745.83



75,000 BTU

JEFHTINFR075

- ★ Thermal Power: 22kW
- * Max. Fuel Consumption: 1.9L/hr
- ★ Fuel Tank Capacity: 45 Litres
- ★ Heating Capacity: up to 165m²
- ★ Dimensions: 1235 x 320 x 1120mm
- ★ Weight: 63kg

PRICE EX.VAT £1995.83

8 PIECE FLUE KIT

JEFHTINDFLK

- · Suitable for use with Jefferson Infrared Oil Heaters
- · Diameter: 70mm

Includes:

- · 2x 1000mm steel tubes
- · 2x 500mm steel tubes
- · 1x 640mm steel tube
- · 1x300mm perforated exhaust steel tube
- · 2x 90° elbow pieces




PRICE EX.VAT £145.83

SPACE HEATERS

When a direct oil heater is switched on the air fan draws in air, pressurises it and passes it through an air line to the burner head nozzle. The air flow causes fuel to be drawn from the tank. The fuel and air mix is then sprayed into the combustion chamber. The mixture is automatically ignited by the spark plug and a high temperature heat stream is generated in the combustion chamber. Air is drawn into the unit by a fan and is pushed around the cool chamber situated between the combustion chamber and outer casing. This fast flowing air sucks the heat stream out of the combustion chamber, providing the required heat.

- · High air displacement
- · Integral fuel gauge
- · Thermal protection for motor
- · Error indicator light
- · Electronic flame control
- · Durable steel construction
- · Hard wearing, solid rubber wheels
- · Fuel Type: Diesel/Kerosene/Paraffin
- · Powder coated housing remains cool to the touch
- · Adjustable thermostat to control heat output
- · Stainless steel combustion chamber
- · Trolley for easy mobility (105 & 150 models only)
- · Input power 230V





PRODUCT	DESCRIPTION	THERMAL POWER	FUEL TANK Capacity	MAX FUEL CONSUMPTION	ENDURANCE (APPROX)	DIMENSIONS (LxWxH)	PRICE EX. VAT
1 JEFHTSPC060	Inferno 60 Space Heater	60,000BTU/18kW	19 Litres	1.7L/hr	11 hours	813 x 297 x 424mm	£382.50
2 JEFHTSPC105	Inferno 105 Space Heater	105,000BTU/31kW	38 Litres	3.0L/hr	13 hours	918 x 584 x 625mm	£499.17
3 JEFHTSPC150	Inferno 150 Space Heater	150,000BTU/44kW	49 Litres	4.2L/hr	12 hours	1062 x 624 x 664mm	£557.50

SERVICE KITS FOR INFERNO SPACE HEATERS

- Service kits for JEFHTSPC060, JEFHTSPC105 & JEFHTSPC150
- Includes nozzle, fuel filter, output filter, lint filter & intake filter



PRODUCT	COMPATIBLE WITH	PRICE EX. VAT
KIT-JHTS060	JEFHTSPC050	£37.46
KIT-JHTS105	JEFHTSP105	£37.46
KIT-JHTS150	JEFHTSPC150	£37.46

HIGH VELOCITY **DRUM FANS**

- · High-velocity three-speed drum fans capable of moving large volumes of air
- · Durable and robust design with heavy-duty gauge steel casing, guard and frame · Cradle stand with tilt function allows flexible control of airflow when required
- · Balanced and fully guarded blades provide quiet and safe operation
- · Suitable for use in industrial, commercial, agricultural, automotive workshop and on-site applications
- Energy efficiency tested according to EU 206/2012 regulations and standards (ERP Compliant)

18" HIGH VELOCITY DRUM FAN (230V)

JEFFANDRM18-230E

- · Voltage ~ Frequency: 230V (3A) · Air Flow:
- · Fan Diameter: 18" (460mm)
- · Power: 110W
- · Speed: High: 1354rpm Mid: 1257rpm
- - High: 128.87cmm / 4551cfm / 3353 cmh Mid: 78cmm / 2755 cfm / 2765 cmh
- Low: 52 cmm / 1836 cfm / 1828 cmh
- · Weight: 5.7kg



230V Model

· Speed:

· Air Flow:

· Power: 330W

High: 1429rpm

Low: 1316rpm

· ErP Standard: ErP 327

High: 256cmm / 9041cfm / 15360cmh

Low: 216cmm / 7628cfm / 12960cmh





20" HIGH VELOCITY FLOOR FAN (230V)

JEFFANFLR20-230E

- · Voltage ~ Frequency: 230V (3A)
- · Fan Diameter: 20" (510mm)
- · Power: 111W
- · Speed:

High: 1337rpm Mid: 1198rpm Low: 1107rpm

· Air Flow:

High: 112cmm / 3948cfm Mid: 92cmm / 3242cfm Low: 65cmm / 2290cfm

· Weight: 5kg



24" HIGH VELOCITY DRUM FANS

110V Model

- · Power: 123W
- · Speed: High: 912rpm Low: 838rpm
- · Air Flow: High: 219cmm / 7734cfm / 12180cmh Low: 179cmm / 5720cfm / 10740cmh
- FrP Standard: FrP 206

· Fan Diameter: 24" (640mm)

· Weight: 16.84kg





ErP No.



PRODUCT	VOLTAGE	PRICE EX. VAT
JEFFANDRM24-110E	110V	£275.00
JEFFANDRM24-230E	230V	£275.00

30" HIGH VELOCITY DRUM FAN (110V)

JEFFANDRM30-110E

- · Voltage: 110V (16A)
- · Fan Diameter: 30" (760mm)
- · Power: 123W
- · Speed: High: 900rpm
- · Air Flow:
- High: 284.4cmm / 10043cfm Low: 154cmm / 5438cfm
- · Weight: 20.4kg







ROTOMOULD INDUSTRIAL DRUM FANS

- rge wheels allow easy movement
- · 3 fan speeds
- · Easy to use, easy to clean
- · Fan Type: Axial
- · 110V and 230V Options
- · 3m cable





INDUSTRIAL



- The HDPE construction results in outstanding durability able to withstand the dust and debris in harsh environments for extended periods of time
- · Manufactured from corrosion and impact resistant plastic



	JEFRFANIND24-110	JEFRFANIND24-230	JEFRFANIND36-110	JEFRFANIND36-230
VOLTAGE	110V	230V	110V	230V
FAN DIAMETER	24" / 600mm	24" / 600mm	36" / 900mm	36" / 900mm
MOTOR	157W	185W	260W	294W
AIR VOLUME	9,700m³/hr	11,700m³/hr	14,100m³/hr	16,200m³/hr
MAX. RPM	1040	1240	600	690
NOISE	81dB(A)	81dB(A)	76dB(A)	80dB(A)
DIMENSIONS	690 x 250 x 710mm	690 x 250 x 710mm	975 x 320 x 1005mm	975 x 320 x 1005mm
WEIGHT	15kg	15kg	26.5kg	26.5kg







PRODUCT	SIZE	VOLTGAGE	PRICE Ex. Vat
JEFRFANIND24-110	24"	110V	£324.17
JEFRFANIND24-230	24"	230V	£324.17
JEFRFANIND36-110	36"	110V	£445.83
JEFRFANIND36-230	36"	230V	£445.83



PORTABLE AIR CONDITIONERS

- Mounted on castor wheels for easy manoeuvrability
- Thermostatically controlled with built-in 24-hour timer and sleep mode
- Extendable exhaust ducting with window seal kit for extraction
- Auto-defrost function at low ambient temperature
- Washable filter
- · Auto shut-off when tank full
- Dehumidifying function includes continuous drain hose





- · Air Conditioning Temperature: 16-32°C
- · Water Extraction Rate: 25L/day
- · Ingress Protection: IPX1
- · Class Rating: 1
- · Suction Side Pressure: 0.7MPa
- Exhaust Side Pressure: 3.2MPa
- · Guaranteed Noise Level: ≤65dB(A)



WINDOW SEALING KIT

JEFPACWSK





9,000BTU 3-IN-1 PORTABLE AIR CONDITIONER

JEFPAC09







AIR CONDITIONING AIR COOLING DEHUMIDIFI

- · Cooling Capacity: 9,000BTU/hr
- · Rated Voltage: 220-240V
- · Rated Input Power: 1005W
- · Input Current: 4.5A
- · Refrigerant Charge: R290 160g
- · Dimensions: 475 x 380 x 877mm
- · Weight: 22.5kg



& REMOTE CONTROL

12,000BTU 4-IN-1 PORTABLE AIR CONDITIONER

JEFPAC12









AIR CONDITIONING AIR COOLING HEATING DEHUMID

- · Cooling Capacity: 12,000BTU/hr
- · Heating Capacity: 9660BTU/hr
- Rated Voltage: 220-240V
 Rated Input Power:
- Cooling: 1330W
- Cooling: 1330W
- Heating: 1130W
- Cooling/Heating Input Current: 5.85A/4.9A
- Refrigerant Charge: R290 195g
- · Dimensions: 380 x 356 x 875mm
- Weight: 26kg





PRICE EX.VAT **£312.50**



£465.83

WHEN DEHUMIDIFIER MODE HAS BEEN SELECTED, ROOM TEMPERATURE MUST BE ABOVE 15 DEGREES CELSIUS / 59 DEGREES FAHRENHEIT. IF THE ROOM TEMPERATURE IS LESS THAN 15 DEGREES CELSIUS / 59 DEGREES FAHRENHEIT THIS FUNCTION WILL NOT OPERATE.

ELECTRIC PRESSURE WASHERS 105 BAR, 150 BAR & 170 BAR



105 BAR

JEFPRWEL105

- Max. Pressure: 105bar
- · Rated Pressure: 75bar
- · Motor Power: 1400W
- · Max. Flow: 7L/min
- · Rated Flow: 5.2L/min
- · Max. Water Temperature: 50°C
- Cable Length: 5m
- · Voltage: 230V
- · Ingress Protection: IPX5

5.2 LITRES PER MINUTE WATER FLOW







PRICE EX.VAT £99.1

150 BAR

JEFPRWEL150

- · Max. Pressure: 150bar
- · Rated Pressure: 110bar
- · Motor Power: 2000W
- Max. Flow: 7.2L/min · Rated Flow: 6.7L/min
- · Max. Water Temperature: 50°C
- · Cable Length: 8m
- · Voltage: 230V
- · Ingress Protection: IPX5

6.7 LITRES PER MINUTE WATER FLOW









INDUCTION MOTOR

PRICE EX.VAT £257.50

170 BAR

JEFPRWEL170

- · Max. Pressure: 170bar
- · Rated Pressure: 140bar
- · Motor Power: 3000W
- · Max. Flow: 9.2L/min
- Rated Flow: 8.7L/min
- Max. Water Temperature: 50°C
- · Cable Length: 8m
- · Voltage: 230V
- · Ingress Protection: IPX5

8.7 LITRES PER MINUTE WATER FLOW

ALWAYS USE THE CORRECT CABLE REEL (25M LENGTH, 2.5MM CORE) WE RECOMMEND: JEFCRPR25-230 PAGE 143



- · Metal lance with adjustable nozzle
- · Metal turbo lance
- · 8 metre steel armed high pressure hose
- · Metal trigger gun
- · Built in detergent tank





INDUCTION MOTOR

PRICE EX.VAT



















SPARES AVAILABLE











	PRODUCT	DESCRIPTION	EX. VAT
1	JEFPRWEL105-SP019	5m High Pressure Hose For JEFPRWEL105	£16.25
2	JEFPRWEL105-SP020	Variable Spray Lance For JEFPRWEL105	£12.46
3	JEFPRWEL105-SP021	Middle Spray Lance For JEFPRWEL105	£9.58
4	JEFPRWEL105-SP023	Spray Gun For JEFPRWEL105	£14.13
5	JEFPRWEL150/170-SP039	Spray Gun For JEFPRWEL150 / 170	£24.58
6	JEFPRWEL150/170-SP040	Variable Spray Lance For JEFPRWEL150 / 170	£21.63
7	JEFPRWEL150/170-SP041	8m Steel Armed High Pressure Hose For JEFPRWEL150 / 170	£38.29

6.5HP PETROL PRESSURE WASHER

JEFWASPET065HP-A

- · Engine: Macgen 6.5HP Single Cylinder 4-Stroke, OHV Petrol
- · Starting System: Recoil
- · Displacement: 196cc
- · Pump: Axial Direct Drive Aluminium Head
- · Maximum Pressure: 2700psi / 186bar
- · Rated Pressure: 2400psi/165bar
- · Water Flow: 8.6L/min/516L/hr
- · Working Speed: 3400rpm
- · Guaranteed Noise Level: 99dB Lwa
- · Fuel Tank: 3.6L Capacity
- · Hose: 8m x Ø 6.4mm
- · Weight: 28kg







PRICE EX.VAT £415.83

8.6 LITRES PER MINUTE WATER FLOW





7.5HP PETROL PRESSURE WASHER

JEFWASPET075HP

· Engine: Macgen 7.5HP Single Cylinder, 4-Stroke OHV Petrol

· Starting System: Recoil

· Displacement: 223cc

· Pump: Direct Drive Triplex Pump

· Maximum Pressure: 3200psi / 220bar / 22.6MPa

- Rated Pressure: 2700psi/185bar/18.6MPa
- · Water Flow: 9.6L/min / 576L/hr
- · Working Speed: 3350 3550rpm
- · Guaranteed Noise Level: 99dB Lwa
- · Fuel Tank: 3.6L Capacity
- · Hose: 10m x Ø 7.2mm
- · Weight: 34kg

DIRECT DRIVE TRIPLEX PUMP



9.6 LITRES **PER MINUTE WATER FLOW**

MACGEN

INDUSTRIAL



DETERGENT









COLLAPSIBLE DESIGN FOR EASY STORAGE



COMPLETE WITH SUCTION KIT, OIL FUNNEL & TURBO NOZZLE DELIVERING UP TO 3600PSI **ECP (EFFECTIVE CLEANING POWER)**



PRICE EX.VAT £640.83





13.0HP PETROL PRESSURE WASHER

INDUSTRIA

JEFWASPET130HP

<u>MacGen</u>

- $\cdot\,$ Equipped with high pressure spray gun, lance & variable nozzle
- · 5x quick release nozzles
- · Annovi Reverberi triplex pump
- · Heavy-duty solid PU wheels
- · Engine: 13HP Single Cylinder, 4 Stroke, OHV Petrol Stage V
- · Starting System: Recoil
- · Displacement: 389cc
- · Engine Bore x Stroke: 88 x 64mm
- · Engine Ratio: 8.5:1
- · Pump: AR Annovi Reverberi Triplex Pump
- Maximum Pressure: 3800psi / 262bar / 26.2MPa
- Rated Pressure: 3250psi / 224bar / 22.4MPa
- · Rated Flow: 15L/min / 4gpm
- · Working Speed: 3600rpm
- · Guaranteed Sound Power Level: 111dB (LWA)
- · Fuel Tank: 6.5L Capacity
- Hose: Industrial 10m Braided High Pressure Hose
- · Wheel Diameter: 9.5"
- · Dimensions: 900 x 570 x 740mm
- · Weight: 55kg

15 LITRES PER MINUTE WATER FLOW





IDEAL FOR

GEARBOX PRESSURE WASHERS DIESEL & PETROL

- **S** DETACHABLE HOSE REEL
- 21 LITRES PER MINUTE WATER FLOW
- 3200PSI MAX. PRESSURE

- · Anti-vibration system
- · Thermal protection
- · 3m inlet hose
- · Heavy duty brass filter
- · 2x 10" wheels, 2x braked castor wheels
- · Max. Pressure: 3200psi / 220bar
- · Max. Flow: 21L/min / 5.54GPM
- · Battery: 12V / 36Ah
- · Hose: 20m, 10mm inner ø, steel braided
- Gun Pressure: 5000psi
- · Lance Length: 28"

Includes:

- · Pressure washer gun
- · Variable thread nozzle holder lance
- · 25° nozzle
- · Water suction kit



KEY START ON BOTH MODELS



DETACHABLE HOSE REEL













· Weight: 125kg

PRICE EX. VAT



13HP PETROL

JEFWASPGR130HP-PT

· Weight: 115kg

PRICE EX. VAT



15" PLASTIC SURFACE CLEANER ATTACHMENT

JEFWASHPSCA15

- Perfect for decks and patios. 10x faster than the standard spray mode, splashless cleaning
- Suitable for pressure washers capable of 2500 - 3000psi
- · Max Temperature: 60°C/140°F
- · 1500rpm rotary head and steel rotary arm

COMPATIBLE WITH JEFWASPET075HP, JEFWASPGR065HP & JEFWASPET130HP

· Nylon brush

COMPATIBLE WITH: TUNWAS12-100 JEFWASPET065HP-A JEFWASPET075HP JEFWASPGR065HP JEFWASPET130HP JEFWASPGR065-SP17 JEFWAS12-SP002



PRICE EX.VAT £99.17

36" PRESSURE WASHER GUN & LANCE

JEFWASPGR065-SP17

- · Max. Pressure: 2700psi / 185bar
- · Max. Flow: 12.6L/min / 756L/hr
- · 3/8" Male Connector
- · Length: 36"



PRICE EX.VAT £49.38

PRESSURE SPRAY GUN AND LANCE FOR JEFWASPET065HP-A

COMPATIBLE WITH JEFWASPET065HP-A

PRICE EX.VAT **£49.38**

JEFWASP65A/SPGL

- · Max. Pressure: 4000psi / 275bar
- · Hi-Lo Nozzle
- · M22 Male Connector



36" HIGH PRESSURE 1 PIECE LANCE GUN

COMPLETE WITH SOAP DISPENSING NOZZLE

JEFWASHLANHL

- · Max. Pressure: 4000psi / 275bar
- · Hi-Lo Nozzle
- · M22 Male Connector
- · Easy grip handle



COMPATIBLE FITTINGS FOR ABOVE LANCES PAGE 98

HANDLE/TRIGGER FOR JEFWASE360-120 & JEFWASE402-150

JEFWASEU-TRIGHAND



PRICE EX.VAT **£24.58**

ADJUSTABLE LANCE FOR JEFWASE360-120 & JEFWASE402-150

JEFWASEU-ADJNOZ



£22.08

INDUSTRIAL PRESSURE WASHER GUN AND LANCE KIT

JEFWASHGLKIT

- · Max. Pressure: 5000psi / 345bar
- · Max. Flow: 50L/min / 13.2GPM
- · Max. Temperature: 90°C / 194°F
- · Length: 42"

Includes:

- · Gun with male M22 inlet
- · 20" stainless steel lance with 1/4" quick connector
- · 5 nozzle tips: detergent, 0°, 15°, 25°, 40°
- · M22 swivel to 3/8" plug adaptor
- · Support side handle



AMBIDEXTROUS SIDE SUPPORT HANDLE

INDUSTRIAL

COMPATIBLE WITH:
JEFWASPET075HP
JEFWASPGR065HP
JEFWASPGR130HP-DL
JEFWASPGR130HP-PT



TRIGGER GUN WITH SOFT GRIP HANDLE

Nozzle Tips:

20" STAINLESS STEEL LANCE

- · Black: detergent
- · Red (0°): hard to reach areas
- · Orange (15°): porous areas
- · Green (25°): painted surfaces
- · White (40°): windows and screens

PRICE EX.VAT **£66.63**

HEAVY DUTY LANCE

JEFWAS12-SP003

- · Max. Pressure: 5075psi / 350bar
- · Max. Flow: 30L/min / 7.92GPM
- · Max. Temperature: 60°C / 140°F
- · 3/8" Male Connector
- · Length: 38"





PRICE EX.VAT **£49.38**

18FT TELESCOPIC WAND WITH BELT

JEFWASHTELWAN

- · High-flow trigger gun
- · 3/8" QD coupling
- · Connections: 3/8" QD Inlet, 1/4" QD Tip
- · Aluminium telescopic poles
- · Steel braided hose
- · Max Pressure: 3000psi
- · Max Temperature: 60°C/140°F





£141.67

18FT TELESCOPIC WAND BELT

JEFWASHTELWANBT

Made of durable nylon, the belt allows you to work more comfortably for longer time periods.



PRICE EX.VAT **£28.54**

1/4" QUICK RELEASE PIVOTING WAND (28" LONG)

JEFWASHPVWAN

- Designed for use with pressure washers and offers versatile performance with 3 different cleaning angles for hard to reach areas
- $\cdot\,$ Adjusts through 90° for 3 different cleaning angles
- · Max. Pressure: 4000psi
- · M22 3/8" female fitting
- · Suitable with all 3/8" male QR nozzles

NOZZLE HEAD ROTATES

THROUGH -45°, 0 & + 45°





8M HIGH PRESSURE HOSE

JEFWASEU-HOSE



7.6M PRESSURE HOSE

· Compatible with

JEFWASP65A-SP113



PRICE EX.VAT F33_29

· Compatible with 6mm Diameter JEFWASE360-120 & · Working Pressure: JEFWASE402-150 3000psi / 207bar

10M HEAVY DUTY HYDRAULIC LANCE HOSE

JEFWAS12-SP001

- · 8mm Diameter
- · Suitable for high pressure washers 3600psi / 252bar
- · Complete with 3/8" quick release fittings
- · Compatible with JEFWASPGR065HP, JEFWASPET075HP, JEFWASPET130HP & TUNWAS12-100



PRICE EX.VAT £51.25

20M SEWER CLEANING HOSE KIT

JEFWASHSEWCKIT

- · 1/5" thermoplastic hose, built with M22 fitting and jetting nozzle
- · Max working pressure: 3000nsi
- · Max temp: 60°C/140°F





4000PSI QUICK RELEASE TURBO NOZZLE

JEFWASHQRTN40

- · Rotating brass body, ceramic nozzle core and protective rubber outer shell
- · With Quick Release
- · 1/4" coupler Max working pressure: 4000psi





PRICE EX.VAT £54.13

3000PSI QUICK RELEASE TURBO NOZZLE

JEFWASHQRTN

- · Increases the effective cleaning power of the pressure washer
- · The rotary motion of the iet increases surface area and intensity of spray
- · Ideal for getting stubborn dirt off any surface
- Max working pressure: 3000psi



PRICE EX.VAT £47.25

6 IN 1 NOZZLE WITH 1/4" COUPLER

JEFWASHSION

- · Max Pressure: 3000psi
- 6 Spraying patterns: 0° High Pressure Jet
- · 15° Narrow / medium jet
- · 25° Wide / medium jet · 40° General cleaning iet
- · 0° Soap cleaning jet
- · Soap, spray and rinse jet



PRICE EX.VAT £26.04

INLET SUCTION FILTER

JEFWASP75-SPIF

- · Heavy duty brass weighted filter
- · Fits to the end of your water pickup hose
- · Stops large particles of dirt being sucked into your machine blocking your filters and causing damage



PRICE EX.VAT £26.04

GARDEN HOSE FILTER ATTACHMENT

JEFWASHGHOSFA

- · Permanent mesh screen filter does not need to be replaced and cleans easily
- · Reinforced with metal garden hose fitting 3/4" Male x Female swivel
- · Max temperature: 60°C/140°F



PRICE EX.VAT £14.83



5 PIECE COMPLETE NOZZLE TIP SET

JEFWASHQRNSET

- · Max. working pressure: 4000psi
- All 5 tips in one set including:
- · 0° Red Cutting Tip Q/Release Nozzle JEFWASHQRN-R
- · 25° Green Flushing Tip Q/Release Nozzle JEFWASHQRN-G
- · Black Chemical Tip Q/Release Nozzle JEFWASHQRN-B
- · 15° Yellow Chiseling Tip Q/Release Nozzle JEFWASHQRN-Y
- · 40° White Washing Tip Q/Release Nozzle JEFWASHQRN-W



PRICE EX.VAT £20.79

INDIVIDUAL OUICK RELEASE NOZZLE TIPS

Fully compatible with most standard high pressure washers












FOR CHISELING



PRODUCT	DESCRIPTION	PRICE Ex. Vat
JEFWASHQRN-R-C	0° Red Cutting Tip	£5.79
JEFWASHQRN-G-C	25° Green Flushing Tip	£5.79
JEFWASHQRN-B-C	Black Chemical Tip	£5.79
JEFWASHQRN-Y-C	15° Yellow Chiseling Tip	£5.79
JEFWASHQRN-W-C	40° White Washing Tip	£5.79



PRESSURE WASHER FITTINGS



· For use on hose and pump

· Converts the M22 male thread to a female 3/8" quick release



· For use on gun, hose and pump

· Converts the M22 female thread to a 3/8" male plug adaptor



For use on gun, hose or pump to convert the 3/8" male plug adaptor to 3/8" male



· For use on gun, hose and pump

· Converts the 3/8" female quick release to 3/8" male thread



· For use on gun, hose and pump

· Converts 3/8" female quick release to 3/8" female thread



· For use on the Jefferson high pressure two piece lance gun and 36" long one piece lance



· 1/4" male plug quick release to 1/4" female thread to convert to 1/4" quick release



· 1/4" male plug quick release to 1/4" male thread to convert to 1/4" quick release



· 3/8" female quick release to 1/4" male thread



Short with round head with 1 front & 6 rear jets @ 30°

· Ideal for general drain cleaning in tight turns & elbows

· Max working pressure: 4000psi




Helps to discharge the air in the pump, enhancing the suction



Professional drain cleaning nozzle for industrial use. Steel bullet head with 1 forward facing jet and 6 rear facing 30 degree jets. Ideal for drain cleaning and tight turns in traps and elbows.





	PRODUCT	DESCRIPTION	PRICE EX. VAT
1	JEFWASHFITT01-C	3/8" Female QR + M22 Male Adaptor	£13.75
2	JEFWASHFITT02-C	M22 Swivel + 3/8" Male Plug Adaptor	£10.79
3	JEFWASHFITT03-C	3/8" Male Plug Adaptor + 3/8" Male	£8.13
4	JEFWASHFITT04-C	3/8" Female QR + 3/8" Male	£13.75
5	JEFWASHFITT05-C	3/8" Female QR + 3/8" Female	£13.75
6	JEFWASHFITT06-C	1/4" Quick Release Fitting	£12.29
7	JEFWASHFITT07-C	1/4" Plug + 1/4" Female	£8.13
8	JEFWASHFITT08-C	1/4" Plug + 1/4" Male	£8.13
9	JEFWASHFITT09-C	3/8" Female QR + 1/4" Male	£12.71
10	JEFWASHSEWJN3-8-C	Sewer Jet Nozzle with 3/8" QR fitting	£24.58
11	JEFWASHSUCBV	Suction Barrel Valve	£13.08
12	JEFWASHSEWJN-C	Sewer Jetting Nozzle	£23.29

EW! BRASS HOSE & TAP CONNECTORS

BRASS 4 PIECE WATER HOSE CONNECTOR SET

JEFWHOS-BR01S

- ★ 1/2" quick connector
- ★ Suitable for 1/2" hoses
- ★ Spline ridged grip
- * Solid brass
- **★** Compression connection

INCLUDES

- ★ 3/4" tap adaptor
- ★ 1/2" hose end connector
- ★ 1/2" hose end connector with auto stop
- * Adjustable spray nozzle











PRICE EX.VAT £18.29

BRASS 1/2" MALE DOUBLE CONNECTOR

JEFWHOS-BR04

- 1/2" double male quick connector
- * Solid brace



PRICE EX.VAT £3.54

BRASS 1/2" MALE HOSE CONNECTOR

JEFWHOS-BR05

- * 1/2" female to 1/2" male quick connector
- * Spline ridged grip
- * Solid brass
- ★ Suitable for 1/2" hoses
- ★ Compression connection





PRICE EX.VAT £7.08

BRASS ADJUSTABLE SPRAY NOZZLE

JEFWHOS-BR02

- ★ 1/2" male quick connector
- * Adjustable spray nozzle
- Spline ridged grip
- Solid brass



PRICE EX.VAT £8.29

BRASS 1/2" THREE **WAY MALE CONNECTOR**

JEFWHOS-BR03

- ★ 1/2" male 3 way connector
- ★ Solid brass
- ★ Ouick connector



PRICE EX.VAT £8.29

BRASS 1/2" FEMALE HOSE END CONNECTORS

- ★ Available with or without autostop valve
- 1/2" female quick connector
- Knurled grip
- Solid brass

JEFWHOS-BR07

- Suitable for 1/2" hoses
- Compression connection



BRASS MALE

- * Available in 1/2" or 3/4" male BSP thread

★ 1/2" male quick connector					
PRODUCT	THREAD	PRICE EX. VAT			
JEFWHOS-BR09	1/2"	£3.13			
JEFWHOS-BR10	3/4"	£3.29			

BRASS FEMALE THREAD TAP CONNECTOR

- ★ Available in 1/2" or 3/4" female BSP thread
- ★ 1/2" male guick conn
- ★ Knurled grip PRODUCT

JEFWHOS-BR12

JEFWHOS-BR13



£7.46

ector			
THREAD		PRICE EX. VAT	
1/2"		£313	

3/4

BRASS 1/2" MALE + 1/2" FEMALE HOSE CONNECTOR

JEFWHOS-BR08

- ★ 1/2" male & 1/2" female with auto-stop
- Quick connector
- Suitable for 1/2" hoses
- Compression connection







PRICE EX.VAT £13.54

BRASS 3/4" TWO **WAY TAP CONNECTOR**

JEFWHOS-BR11

- ★ 3/4" female BSP thread
- ★ 2 way 1/2" male quick connector
- ★ Isolation valves flow stop



PRICE EX.VAT £17.92

BRASS 1/2" HOSE MENDER

JEFWHOS-BR14

- ★ 1/2" male quick connector
- 3/4" female BSP thread
- Knurled arip
- ★ Compression connection





£3.29

PRICE EX.VAT £5.63

BRASS 1/2" + 3/4" EXTERNAL THREAD TAP CONNECTOR

JEFWHOS-BR15

- ★ 1/2" & 3/4" female BSP thread adaptor
- ★ 1/2" male quick connector
- ★ Spline ridged grip



HOSE REEL CART

JEFWHOSCRT

- · Holds up to 45m of 1/2" Ø hose
- · Easy assembly without tools
- Angled hose connection prevents hose from wrapping, kinking or twisting while winding on and off
- · Hose connector clicks onto storage terminal after use
- · Rust and corrosion resistant
- Includes elbow connector set and 3/8" tap adaptor
- · Cart only: no hose included



4 PIECE SPRAY GUN SET

JEFWHOS-P05S

- · Zinc metal body
- · Ergonomic trigger handle, screw adjustable
- 7 spray pattern settings: mist, flat, shower, centre, jet, cone, soaker

Includes:

- · 7 pattern metal spray gun
- · 1/2" female hose connector
- · Auto-stop 1/2" female hose connector
- · 1/2" and 3/4" male tap adaptor



£12.46

25M 1/2" AUTO RETRACTING HOSE REEL

JEFWHOSAR25

- · Kink-resistant hose
- Automatic self-layering rewind system for neat, non-tangled hose storage
- · Easy to install
- · 180° swivel bracket
- Pre-assembled and equipped with 25m hose, fittings and mounting screws and plugs
- · Hose can stop at any length
- Angled hose connection prevents hose from wrapping, kinking or twisting while winding on and off



£77.08

4 PIECE HOSE CONNECTION SET

JEFWHOS-P06S

- · Suitable for 1/2" hose
- · Suitable for 1/2" and 3/4" tap threads
- · Soft touch ABS thermoplastic grip

Includes:

- · Adjustable hose nozzle
- · 1/2" female connector
- · 1/2" auto-stop female connector
- · 1/2" & 3/4" male adaptor



PRICE EX.VAT

£5.79

BRAIDED PVC WATER HOSE

- Available in 15m or 30m lengths
- · Hose Diameter: 1/2"
- High UV protection
- Kink-resistant
- 14bar frost protectionCompatible with a
- wide variety of hose reels and connectors





15M OR 30M

PRODUCT	SIZE	PRICE Ex. Vat
JEFWH0S12-15	15m	£18.13
JEFWH0S12-30	30m	£33.29

ADJUSTABLE HOSE NOZZLE

JEFWH0S-P04

- $\boldsymbol{\cdot}$ Soft touch ABS thermoplastic grip
- · Adjustable spray nozzle
- · 1/2" male quick connector



PRICE EX.VAT
£1.66

TAP ADAPTOR

JEFWHOS-P03

- · Soft touch grip
- · ABS thermoplastic
- Quick connect 1/2" to 3/4" male adaptor



PRICE EX.VAT
£1.04

1/2" FEMALE OUICK CONNECTORS

- · Available with or without auto-stop valve
- · Soft touch ABS thermoplastic grip





AUTO-STOP

PRODUCT	AUTO-STOP	PRICE EX. VAT
JEFWHOS-P01	×	£1.66
JEFWH0S-P02	✓	£1.83

MULTI-PURPOSE TELESCOPIC LADDERS

- · Lightweight anti-corrosive aluminium frame with strong double aluminium rivet construction
- Advanced auto-locking technology locks securely and safely into multiple positions
- Spring loaded J locks for quick and easy working height adjustment
- · Easily converts between telescopic ladder, extension ladder, stairway ladder and trestle
- Anti-slip feet and rung threads
- Smooth glide wheels to aid transportation EN 131 Class Duty Rating: 115kg / Maximum Load: 150kg



BS EN131


PROFESSIONAL



	JEFLADMPAS03	JEFLADMPAS04	JEFLADMPAS05	JEFLADMPAS06
NUMBER OF Treads	3	4	5	6
FEET WIDTH	520mm	580mm	660mm	725mm
TREAD HEIGHT	280mm	280mm	280mm	280mm
SECTION WIDTH	300mm	300mm	300mm	300mm
CLOSED HEIGHT	990mm	1270mm	1550mm	1830mm
OPEN HEIGHT A-FRAME	1480mm	2000mm	2540mm	3040mm
EXTENDED Working Height	1860mm	2400mm	2930mm	3470mm
FULLY EXTENDED HEIGHT	3040mm	4240mm	5360mm	6480mm
FULLY EXTENDED Working Height	2940mm	4020mm	5090mm	6170mm
WEIGHT	12.3kg	14.9kg	18.9kg	21.9kg











FITTED WITH WHEELS* FOR EASE OF MOBILITY & ANTI-SLIP FEET FOR ADDED STABILITY *DOES NOT INCLUDE

3 TREAD

PRODUCT	DESCRIPTION	PRICE Ex. Vat
JEFLADMPAS03	3 Tread	£199.17
JEFLADMPAS04	4 Tread	£224.17
JEFLADMPAS05	5 Tread	£287.50
JEFLADMPAS06	6 Tread	£312.50

PROFESSIONAL

MULTI-PURPOSE FIBREGLASS TELESCOPIC LADDERS

- · Lightweight anti-corrosive fibreglass frame with strong double aluminium rivet construction
- · Advanced auto-locking technology locks securely and safely into multiple positions
- Spring loaded J locks for quick and easy working height adjustment
- · Easily converts between Telescopic Ladder, Extension Ladder and Stairway Ladder
- Anti-slip feet and rung threads
- Smooth glide wheels to aid transportation EN 131 Class Duty Rating: 115kg / Maximum Load: 150kg











FITTED WITH WHEELS FOR **EASE OF MOBILITY & ANTI-SLIP** FEET FOR ADDED STABILITY



,	000V LATION	
N	PRICE EX. VAT	

PRODUCT	DESCRIPTION	PRICE Ex. Vat
JEFLADMPFG-04	4 Tread	£332.50
JEFLADMPFG-05	5 Tread	£407.50







FROM **PAGE 128**

FIBREGLASS STEP LADDERS

- · Channel stiles and heavy duty back bars · Centre bar installed for outstanding
- · Extruded serrated aluminium treads are braced diagonally with heavy duty rivets
- · Additional diagonally braced back bars for added strength and stability

 Top tray for holding tools and materials
- stability and strength
- Aluminium shoes with rubber feet for added durability
- Improved step profile
- · Spacing between treads: 295mm







	JEFLADFGLS03	JEFLADFGLS04	JEFLADFGLS05	JEFLADFGLS06	JEFLADFGLS07	JEFLADFGLS08
NUMBER OF Treads	2	3	4	5	6	7
TREAD HEIGHT	295mm	295mm	295mm	295mm	295mm	295mm
CLOSED HEIGHT	970mm	1260mm	1550mm	1850mm	2150mm	2440mm
OPEN HEIGHT	780mm	1070mm	1345mm	1560mm	1820mm	2090mm
SAFE WORKING HEIGHT	533mm	715mm	1076mm	1348mm	1619mm	1891mm







	PRODUCT	DESCRIPTION	PRICE EX. VAT
1	JEFLADFGLS03	3 Tread	£70.79
2	JEFLADFGLS04	4 Tread	£82.92
3	JEFLADFGLS05	5 Tread	£102.50
4	JEFLADFGLS06	6 Tread	£114.17
5	JEFLADFGLS07	7 Tread	£130.00
6	JEFLADFGLS08	8 Tread	£158.33

WHY CHOOSE FIBREGLASS?



Ideal for use in environments where there is a risk of contact with electrical wires or equipment.

WEATHER RESISTANT

Resistant to weather conditions, such as rain, sun, and extreme temperatures. They do not rust or corrode, making them suitable for both indoor and outdoor use.

STRENGTH & STABILITY

Sturdy and can support heavy loads, fibreglass ladders are more rigid, offering better stability.



WORK PLATFORMS

- · Fixed height, portable, hop-up work platforms
- Ideal for low-level access, painting, plastering, DIY or even washing the car
- · Compact & robust design with large non-slip platform area
- · Broad sturdy base with non-slip rubber feet
- $\,\cdot\,$ Fold-flat design for easy assembly, transportation & storage
- · Easy locking catch mechanism for safe use







BS EN131-6

PROFESSIONAL

300MM WIDE 2 TREAD **ALUMINIUM WORK PLATFORM**

JEFLADWP02-300

- · Platform Size: 300 x 600mm
- · Platform Height: 480mm
- · Max Static Load: 150kg
- · Max Duty Rating: 110kg
- · Safe Working Height: 2000mm
- · Weight: 4.6kg



600MM WIDE 2 TREAD ALUMINIUM WORK PLATFORM

JEFLADWP02-600

- · Platform Size: 600 x 600mm
- · Platform Height: 480mm
- · Max Static Load: 150kg
- · Max Duty Rating: 110kg
- · Safe Working Height: 2000mm
- · Weight: 6.8kg



300MM WIDE 2 TREAD FIBREGLASS WORK PLATFORM

JEFLADWP02-300FG

- · Platform Size: 300 x 600mm
- · Platform Height: 480mm
- · Max Static Load: 150kg
- · Max Duty Rating: 110kg
- · Safe Working Height: 2000mm
- · Weight: 5.2kg

PRICE EX.VAT £55.63

600MM WIDE 2 TREAD FIBREGLASS WORK PLATFORM

JEFLADWP02-600FG

- · Platform Size: 600 x 600mm
- · Platform Height: 470mm
- · Max Static Load: 150kg
- · Max Duty Rating: 110kg
- · Safe Working Height: 2000mm
- · Weight: 7.7kg







TELESCOPIC LADDERS

- Strong, lightweight and portable aluminium alloy telescopic frame
- Compact telescopic frame design for storing in confined spaces
- Equipped with a locking mechanism for enhanced safety and peace of mind while working
- Wide-base top bar and bottom rung provides added stability and sturdiness
- Anti-slip feet for added grip and durabilityHand grips for extra security and stability
- while climbing

 Comes with secure fastening storage strap



BS EN131

2.9M SAFE CLOSE TELESCOPIC LADDER

JEFLADTEL10



- · 10 x large slip resistant treads
- · Closed height: 805mm
- · Opened height: 2.9m
- · Safe working height: 1.7m
- · Width: 476mm
- · Weight: 9.5kg

COMPACT DESIGN FOR EASY STORAGE



PRICE EX.VAT **£138.33**

ROOF RACK LADDER CLAMPS (PAIR)



3.8M SAFE CLOSE TELESCOPIC LADDER WITH STABILISING BASE BAR

JEFLADTEL13S

- 13 x large slip resistant treads with stabilising base bar
- · Closed height: 900mm



T99 MINI TOWER PRO

PLATFORM EVENLY DISTRIBUTED

830KG PER TOWER / 210KG PER

The T99 Tower can be customised and built into 4 different platform heights. This pick and mix facility means the T99 Mini Tower Pro can grow with your needs, with the ability to add additional packs and components as and when you need them.



CERTIFIED TO THE FOLLOWING STANDARD BS EN1004 (CLASS 3)


MAX

LOAD

COMBINED BASE & GUARDRAIL PACKAGE

KIT-JEFT99-1.55


- · Safe Working Height: 3.55m
- · Diagonal Brace/s (1.72m)



COMBINED EXTENSION & STABILISER PACKAGE

KIT-JEFT99-2.00

- · Platform Extension Height: 2m
- · Horizontal Brace/s (1.55m)
- · Diagonal Brace/s (1.72m)
- · Frame Securing Pins
- · Net Weight: 75.5kg



DESCRIPTION

T99 Extension Pack

T99 Standard Stabiliser (each)

PRODUCT	DESCRIPTION	PRICE Ex. Vat
1 JEFTWRT99M-BU	T99 Base Unit Pack	£574.17
2 JEFTWRT99M-GR	T99 Guardrail Pack	£307.50

T99 MINI TOWER PRO COMPONENTS/PARTS

	PRODUCT	DESCRIPTION	KIT-JEFT99-1.55	KIT-JEFT99-2.00	KIT-JEFT99-3.55	KIT-JEFT99-5.55	PRICE Ex. Vat
1	JEFTWRT99M-BU	T99 Base Unit Pack	1	-	1	1	£574.17
2	JEFTWRT99M-GR	T99 Guardrail Pack	1	-	1	1	£307.50
3	JEFTWRT99M-EX	T99 Extension Pack	-	1	1	2	£724.17
4	JEFTWRT99M-SS	T99 Standard Stabiliser (each)	-	4	4	-	£103.33
5	JEFTWRT99M-TS	T99 Telescopic Stabiliser (each)	-	-	-	4	£126.67

OPTIONAL EXTRAS

PRODUCT	DESCRIPTION	PRICE EX. VAT
JEFTWRT99M-TB	T99 Toe Board Set	£112.50
JEFTWRT99M-CF	T99 Fixed Castor Wheel	£34.58
JEFTWRT99M-CA	T99 Adjustable Castor Wheel	£68.75


JEFFERSON T99 MINI TOWERS ARE CERTIFIED TO THE FOLLOWING STANDARD BS EN1004:2004 (CLASS 3)

£999.17

EX. VAT

£724.17

£103.33



COMPLETE EXTENDED TOWER PACKAGE KIT-JEFT99-5.55 Safe Working Height: 7.55m Platform Height: 5.55m Width: 0.68m Length: 1.55m Horizontal Brace/s (1.55m) Diagonal Brace/s (1.72m) Frame Securing Pins Net Weight: 178.5kg Contains:	TOE BU NO INCLU	DARD T
Guard Rail Pack 2 Rung Guard frames (x 2) Horizontal braces 1.55m (x 5) Diagonal brace 1.72m Securing pins (x 4) Base Pack Folding base unit frame Trapdoor platform 5" lockable castors (x 4) Extension pack 8 rung frame (x 4) Horizontal braces (red) (x 8) Diagonal braces (blue) (x 6) Securing pins (x 8) Trapdoor platform Stabilisers Telescopic stabilisers (x 4)	STABILISERS 3534	TOWER HEIGHT: 6.65M
CONTENTS: BASE PACK GUARDRAIL PACK 2 EXTENSION PACKS 4 TELESCOPIC STABILISERS PRODUCT JEFTWRT99M-BU 2 JEFTWRT99M-GR 3 JEFTWRT99M-TS	PRICEEX	PRICE EX. VAT £574.17 £307.50 £724.17 £103.33

T99 MINI TOWER PRO SPARES

T99 Extension Pack

T99 Standard Stabiliser (each)

PRODUCT	DESCRIPTION	PRICE EX. VAT
JEFTWRT99M-P01	T99 Mini Tower Guardrail Frame	£53.75
JEFTWRT99M-P02	T99 Mini Tower Guardrail Frame Pin	£1.96
JEFTWRT99M-P03	T99 Mini Tower Horizontal Brace (Red)	£37.08
JEFTWRT99M-P04	T99 Mini Tower Diagonal Brace (Blue)	£38.33
JEFTWRT99M-P05	T99 Mini Tower Trapdoor Platform	£172.50
JEFTWRT99M-P06	T99 Mini Tower Extension 8 Rung Frame	£160.00

£307.50

£724.17

£103.33

2 JEFTWRT99M-GR

4 JEFTWRT99M-SS

JEFTWRT99M-EX


T620-3T DOUBLE WIDTH SCAFFOLDING TOWER

CERTIFIED TO THE FOLLOWING STANDARD BS EN1004 (CLASS 3)



With a maximum platform height of 6.20m and a maximum working height of 8.20m, the Jefferson Double Width Scaffolding Tower is an ideal and safe solution when working at height. The complete tower has a safe working load of 950kg, including the weight of the tower (self weight of 244kg). Maximum load, evenly distributed, is 275kg per platform.

INDUSTRIAL



T620-3T DOUBLE WIDTH SCAFFOLDING TOWER COMPONENT PARTS

INDUSTRIAL

For the list of components required to create your ideal double width tower, see the below table.



	1 3.2M	2 4.2M	3 6.2M
Platform Height	3.20m	4.20m	6.20m
Safe Working Height	5.20m	6.20m	8.20m

PRODUCT	DESCRIPTION	PRICE EX. VAT	3.2M QTY	4.2M QTY	6.2M QTY
JEFTWR6.2-CASTOR	T620-3T Castor Wheel 150mm	£53.33	4	4	4
JEFTWR6.2-ADJLEG	T620-3T Adjustable Leg	£38.75	4	4	4
JEFTWR6.2-LADD2R	T620-3T 2 Rung Ladder Frame 1450 x 1000mm	£153.33	-	1	1
JEFTWR6.2-LADD4R	T620-3T 4 Rung Ladder Frame 1450 X 2000mm	£224.17	2	2	3
JEFTWR6.2-SPAN2R	T620-3T 2 Rung Span Frame 1450 X 1000mm	£145.83	-	1	1
JEFTWR6.2-SPAN4R	T620-3T 4 Rung Span Frame 1450 X 2000mm	£182.50	2	2	3
JEFTWR6.2-PLATFX	T620-3T Fixed Platform 600 X 2500mm	£224.17	1	1	1
JEFTWR6.2-PLATTR	T620-3T Trapdoor Platform 600 X 2500mm	£243.33	2	2	3
JEFTWR6.2-BRACDI	T620-3T Diagonal Brace (Blue) 2610mm	£52.08	5	7	11
JEFTWR6.2-BRACHO	T620-3T Horizontal Brace (Red) 2500mm	£51.25	10	10	14
JEFTWR6.2-TOEBRD	T620-3T Toeboard Set	£124.17	1	1	1
JEFTWR6.2-STABST	T620-3T Standard Stabiliser	£139.17	4	4	4

NEMESIS

THE MUST-HAVE RANGE OF INDUSTRIAL **WORKSHOP & GARAGE EQUIPMENT**

⊗ ROBUST & DURABLE RANGE

designed for heavy use

INDUSTRIAL

C LOW PROFILE & HIGH LIFT MODELS

NEMESIS 2/3 TONNE RAPID LIFT 3 IN 1 TROLLEY JACK











INCLUDES 3 PIN ADAPTOR FOR ADDITIONAL ADAPTABILITY

LOW PROFILE

- · Max. Load: 2 Tonne
- · Min. Height: 98mm
- Max. Height: 580mm



- · Min. Height: 214mm
- · Max. Height: 765mm



HIGH LIFT

- · Max. Load: 3 Tonne
- · Min. Height: 245mm
- · Max. Height: 585mm



HIGH LIFT WITH ADAPTOR

- Max. Load: 3 Tonne
- Min. Height: 360mm
- Max. Height: 770mm

PRICE EX.VAT

NEMESIS 3 TONNE HIGH LIFT AXLE STAND (PAIR)

JEFAXNEM03-HL

- · Designed to effectively hold up to 3 tonnes
- · Ideal for working on SUVs
- · 8 adjustable positions allows for a super high lift
- · Deep saddles for added load support
- Max Load (Pair): 6 Tonne
- · Min Working Height: 440mm
- · Max Working Height: 720mm
- · Net Weight: 5.71kg

IDEAL FOR USE WITH NEMESIS **3 IN 1 TROLLEY JACK**







INDUSTRIAL

NEMESIS THE MUST-HAVE RANGE OF INDUSTRIAL WORKSHOP & GARAGE EQUIPMENT



NEMESIS RAPID LIFT TROLLEY JACKS







TO PREVENT VEHICLE DAMAGE

TWISTABLE

D-HANDLE

FOAM **BUMPER**

UNIVERSAL

JOINT RELEASE MECHANISM

🗸 RAPID LIFT PEDAL (4 TONNE MODEL ONLY)

- · Low entry lifting range · Twin piston for rapid lift
- · Universal joint release mechanism for safe, controlled lowering of the jack
- · Profiled lifting arm and solid U-channel
- · Heavy duty chassis for stability and endurance
- · Twistable D-handle for enhanced manoeuvrability and operation
- · Magnetic tray for storing loose nuts and bolts
- · Heavy duty castors for 360° swivel





2.25 TONNE JEFJKNEMRL0225

- · Max. Load: 2.25 Tonne
- · Min. Height: 73mm
- · Max. Height: 495mm
- · Handle Length: 1140mm
- · Saddle Diameter: 110mm
- · Stroke: 111mm
- · Jack Length: 733mm

PRICE EX.VAT £195.83

Max. Load: 3 Tonne

- · Min. Height: 80mm
- · Max. Height: 465mm
- · Handle Length: 1140mm
- · Saddle Diameter: 110mm
- Stroke: 105mm
- · Jack Length: 682mm

PRICE EX.VAT £215.83





4 TONNE JEFJKNEMRL04

- Max. Load: 4 Tonne
- · Min. Height: 100mm
- · Max. Height: 533mm
- · Handle Length: 1320mm
- · Saddle Diameter: 110mm
- Stroke: 126mm
- · Jack Length: 799mm

PRICE EX.VAT £265.83

NEMESIS REPLACEMENT SADDLE PADS









PRODUCT	SUITABLE FOR	PRICE Ex. Vat
1 JEFJKNEMSP01	JEFJKNEMRL0225	£6.46
2 JEFJKNEMSP02	JEFJKNEMRL03	£6.46
3 JEFJKNEMSP03	JEFJKNEMRL04	£6.46






S ROBUST & DURABLE RANGE S DESIGNED FOR HEAVY USE S LOW PROFILE & HIGH LIFT MODELS

NEMESIS AXLE STANDS (PAIR)

· Pin-through-hole design for optimal load support

· 8 adjustable pin positions



INDUSTRIAL

3 TONNE

JEFAXNEM03



- Min. Height: 295mm
- · Max. Height: 438mm
- · Dimensions: 335 x 240 x 296mm





JEFAXNEM06

- Max. Load (Pair): 12 Tonne
- Min. Height: 370mm
- · Max. Height: 570mm
- Dimensions: 430 x 326 x 380mm



8 PRESET POSITIONS FOR ROLLERS

NEMESIS 48" 2 TONNE FARM JACK

JEFJKFMNEM48

- · Ideal for lifting, pulling, clamping & spreading
- · Heavy-duty steel
- · Adjustable lifting arm
- · Power-coated for rust resistance
- · Ratcheting design for controlled lift
- · Adjustable design to any upright position
- · Rated Load: 2 Tonne
- · Load Capacity: 4500kg
- · Max. Lift Height: 1030mm
- · Min. Lift Height: 110mm
- · Max. Clamp Load: 340kg
- · Min. Lowering Load: 50kg

PRICE EX.VAT INDUSTRIAL

£90.83

NEMESIS 1.5 TONNE WHEEL DOLLY

JEFWHLDNEM015

- · Lifting action is achieved by using a two-stage hydraulic pump, mounted inside the frame
- · Locking mechanism so rollers can be fixed at 8 preset positions
- 2 locking and 3 fixed castors for improved stability and easy manoeuvrability
- · Extra-large handle allows for one person operation
- · Capacity: 1.5 Tonne
- Lifting height: 0 770mm
- · Min. Wheel Ø: 1000mm
- · Max. Wheel Ø: 2200mm
- · Max. Wheel Width: 1100mm
- · Dimensions: 1980 x 1000 x 2140mm







3 TONNE GARAGE JACK WITH COMPATIBLE RUBBER PAD & SPARES

JEFJKGAR03

Heavy-duty steel construction provides stability and endurance. Swivel saddle and rear castors allows smooth manoeuvring. Hydraulic oil by-pass system protects ram from being overextended. Twin pump mechanism for smooth & quick lifting. Built-in safety valve protects against jack over-loading.

COMPATIBLE SPARE

RUBBER PADS AVAILABLE

PRICE EX.VAT

£161.67

· Max Load: 3 Tonne

Min Height: 130mm · Max Height: 465mm · Length: 630mm



	PRODUCT	DESCRIPTION	PRICE EX. VAT
1	JEFRUBPAD	Rubber Pad for JEFJKGAR03	£7.79

2 TONNE LOW PROFILE TROLLEY JACK

JEFJKFL02L

Compact and ideal to keep in your boot for when car-related emergencies strike. It can lift up to 2 tonnes and its range is from 85mm- 375mm, making it suitable for low chassis or vehicles with reduced clearance

- · Max Load: 2 Tonne
- · Min Height: 85mm
- · Max Height: 375mm
- · Length: 560mm · Weight: 13kg

LOW PROFILE











JEFJKFL03 Long chassis, high capacity, portable garage jack for serious hobby or recovery vehicle use. Heavy duty pump bracket and one piece hydraulic unit with safety overload valve. Supplied with one piece pumping handle with rubber grip.

- · Max Load: 3 Tonne
- · Min Height: 140mm
- · Max Height: 432mm
- · Length: 625mm
- · Weight: 18.3kg












HANDLE MOUNTED



PRODUCT	MAX. LOAD	LENGTH	WEIGHT	PRICE EX. VAT
TUNJKTRL05LR	5 Tonne	1400mm	83kg	£620.83
TUNJKTRL10LR	10 Tonne	1510mm	108kg	£815.83



AXLE STANDS (PAIR)

· Ratchet type axle stands

· Heavy-duty steel frame construction

· Cast-iron support post

· Sold as a pair and designed for use as a pair

· Angled post teeth to prevent accidental load-release: the more weight applied, the tighter the post is locked

	PRODUCT	MAX LOAD (PAIR)	MIN HEIGHT	MAX HEIGHT	WEIGHT	PRICE Ex. Vat
1 J	JEFAXSTD02	4 Tonne	277mm	435mm	5kg	£37.08
2 J	JEFAXSTD03	6 Tonne	288mm	435mm	7kg	£43.75
3 J	JEFAXSTD06	12 Tonne	400mm	620mm	14.2kg	£89.58
4 J	JEFAXSTD12	24 Tonne	500mm	770mm	33.9kg	£207.50

SOLD IN PAIRS



TUNDRA HIGH LEVEL VEHICLE SUPPORT AXLE STANDS

SHITARI E FOR

COMMERCIAL AND

PUBLIC SERVICE

VEHICLES

SINGLE

STANDS

ALWAYS

BE USED IN

PAIRS, OR

MULTIPLES

OF PAIRS

- · Heavy-duty, welded-steel construction for enhanced strength
- · Safely supports a range of vehicles with adjustable height settings
- · Includes three different interchangeable contact adaptors for solid load distribution
- · Supplied with captive pin load support
- Fitted with 3 spring-loaded, retractable castors for easy smooth-rolling operation











PRICE EX.VAT 2557.50

· Max Height:1905mm · Weight: 65kg

· Min Height:1295mm

· Max Load (Pair): 14 Tonne

7 TONNE

TUNAXSTD07-HL

12 TONNE TUNAXSTD12-HL

- · Max Load (Pair): 24 Tonne
- · Min Height: 1295mm
- · Max Height: 1905mm
- · Weight: 78kg

PRICE EX.VAT £695.83

TUNDRA WHEEL SKATE RACK

TUNWHLDRK

The ideal storage solution for your Tundra wheel skates. Pack up to four wheel skates with this skate rack. Saves floor space through upright storage.

- · Capacity: 40kg
- · Weight: 3.3kg

INDUSTRIAL



PRICE EX.VAT

TUNDRA 10 TONNE HIGH LIFT AXLE STANDS (PAIR)

TUNAXSTD10HL

- · Designed to safely support vehicles for extended periods of time
- · Manufactured from a heavy-gauge welded steel frame to ensure superior strength and safety
- · Large saddles provide even load distribution
- · Includes captive, multiposition pin load support
- · Ideal for commercial garages, motor-factors and vehicle bodyshops etc.
- · Max Load (Pair): 20 Tonne



PRICE EX.VAT £365.83

TUNDRA 680KG HYDRAULIC WHEEL SKATES

TUNWHLD1500

· Max Load: 680kg

MAX. 1905MM

- · Working Range: 340-620mm
- · Roller Length: 230mm
- · Max Tyre Width: 270mm
- · Min & Max Tyre Diameter: 450-660mm
- · Weight:18kg per unit
- · Designed for use in pairs



PRICE EX.VAT £207.50

WELDED BOTTLE JACKS

- · Heavy duty welded bottle jacks fitted with overload valves and manufactured and tested to the latest CE standards
- Heat-treated extension screw allows low pickup height adjustment and maximum height with slow release on load
- · Serrated, heat-treated saddle provides a generous lifting area, secure grip easy lifting and lowering operation
- Wide, welded base and oil reservoir, reinforced stress points for increased strength, stability and a reduced chance of leakage
- · Heavy-duty steel construction provides stability and safe operation
- · High-quality, large diameter, hydraulic steel cylinder unit resulting in lower oil pressure needed to raise the load for reduced wear and tear
- · Oil-powered hydraulics ensure corrosion resistance and high/low temperature flexibility


















TUNDRA 10 TONNE LOW PROFILE BOTTLE JACK

TUNJKBTL10L

- · Telescopic two-stage hydraulic ram allows for a higher maximum lift than · Max. Load: 10 Tonne a single stage jack, while maintaining the same compact closed heights
- · Low profile design for use on low-slung vehicles
- Machine-welded base for increased strength
- · Double sealed oil reservoir for reduced risk of leakage
- · Anti-rust, nickel-plated ram piston for smooth operation and long-life
- · Threaded pump assembly allows for easy maintenance
- · Includes 4-section handle for variable leverage









· Min. Height: 125mm

· Max. Height: 225mm



SUPPLIED WITH EXTENDABLE MULTI-SECTION HANDLE FOR VARIABLE LEVERAGE



PRICE EX.VAT £115.83

SUPPLIED WITH

EXTENDABLE

MULTI-SECTION

HANDLE FOR

TUNDRA HYDRAULIC BOTTLE JACKS

- · Welded, heavy-duty construction ensures leak-free operation and long use
- · Long, zinc-plated 3-piece handle allows quick and easy pumping & lifting
- · Built-in safety valve

- · Double sealed oil reservoir for reduced risk of leakage
- · Anti-rust, nickel-plated ram piston for smooth operation and long-life
- · Carry-handle makes it easy to manoeuvre and transport



SUPPLIED WITH **EXTENDABLE** MULTI-SECTION HANDI F FOR

137.50



PRICE EX.VAT £165.83

© ■ f in X &

TUNDRA HEEL & TOE JACKS

- · Hydraulic toe jack with multi-function head and toe lifting mechanisms
- · Quick, smooth effortless operation by hand
- · Lifting points on the toe and head allows for a versatile lifting
- · Ideal for lifting low weight points and working in confined spaces
- · Toe constructed from strong mould casted alloy steel with no welded or bent parts to weaken the material
- · High strength return spring enables rapid ram retraction
- · Swivelling pump handle assembly allows the operator to access and pump the unit from a variety of positions
- · Built-in safety valve prevents over-pressurisation
- · Internal overflow valve functions as a stroke
- · Convenient carry handle







עכ	ST	RIZ	A/L

20 TONNE
30 TONNE

PRODUCT	LIFTING CAPACITY		STROKE	CLOSED	JAW	WEIGHT	PRICE
PRODUCI	TOE	HEEL	STRUKE	HEIGHT	HEIGHT	WEIGHT	EX. VAT
TUNJKT0E10-20	10 Tonne	20 Tonne	130mm	285mm	20mm	28kg	£312.50
TUNJKT0E15-30	15 Tonne	30 Tonne	140mm	305mm	20mm	43.4kg	£457.50

TUNDRA TELESCOPIC HYDRAULIC TRANSMISSION JACKS

- · Heavy-duty construction for durability and suitable for general workshop applications
- · Two-way hydraulic unit ensures that the saddle lowers at a controlled speed at all times, even without load
- · Spring-loaded dead man's safety release control reduces the risk of accidental lowering
- · Compatible with Transmission Jack Saddle (adjustable gearbox supports)

TRANSMISSION JACK SADDLE SPARES







	Λ	6	
ŀ	U TO	.O Nne	
i			



	PRODUCT	DESCRIPTION	MAX	MIN SADDLE	MAX SADDLE	CLAMP	WEIGHT	PRICE
	PNUDUGI	DESCRIFTION	LOAD	HEIGHT	HEIGHT	SADDLE	WEIGHT	EX. VAT
1	TUNJKTRANO.6	Tundra Transmission Jack 600kg	600kg	1135mm	1980mm	75mm	34kg	£395.83
2	TUNJKTRAN1.5	Tundra Transmission Jack 1500kg	1500kg	1130mm	1915mm	75mm	55.6kg	£524.17
3	TUNSAD0.6	Tundra Saddle For TUNJKTRAN0.6	Compatible with TUNJKTRAN0.6					£47.92
	TUNSAD1.5	Tundra Saddle For TUNJKTRAN1.5		Compati	ble with TUNJKT	RAN1.5		£47.92

TUNDRA 680KG ENGINE LOAD LEVELLER

TUNENGCRALEV

- · 680kg lifting capacity provides enough power to level a variety of car, van, truck and marine engines
- · Supplied with 4x 275mm chains and 4x "L" shaped brackets
- · All-steel construction ensures strength and durability
- · Worm drive-shaft rotates with a built-in swivel ball-bearing handle for easy load balancing & fine adjustments
- · Includes 3x adjustable chain holes to accommodate different engine sizes
- · Sling span 340mm









TUNDRA FOLDING ENGINE CRANES

Heavy-duty steel construction ensures lasting performance and durability



- · 4-hole position boom and heavy-duty ram help provide reliable & safe lifting
- · Six heavy-duty swivel castors for smooth rolling mobility on garage floors
- · Foldable design allows for easy storage



PRODUCT	DESCRIPTION	MIN HEIGHT	MAX HEIGHT	TOTAL WIDTH	TOTAL Length	HANDLE LENGTH	WEIGHT	STROKE	PRICE Ex. Vat
1 TUNENGCRA1.0F	Tundra 1 Tonne Engine Crane	670mm	1170mm	1030mm	670mm	600mm	67kg	500mm	£326.67
2 TUNENGCRA2.0F	Tundra 2 Tonne Engine Crane	300mm	2300mm	1065mm	1760mm	600mm	99kg	1660mm	£440.83

TUNDRA HYDRAULIC PIPE BENDERS

The Tundra Industrial® hydraulic pipe benders are designed using the latest technologies, featuring low and fast speeds and equipped with a releasing device to prevent overloading. Constructed from refined drop forged steel, our pipe benders are of the highest quality, lightweight and portable, ideal for long periods of usage. Tundra® Industrial 2 tonne hydraulic pipe benders are ideal for the building/construction, engineering industries and an array of so many more.

	TUNPIPEB13-250	TUNPIPEB20-290
TONNAGE CAPACITY:	13 Tonne	20 Tonne
STROKE:	250mm	290mm
BENDING RANGE:	ø 21.3mm - ø 60mm	ø 21.3mm - ø 88.5mm
BENDING FORMS:	1/2", 3/4", 1.0", 11/4", 11/2", 2.0"	1/2", 3/4", 1.0", 11/4", 11/2", 2.0", 21/2", 3.0"
PIPE WALL Thickness:	2.75mm - 4.5mm	2.75mm - 5.0mm
GROSS WEIGHT:	47kg	98kg
DIMENSIONS:	730 x 320 x 200mm	930 x 400 x 210mm



LEVER PIPE BENDER

JEFLPB15-22

- Suitable for copper, steel and aluminium pipes
- Bi-material metal handle
- · Precision tooling to give a smooth and accurate bend across a range of sizes and materials
- · Suitable for 15 & 22mm pipes · Handle end stops with steel inserts protect hands and increase durability
 - · Cast aluminium guides and formers with degree marks for accuracy
 - · Tough construction for durability
 - · Can be used in a vice
 - · Weight: 3.94kg



BENDS PIPES UP TO 90°

PRICE EX.VAT £82.50



TUNDRA HYDRAULIC SHOP PRESSES

- · H-frame hydraulic shop press
- · Sliding ram mechanism with V-blocks
- · Floor mounting type with industrial grade hydraulic system
- · Fully-welded steel frame for maximum rigidity and strength
- · Manual hand pump offers more control for delicate applications





PRODUCT	MAX. LOAD	RAM Stroke	OPERATING RANGE	RACK	WEIGHT	DIMENSIONS	PRICE Ex. Vat
TUNSHPR10	10 Tonne	175mm	194-364mm	340mm	54.7kg	570 x 495 x 1058mm	£365.83
TUNSHPR20	20 Tonne	185mm	39-988mm	542mm	111kg	738 x 700 x 1787mm	£532.50
TUNSHPR30	30 Tonne	152mm	40-1050mm	535mm	164kg	795 x 700 x 1801mm	£1029.17

TUNDRA AIR/HYDRAULIC SHOP PRESSES

- · H-frame air / hydraulic shop presses
- · Sliding ram mechanism with V-blocks
- · Floor mounting type with industrial grade hydraulic system
- · Fully-welded steel frame for maximum rigidity and strength
- · Manual hand pump offers more control for delicate applications





PRODUCT	MAX. LOAD	RAM Stroke	OPERATING RANGE	RACK	WEIGHT	DIMENSIONS	PRICE EX. VAT
TUNSHPR50	50 Tonne	200mm	69-1048mm	730mm	302.4kg	1030 x 800 x 1877mm	£2450.00
TUNSHPR75	75 Tonne	250mm	170-884mm	800mm	451kg	1146 x 800 x 1925mm	£3662.50
TUNSHPR100	100 Tonne	300mm	113-813mm	787mm	658kg	1199 x 990 x 2048mm	£4829.17

SHOP PRESS SAFETY GUARDS



PRODUCT	DESCRIPTION	
TUNSHPR30-SG	Tundra 30 Tonne Shop Press Safety Guard	£86.67
TUNSHPR50-SG	Tundra 50 Tonne Shop Press Safety Guard	£95.00
TUNSHPR75-SG	Tundra 75 Tonne Shop Press Safety Guard	£99.17
TUNSHPR100-SG	Tundra 100 Tonne Shop Press Safety Guard	£107.50

TUNDRA 4 TONNE PORTA POWER HYDRAULIC BODY FRAME REPAIR KIT

TUNPORPOW04

Heavy gauge snap-together pipework and cast snap-together attachments compatible with most leading makes of snap-together equipment. Supplied with hand pump, hose, hydraulic ram and storage/carry-case.

- · Max Load: 4 Tonne · Min Height: 267mm
- · Max Height: 387mm

· Male Connector

· 90° "V" Base

- · Weight: 16kg
- · Stroke: 120mm

INCLUDES 18 PIECES:

- · Hydraulic Hand Pump
- · 4 Tonne Ram (120mm stroke) · Flat Base
- · Jack Hose

- · 16.5" Extension Bar
- · 8.5" Extension Bar
- · 5" Extension Bar
- · 3" Extension Bar
- · Wedge Head · Spreader Ram · 19.5" Extension Bar
 - · Plunger Toe · Ram Toe
 - · Flex Head · Serrated Saddle
 - · Blow Moulded Case



INDUSTRIA

£174.17

TUNDRA 10 TONNE PORTA POWER HYDRAULIC BODY FRAME REPAIR KIT

TUNPORPOW10-TP

Hydraulic repair kit, perfect for vehicle body and frame repair. Kit contains all heavy duty equipment needed for lifting, pushing pulling, bending, straightening & spreading. Features heavy gauge snap-together pipework and cast snap-together attachments compatible with most leading makes of snap-together equipment. Supplied with hand pump, hose, hydraulic ram and heavy duty wheeled storage/ carry-case.

- · Stroke: 130mm · Weight: 31kg
- · Maximum Load: 10 Tonne
- · Minimum Height: 332mm

INCLUDES 17 PIECES:

- · Hydraulic hand pump
- · 10 tonne ram
- · Jack hose
- · Spreader ram
- · 20.5" extension bar
- · 14" extension bar
- · 10.5" extension bar
- · 4" extension bar
- · Male connector
- · Flat base
- · 90° "V" base · Wedge head
- · Plunger toe · Ram toe
- · Flex head
- · Serrated saddle
- · Heavy duty wheel case



TUNDRA HYDRAULIC PULLERS

High-quality forged Cr-V steel hydraulic puller set available in 5 Tonne, 10 Tonne, & 20 Tonne capacities. Designed to remove a wide-variety of pre-fitted parts including gears, bearings, bushings, pulleys, splitting hubs, flanges etc.

- · Heavy-duty forged steel jaws and cross-head
- · Precise and effortless control for safe pulling with 2 or 3 jaws
- · High-force hydraulic system
- · Spring-loaded live centering cone
- · Supplied in a robust and durable blow-moulded carry case
- · Ideal for automotive and agricultural mechanical applications









J

					1 40	
PRODUCT	OUTPUT FORCE	STROKE	SPREAD	MAX. REACH	WEIGHT	PRICE Ex. Vat
TUNHYDPUL05	5 Tonne	50mm	50-200mm	140mm	7.6kg	£80.79
TUNHYDPUL10	10 Tonne	60mm	50-250mm	170mm	10.1kg	£132.50
TUNHYDPUL20	20 Tonne	70mm	100-350mm	205mm	18.6kg	£232.50



TWIN LEG PULLERS

- · Heavy duty twin legged bar type puller
- · Easy removal of pulleys, flywheels, bearings and gears
- · Drop forged chrome steel
- · Heat treated for added strength
- · Thrust bearing prevents wear and damage to shaft
- · Zinc plated for corrosion resistance





PRODUCT	REACH	SPREAD	PRICE Ex. Vat
JEFTLGP080-100	100mm	80mm	£19.13
JEFTLGP120-100	100mm	120mm	£20.42
JEFTLGP150-150	150mm	150mm	£28.75
JEFTLGP200-150	150mm	200mm	£32.46
JEFTLGP250-200	200mm	250mm	£63.29

REVERSIBLE

10 TONNE 10 PIECE HYDRAULIC PULLER SET

JEFHYDPUL10

Includes:

- · 1 x Hydraulic bearing separator (Capacity: 75-105mm)
- · 1 x 10 Tonne hydraulic ram
- · 2 x 260mm pulling bolts
- · 2 x 260mm pulling bolt extensions
- · 3 x Ram extensions (31 mm. 50mm. 100mm)
- · 1 x 210mm Cross Beam

10 TONNE 23 PIECE HYDRAULIC PULLER SET

JEFHYDPUL23

- Includes:
- · 1 x 10 Tonne Hydraulic ram
- · 3 x 100mm legs, 3 x 150mm legs, 3 x 200mm legs
- · 1x twin head for 2 leg puller
- · 1 x triple head for 3 leg puller
- · 1 x 5/8 bolt
- · 2 x extensions rods (25 x 100mm & 25 x 50mm)
- · 4 x 200 x 1.75mm rods
- · 1 x beam separator (Capacity: 75-105mm)
- · 3 x ram extensions





12 PIECE BLIND BEARING PULLER SET


JEFBBPUL12

- · Medium stroke 1.5kg slide hammer with 395mm shaft and a screw-type bridge extractor
- · Includes bearing extractor collets with internal capacity from 8-34mm

Includes:

- · Slide hammer
- · 20-23mm collet + drive pin 13mm (long)
- · 8-9.5mm collet + drive pin 10mm (short)
- · 10-11.5mm collet + drive pin 10mm
- · 12-13.5mm collet
- · 15-16mm collet
- · 17-18.5mm collet
- · 25-27mm collet
- · 30-32mm collet · 32-34mm collet
- · Drive pin 13mm
- · Puller assembly







PRICE EX.VAT

3 JAW GEAR PULLERS

Suitable for gears, bearings and other press fit parts

PRODUCT	SIZE	PRICE Ex. Vat
JEFTLRPUL3	3"	£16.17
JEFTLRPUL4	4"	£22.00
JEFTLRPUL6	6"	£39.13



HYDRAULIC RAM

JEFHYDRAM02

10 tonne hydraulic ram available for individual purchase



PAGE 187

SOLDERING IRONS



1000W INDUCTION HEATER

JEFHTIND1000

- · Mobile induction heater for fast heat delivery
- · Install appropriate coil and place over or around ferrous metal
- · Ideal for loosening stubborn and seized fixings
- · Supplied with pad coil for plastic trim/sticker removal
- · Induction element delivers high heat fast and effectively
- · Supplied in carry-case
- · Supply: 230V
- · Frequency: 50/60Hz
- · Power: 1000W





PRICE EX.VAT

- Ø32mm Direct coil
- Ø20mm Direct Coil
- · Ø55mm Pad coil
- · Flex coil 830mm

5 PIECE INDUCTION HEATER COIL SET

JEFHTINDSET05



Includes:

- Ø32mm Direct coil
- Ø20mm Direct Coil
- · Ø55mm Pad coil
- Flex coil 830mm
- · U-coil 430mm

PRICE EX.VAT

IMPACT SOCKETS





PAGES 31-35

60-140MM OIL FILTER STRAP WRENCH

JEF0FSW02

· Satin finish, drop-forged steel with hanging hole



3/8" & 1/2" OIL FILTER STRAP WRENCH

JEF0FSW01

- · Satin finish cast steel body with 3/8" and 1/2" Sq.
- · Tough and durable extra-wide nylon webbing strap
- · Designed for use with ratchet wrench, but may
- · Diameter: 300mm



PNEUMATIC WORKSHOP STOOL

JEFWST02

- Four legged heavy-duty steel construction with polished chrome plate finish for corrosion resistance
- Two strengthening rings for stability, with lower ring acting as a foot rest
- Features pneumatic height adjustment, Ø350mm padded swivel seat and padded back rest for comfort and ease when turning to and from point of work
- · Height: 855mm
- · Height (inc. back): 1084mm
- · Diameter: 500mm



SWIVEL WORKSHOP STOOL

JEFWST01

- Four legged heavy-duty steel construction with polished chrome plate finish for corrosion resistance
- Two strengthening rings for stability, with lower ring acting as a foot rest
- · Height: 725mm
- · Diameter: 475mm



PRICE EX.VAT **£65.83**

GAS SPRUNG MECHANICS SEAT

JEFCARST02A

- Swivel-action seat with lever operated gas-sprung height adjustment
- Padded heavy-duty vinyl cushion for comfort & easy cleaning
- Ø60mm smooth-rolling bearing castors
- · Built-in tool and equipment storage tray
- · 120mm lifting range & 360° seat rotation
- · Adjustment Range: 120mm
- · Minimum Height: 380mm
- · Maximum Height: 500mm



PRICE EX.VAT

£69.13

MECHANICS SEAT

JEFCARST01F

- Robust steel frame with a high-density foam & easy-clean vinyl padded seat offers comfort & durable performance
- Supplied with built-in, easy-access,
 3-compartment storage tray to hold tools, equipment and small parts
- All-steel construction with heavy-duty supports for strength
- Four swivel castors for 360° manoeuvrability



PRICE EX.VAT **£44.58**

INDUSTRIAL PADDED VINYL CAR CREEPER

JEFCARCRP-S40

- Steel tube frame with powder-coated finished to prevent rusting
- Designed with shoulder-drop and padded head rest for increased comfort when working
- Fully padded heavy-duty vinyl covering easily cleaned after use



- Low profile design allows greater clearance on lower vehicle undercarriages
- Six smooth-rolling swivel castors for easy manoeuvrability
- · Length: 40" / 1016mm
- · Capacity: 120kg / 265lb
- · Weight: 6.7kg



PRICE EX.VAT **£57.46**

LOW PROFILE CREEPER

JEFCARCRP-C40

- Manufactured with impact resistant and durable PVC body
- · Oil and solvent resistant, easy to clean
- · Includes two integral easy reach tool trays
- Body-moulded ergonomic design with padded headrest for comfortable working
- LOW PROFILE

- Low profile design allows greater clearance on lower vehicles undercarriages
- Six smooth-rolling swivel castors for easy manoeuvrability
- · Length: 40" / 1016mm
- · Capacity: 120kg / 265lb
- · Weight: 5kg



PRICE EX.VAT **£49.58**



EXTENDABLE 1/2" WHEEL NUT WRENCH SET

JEFEWNWS04

- · Heavy-duty extendable wheel nut wrench
- · Supplied with two 1/2" square drive reversible sockets: 17 x 19mm and 21 x 23mm
- · Manufactured from chrome vanadium steel to DIN 3120 standard
- · Wrench shaft can be extended from 370mm to 520mm in length for enhanced torque
- · Quick-release mechanism allows easy control of wrench length & torque
- · Fitted with a soft-grip handle
- · Supplied with durable storage bag with hanging hole





CIRCULAR MAGNETIC TRAY

JEFMAGCTRY-C

- · Stainless steel
- · 1 x 80mm magnet
- · Anti-scratch PVC base
- · Dimensions: 150 x 150 x 25mm





PRICE EX.VAT £5.79

RECTANGULAR MAGNETIC TRAY

JEFMAGCTRY-R

- · Stainless steel
- · 2 x 80mm magnets
- · Anti-scratch PVC base
- · Dimensions:

240 x 140 x 30mm





PRICE EX.VAT £9.58

MAGNETIC SPRAY CAN HOLDER TRAY



MAGNETIC SPRAY GUN HOLDER

JEFMAGSPGNH

- · Magnetic base design to hold paint gun and other workshop accessories within convenient reach, without having to drill holes in your paint booth
- · Heavy duty steel hook with soft, protective rubber coating
- · Suitable for most gravity-fed spray guns & a wide range of other tools or accessories







PRICE EX.VAT £6.25

MAGNETIC TELESCOPIC PICK UP TOOL

JEFMAGTELPUT

- · 190-810mm telescopic reach
- · Comfortable cushion grip
- · LED torch function
- · Handy storage clip
- · 23.5N magnetic tip easily collects nut & screws
- · Holds up to 5lb weight
- · Supplied with 3x LR44 button cell batteries



OUR MAGNETIC TOOLS ARE THE PERFECT **ACCESSORIES** FOR YOUR MODULAR STORAGE SYSTEM PAGE 199

PVC FLOOR TILES

& EASY INSTALLATION

& EASILY MAINTAINED

★ CHEMICAL & OIL RESISTANT
 ★ TEXTURED ANTI-SLIP SURFACE





COVERS 2.5M²

COVERS 2.5M²







YELLOW EDGING (PACKS OF 10)

JEFFTILEDG-YW

500 X 500 X 7MM **PVC FLOOR TILES**

(PACKS OF 10 TILES)


PRICE EX.VAT

£83.29

DARK GREY

JEFFTIL500-DG

BLACK JEFFTIL500-BK



PRICE EX.VAT £29.96

YELLOW CORNERS (INDIVIDUAL)




PRICE EX.VAT £1.24

JEFFTILCNR-YW



PRICE EX.VAT £83.29



resistance, improving safety in the garage

· Designed for easy interlocking installation, often not requiring adhesive, which can save time and effort · Highly durable and resistant to heavy loads, making them ideal for garages where vehicles and heavy

Resistant to chemicals, oils, and other automotive fluids, ensuring longevity and easy maintenance · Textured surface that provides excellent slip

equipment are stored

Thermal and sound insulation, making the garage warmer and quieter

· Easy to clean and maintain; can be wiped or mopped

· Less prone to cracking or breaking compared to ceramic tiles, providing a longer-lasting solution

Waterproof to prevent issues related to moisture, such as mould or mildew

CORNERS & EDGING

· Ramped corners & edging to finish off exposed tiles safely in doorways or round free standing areas

· They can be fitted quickly and easily in the same way that the tiles interlock creating a safe edge for pedestrians and vehicles to move on and off PVC floor

KNEELING MATS

- · Thick EVA material
- · Oil & water resistant
- · Reduces stress and discomfort often felt in kneeling jobs
- · Its durable and comfortable design makes it the perfect addition to any working environment




2



PRODUCT		SIZE	PRICE EX. VAT
1	JEFMATKNEE-S	Small Kneeling Mat (210 x 450 x 30mm)	£7.46
2	JEFMATKNEE-L	Large Kneeling Mat (380 x 980 x 30mm)	£16.63

ANTI-FATIGUE RUBBER MATS

- · Suitable for use in wet and dry areas
- · Textured surface to provide slip-resistance
- · Tough and durable for prolonged periods of use





PRODUCT	SIZE	PRICE Ex. Vat
JEFMATANBK01	Large (1505 x 905 x 12mm)	£40.63
JEFMATANBK02	Small (914 x 610 x 12mm)	£29.13



PARTS WASHER

JEFPTSWASH

- · 20 gallon capacity
- · Fluid is recirculated internally
- · 100W electric motor
- · All steel construction
- · Comes with removable work shelf
- · Flexible nozzle for directing water flow





£187.50



500 LUMENS COB LED HEADLAMP

JEFTRCH41

FEATURES

- Super tough polycarbonate and TPU construction Red-to-green charging indicator

- Motion sensor for hands-free operation
 Light magnetically mounted to headband; can be
- Fully adjustable non-slip silicone lined headband 360° rotation, 90° tilt light head

- High: 500 lumens Low: 200 lumens
- Battery: Li-poly 3.7V 1400mAh * Max. Charge Time: 2.5 hours
- Max. Run Time High: 2 hours

















PRICE EX.VAT £33.29

700 LUMENS LED HEADLAMP

JEFTRCH42

FEATURES

- Three lighting mode: High: 700 lumens Low: 100 lumens









Jefferson

HJ,5E5... BEAM



















350 LUMENS COB + 90 LUMENS LED HEADLAMP

JEFTRCH26

- · Brightness: 5W / 350 Lumens
- · Lighting Capacity: 230° / 150ft
- · Lighting Modes: High COB: 350 Lumens Low COB: 150 Lumens High LED: 90 Lumens Low LED: 35 Lumens LED Flash / SOS
- · Max. Run Time: High COB: 2.5 hours Low COB: 3.5 hours High LED: 6 hours Low LED: 8 hours
- · Max. Charge Time: 2.5 hours
- · Impact Protection: 2m
- · Battery: USB (Type C) Rechargeable 3.7V 1200 mAh polymer lithium















PRICE EX.VAT £14.13

160 LUMENS HEADLAMP

JEFTRCH15HD

- · 3 x Function including; High, low and strobe
- · Recharges using standard USB port
- · 750mAh rechargeable battery included
- · Weight: 63g with battery
- · Dimensions: 65 x 42 x 26.5mm
- · Beam range: 18m
- · Max. Run Time: 7 hours
- Max. Charge Time: 3.5 hours













200 LUMENS HEADLAMP WITH MOTION SENSOR

JEFTRCH14HD

- · ON/OFF hand motion sensor
- · 1500mAh rechargeable battery included
- · Includes USB charging cable & AC/DC adaptor
- · Tri-band one size fits all with adjustable straps
- · Weight: 146g with battery
- · Dimensions: 70 x 50 x 70mm
- · Beam range: 138m
- · Max. Run Time: 9 hours
- · Max. Charge Time: 3.5 hours













580 LUMENS UNI-POWERED CREE LED HEADLAMP

JEFTRCH19HD

- · Runs on either Li-Polymer rechargeable battery pack (included) or 3x AAA size alkaline batteries (not included)
- · Adjustable lens allows the user to focus with a spot or flood beam
- · 5 Lighting Modes (White) High, Medium and Low; (Red) On, flashing
- · USB charging port with LED indicator on the battery pack
- · Weight: 95g
- IP64 Dust proof and water resistant
- · Cree LEDs
- · 2m Impact Resistance
- · Beam range: 150m
- Max. Run Time: 2.5 hours
- · Max. Charge Time: 2.5 hours











ONE SIZE FITS



360 LUMENS LED NECK LIGHT

JEFTRCH28

- · Over charge and over discharge protection
- · Dimming function
- · Strong magnet on back
- · 2 lighting modes:
- High: 360 Lumens Low: 180 Lumens
- · Battery: 3.7V Li-ion, 2200 mAh
- · Type-C charging port
- · Max. Run Time:
- High: 3 hours
- Low: 6 hours
- · Max. Charge Time: 4 hours
- · Dimensions: 260 x 159 x 24mm























500 LUMENS MINI WORK LIGHT

JEFTRCH32-B

- · Type-C charging port
- · 3.7V 600mAh Li-ion battery
- · Three lighting modes: Boost: 500 Lumens High: 300 Lumens Low: 100 Lumens
- · Beam distance up to 4.1m · Max. Charge Time: 2.5 hours
- · IP Rating: IP54
- 1m impact resistance
- · Max Run Time: Boost: 2.5 hours High: 1.5 hours Low: 3 hours













HYPER BΕΛΜ **500 LUMENS**

£15.79

BOOST

PRICE EX.VAT £11.63

800 LUMENS DUAL MINI WORK LIGHT

JEFTRCH34

- · Type-C charging port
- · 3.7V 1200mAH Li-ion battery
- · Lighting modes: Boost: 800 Lumens COB High: 500 Lumens COB Medium: 100 Lumens COB Low: 60 Lumens LED: 100 Lumens
- Beam angle: COB: 62° / LED: 26°











- · Beam distance up to 4.1m
- · Power: 5W
- · IP Rating: IPX5
- · 1m impact resistance
- · Max Run Time: Boost: 30 seconds COB High: 1.5 hours COB Medium: 50 hours COB Low: 10 hours LED: 8 hours
- Max. Charge Time: 3 hours

EASY TO FIND GLOW HALO AFTER ILLUMINATION





PRICE EX.VAT £16.63

1400 LUMENS COB LED POCKET WORK LIGHT

JEFWLT15WP-230R

- · Durable ergonomic housing
- · Superior quality, efficiency and light density compared with other standard LED technologies
- · 3 lighting modes to help you to provide the most efficient lighting source for your working environment · Ingress Protection: IP65
- · 3 lighting modes: High: 1400 Lumens Normal: 700 Lumens Eco: 350 Lumens
- · Charging Input: DC 5V 2A
 - · Impact Rating: IK07
- · Battery: Li-ion 3.7V, 5200 mAh.19.24Wh
- · Max. Run Time: High: 2.5 hours Normal: 4 hours Eco: 8 hours
- · Max. Charge Time: 4 hours



PRICE EX.VAT













800 LUMENS COB LED WORK LIGHTS

- · High quality 10W (800Lumens) COB LED inspection lamp with 3W LED directional torch
- · USB rechargeable Li-ion battery
- · Strong magnetic plates on the rear of the housing and base allow for hands-free operation
- · Swivel and tilt functionality allows the lamp to be rotated 360° and tilted through 90°
- · Heavy-duty, ergonomic housing
- · Superior quality, efficiency and light density compared with other standard LED technologies
- · Three lighting modes: COB High: 800 Lumens COB Low: 400 Lumens LED: 160 Lumens Max. Run Time:
- COB High: 2 hours COB Low: 4 hours LED: 7 hours
- Max. Charge Time: 4 Hours
- · Impact Rating: IK10
- · Ingress Protection: IP65
- · Battery: Li-ion 18650 3.7V 4000mAh
- · Weight: 0.495kg
- · Dimensions: 51 x 49 x 241mm



















PRODUCT	COLOUR	PRICE EX. VAT
JEFTRCH27-GN	Green	£47.46
JEFTRCH27-OR	Orange	£47.46
JEFTRCH27-GY	Grey	£47.46

800 LUMENS COB LED WORK LIGHT WITH CHARGING BASE

JEFTRCH29

- · High quality 10W COB LED inspection lamp with 3W LED directional torch
- · USB rechargeable li-ion battery with magnetic charging dock (Includes 1m Type-C cable)
- · Strong magnet on the base of the housing, allows for easy hands-free operation
- · 180° tilt allowing you adjust the angle of illumination as required
- · Heavy-duty, ergonomic housing with IK07 impact rating and IP65 ingress protection
- · 3 lighting modes: COB High: 880 Lumens COB Low: 440 Lumens LED: 160 Lumens
- Max. Run Time: COB High: 1.5 hours COB Low: 2.5 hours LED: 4 hours
- · Max. Charge Time 2.5hours
- IP Rating: IP65
- Dimensions: Light: 35 x 56 x 203mm Base: 84 x 118 x 75mm





CHARGING DOCK













600 LUMENS INSPECTION LIGHT HYPER™

JEFTRCH36

- · Large reflector
- · 2x Nylon 360° swivel hooks on top and back of light
- · 3.7V 2500mAh Li-ion battery
- · Magnets on the back and base of light
- · Type-C charge port
- Two lighting functions: Work light: 600 Lumens
- Power:
- Work light: 5W Spotlight: 1W
- Spotlight: 120 Lumens · Max. Run Time: Work light: 5 hours Spotlight: 8 hours
 - · Max. Charge Time: 3 hours













1000 LUMENS COB LED MULTI-**FUNCTIONAL INSPECTION LAMP**

JEFTRCH24

- · Compact and lightweight for easy portability
- · Constructed from tough and durable ABS thermoplastic
- · 120° reflex angle for easy adjusting and enhanced functionality
- · Three working modes: High, Low, SOS On/Off Flash
- · Magnetic base allows for hands-free usage
- · Built-in Lithium-ion rechargeable battery
- · Battery life indicator light bar
- · Supplied with 1 metre USB
- recharging cable · Output: 10W
- · IP Rating: IP54
- · Beam angle: 60° / 120° angle
- · Battery: 3.7V 2.2Ah Li-ion / 4 x AA batteries
- · Max. Run Time: 3.5 hours
- · Max. Charge Time: 4.5 hours

















300 LUMENS 3-IN-1 INTERCHANGEABLE LED LAMP & TORCH KIT

JEFTRCH22B

- · Innovative three-in-one interchangeable lamp and torch kit with a screw thread base for solid connection allows for changing between the flexible CREE LED extension torch, slimline COB LED inspection lamp (with 360° tilt function) and CREE LED directional torch
- Magnetic base for hands free operation
- · Illuminated power indicator on the switch
- · Supplied in a presentation box with a high quality USB cable and AC mains charger















600 LUMENS COB LED WORK LIGHT

JEFWLT10W-230RCH

- · Compact and lightweight for easy portability
- · Die-cast aluminium housing with tough and durable steel framed stand
- · Powerful foam covered magnets on base allows for hands-free usage
- · 300° reflex angle light with 360° swivel rotation base for enhanced functionality
- · Built-in Lithium-ion battery
- · Supplied with AC mains adaptor and DC in-car charger

- · Output: 10W
- · Beam angle: 120° angle
- · Battery: 7.4V 2.2Ah Li-ion
- · Max. Run Time: 2.5 hours
- · Max. Charge Time: 5 hours
- · IP Rating: IP65











500 & 700 LUMENS RECHARGEABLE COB LED INSPECTION LAMPS

- · Dual charging options using either the 230V AC mains charger or 12V DC car charger
- · Powered by a 3.7V 4000mAh Li-ion battery
- · Slimline body with folding hanging hook to allow for hands-free usage
- · Lightweight and robust polycarbonate and aluminium body for added durability and longevity















	PRODUCT	
1	JEFTRCH20	
2	IEETDCU91	



	PRODUCT	DESCRIPTION	LUMENS	PRICE Ex. Vat
1	JEFTRCH20	700 Lumens COB LED Inspection Lamp	700	£49.96
2	JEFTRCH21	500 Lumens COB LED Inspection Lamp	250 / 500	£43.29

1200 LUMENS UNDER BONNET LIGHT

JEFTRCH37

- · Brackets rotate 360°
- · Extendable ends
- · 3.65V 4000mAh battery
- · 70° beam angle
- Type-C charging port
- · Two lighting modes: High: 1200 Lumens Low: 400 Lumens
- · Max. Run Time: High: 2 hours Low: 6 hours
- Max. Charge Time: 4.5 hours











360° ROTATION













1500 LUMENS CLIP LIGHT

JEFTRCH35

· Clamping arm with 4 strong magnets · 120° beam angle

· Heavy duty polycarbonate lens material

· 3.7V 5000mAh battery

· Includes 1m type-C USB charging cable

· Power: 20W

· Protection Class: III

· Three lighting modes: High: 1500 Lumens

High: 3.5 hours

Max. Charge







DISCOVER MORE

COB LED RECHARGEABLE WORK LIGHTS

- · Compact and lightweight for easy portability
- · Constructed from tough and durable ABS thermoplastic
- · 360° reflex angle for easy adjusting and enhanced functionality
- · Three working modes: High, Mid, SOS Flash
- · Built-in Lithium-ion rechargeable battery
- · Power indicator light
- · Supplied with 1 metre USB recharging cable
- · Beam angle: 60 / 120° angle
- · Battery: 3.7V 2.2Ah Li-ion battery
- Max. Run Time: 3 hours
- · Max. Charge Time: 4 hours
- · IP Rating: IP65







FOI DARI E FRAME FOR ELEXIRI E **USAGE AND FASY STORAGE**

PRODUCT	OUTPUT	EXTENDED DIMENSIONS	PRICE Ex. Vat
JEFWLT10WFLD-230RH	10W	245 x 210 x 175mm	£26.25
JEFWLT20WFLD-230RH	20W	235 x 225 x 243mm	£37.92









4 MAGNETS ON BACK

H1,5E5...

H), DES.

BEAM

10000 LUMENS

BOOST FUNCTION

(30SEC)

10000 LUMENS COB LED TORCH

JEFTRCH33

- · 50° beam angle
- · Type-C charge port
- · 2x 7.4V 2600mAh batteries
- · Beam Range: Turbo: 200m High: 100m
- Medium: 65m Low: 50m
- · Four lighting modes: Boost: 10000 Lumens High: 5000 Lumens

Medium: 3000 Lumens











· Max. Run Time:

Low: 4 hours

· Weight: 0.45kg

High: 1.5 hours

Medium: 2 hours

· Max. Charge Time: 5 hours

· Dimensions: 33 x 55 x 242mm



12000 LUMENS BOOST FUNCTION

(30SEC)

DISCOVER MORE

PRICE EX.VAT

12000 LUMENS COB LED TORCH

JEFTRCH30

- · Battery: 7.4V 5000mAh lithium battery
- · Low battery warning function
- · Includes Type-C charging cable and lanyard
- · Beam Range: Turbo: 219m High: 160m Medium: 113m Low: 35m
- · 4 output modes: High: 7000 Lumens
- Turbo: 12000 Lumens
- · Max. Run Time: High: 2 hours Medium: 3 hours Low: 12 hours
- · Max. Charge Time: 6 hours
- · Dimensions: 68 x 42 x 295mm

· Weight: 0.9kg





















900 LUMENS COB LED TWIST TORCH

JEFTRCH43

FEATURES

- Magnetic base Clip for easy mounting
- lighting modes
- USB charging cable

- Four lighting modes: Spot + High Flood: 900 lumens

- Battery: 2200mAh lithium battery Max. Run Time: Spot + High Flood: 5 hours









HJ,5ES BEAM

PRICE EX.VAT £28.29











1000 LUMENS COB LED 3-IN-1 POP UP LIGHT

JEFTRCH45

FEATURES

- Dimmable main light
 Includes 1m type-C USB charging cable

- Three lighting modes: Inspection light: 100 lumens Light bar (high): 1000 lumens Light bar (low): 500 lumens





















PRICE EX.VAT £30.79

1400 LUMENS SCOPE LIGHT

JEFTRCH40

- · Type-C charge port with 1m cable
- · Three lighting functions: High: 1400 Lumens Low: 500 Lumens Strobe
- · Power: 20W
- · Beam Distance: High: 750m Low: 450m
- · Max. Run Time: High: 3 hours Low: 8 hours
- · Max. Charge Time: 4 hours









120° PIVOT STAND

PRICE EX.VAT £49.96





1000 LUMENS DUAL COB LED SPOTLIGHT WITH FLOODLIGHT FUNCTION

JEFTRCH31

- · COB LED bulb
- · Multi directional floodlight rotates 220°
- · IPX4
- · Power bank function, output 5V1A
- · Includes type-C cable & shoulder belt
- · 5 working modes: Spotlight:

Low: 200 Lumens

High: 600 Lumens

Floodlight:

Low: 400 Lumens High: 1000 Lumens Red Light: 10 Lumens



- · Max. Charge Time: 6 hours
- · Beam Distance: Spotlight: 380m Floodlight: 40m
- · Battery: 3.65V 8000mAh
- Dimensions: 213 x 106 x 132mm
- Weight: 0.7kg













1500 LUMENS CREE LED SPOTLIGHT

JEFTRCH18SP

- · Powerful optical TIR lens with CREE LED
- · Rotating bezel allows the light to shine from spot to flood
- · Ideal for rugged indoor & outdoor environments
- · Built-in type-A charge cable
- · 2x 3.7V / 2700mAh rechargeable Li-ion batteries
- · Slip resistant comfort grip and trigger design
- · Tough ultra-clear glass lens
- · Strong wrist strap for comfortable control
- · ABS & aluminium housing with hardened anti-abrasive & impact resistance finish
- · 1m impact resistance



- · IP Rating: IPX6
- · Beam Range: 530m
- · 4 output modes: High: 1500 Lumens Medium: 800 Lumens Low: 400 Lumens Blinkina
- Max. Run Time: High: 1 hour Medium: 3 hours Low: 5 hours Blinking: 10 hours
- Max. Charge Time: 2.5 hours

ADJUSTABLE POSITION AS A WORK LIGHT; CAN BE SET AT 35° OR 60°













10,800 LUMENS HIGH BAY LED LIGHT

JEFLGTHB-180W

- · Tough and protective die cast aluminium housing (IP65)
- · Efficient lighting system with 120° light diffuser
- · 5000K colour temperature with independent heat release
- · Ideal for factories, warehouses and garages
- · Power: 180W
- · Runtime: 50,000 hours
- · Sanded glass diffuser (anti-glare)
- · Dimensions: 470 x 470 x 275mm
- · Weight: 11.1kg









£59.58

COLOUR TEMPERATURE

5400 LUMENS COMPACT LED **PLASTERERS WORK LIGHT**

JEFWLT54WPLA-110C

FEATURES

- for indoor and outdoor use

- Input Power: 54W
 Input Voltage: 110V
 Luminosity: 5400 Lumens

- Luminosity: 5400 Lumens
 Light Angle: 360°
 Colour Temp: 6500k
 Overall Height: 1345mm
 Light Casing Height: 1110mm
 Tripod Open / Closed: 280mm / 780mm
 Weight: 2.96kg

TYPICAL USAGE INCLUDES:

- ★ Emergency lighting
- ★ Car body workshops
- ★ Domestic DIY



4500 LUMENS PORTABLE SITE LIGHT

JEFTRCH39



CAN BE POWERED BY INTERNAL BATTERY OR MAINS

✓ INCLUDES EXTENDABLE TRIPOD & STORAGE POUCH

Y POWER BANK FUNCTION FOR CHARGING PHONE AND OTHER ACCESSORIES




- · Type-C charging port
- · 120° beam angle
- · Power: 45W
- IP Rating: IP54
- · 12W Power bank function: 5V/1A
- · Can be used when plugged into 5V2A power source; will operate on "Medium" lighting mode
- · Beam Distance: High: 75m Medium: 56m Low: 39m

· Six lighting modes:

High: 4500 Lumens Medium: 2500 Lumens Low: 1200 Lumens

· Max Run Time: High: 2 hours (white/warm) Medium: 4.5 hours (white/warm) Low: white: 9 hours / warm: 7 hours





- · Extendable tripod · Storage pouch
- · 2m Type-C charging cable



180° TILT



270° SWIVEL

£107.50

PLASTERING TOOLS



7000 LUMENS PORTABLE SITE LIGHT

JEFTRCH38

H\\begin{array}{c} BEVW

CAN BE USED WITH POWER TOOL BATTERIES OR MAINS

INCLUDES EXTENDABLE TRIPOD & STORAGE POUCH

POWER BANK FUNCTION FOR CHARGING PHONE AND OTHER ACCESSORIES



- · Battery indicator light
- · Type-C charging port
- · 120° beam angle
- · Power: 80W
- · IP Rating: IPX4
- · Power bank function: 5V/1A input

BATTERY

- · Two lighting modes: High: 7000 Lumens Low: 2000 Lumens
- · Beam Distance: High: 110m Low: 56m
- · Max. Run Time:* High: 2.5 hours Low: 9 hours

MAINS

· Two lighting modes: High: 3500 Lumens Low: 1000 Lumens



*(Based on Makita 6.0Ah 18V battery)

Includes:

· Removable light head with two lights



· Storage pouch





DISCOVER MORE







TRIPOD EXTENDABLE 800-2400MM







90° TILT



















BOSCH

DEWALT

WITH	PRICE
	EX. VAT

Trakita

COMPATIBLE WITH	PRICE EX. VAT
Milwaukee	£8.29
Bosch	£8.29
	£8.29
Makita	£8.29
	Milwaukee Bosch DeWalt

2.8KVA PETROL GENERATOR

JEFGENPET22

- · Engine: MacGen 5.5HP Petrol
- · Max. Output: 2.8kVA / 2.2kW
- · Rated Output: 2.5kVA / 2.0kW
- · AC Output: 1x230V 16A / 1x110V 16A (Sockets)
- · DC Output: 12V / 8.3A
- · Guaranteed Noise Level: 95 dB Lwa
- · Dry Weight: 39kg
- · Dimensions: 610 x 470 x 460mm
- · Start: AVR & recoil start
- · Fuel Tank: 15 Litre long run
- · Running Time: 13 hours



OLYMPUS









INCLUDES 12V SETS OF CHARGING LEADS

LOW OIL ALERT



3.8KVA PETROL GENERATOR

JEFGENPET30

- · Engine: MacGen 7.0HP Petrol
- · Max. Output: 3.8kVA / 3.0kW
- · Rated Output: 3.3kVA / 2.6kW
- · AC Output: 1x230V 16A / 1x110V 16A (Sockets)
- · DC Output: 12V / 8.3A
- · Guaranteed Noise Level: 96 dB Lwa
- · Dry Weight: 44.25kg
- · Dimensions: 620 x 480 x 470mm
- · Start: AVR & recoil start
- · Fuel Tank: 15 Litre long run
- · Running Time: 11 hours





OLYMPUS









INCLUDES 12V SETS OF CHARGING LEADS

LOW OIL ALERT

3.8KVA PETROL GENERATOR (ELECTRIC START)

JEFGENPET30EL

- · Engine: MacGen 7.0HP Petrol
- · Max. Output: 3.8kVA / 3.0kW
- · Rated Output: 3.3kVA / 2.6kW
- · AC Output: 1x230V 16A / 1x110V 16A (Sockets)
- · DC Output: 12V / 8.3A
- · Guaranteed Noise Level: 96 dB Lwa
- · Dry Weight: 55kg
- · Dimensions: 620 x 480 x 470mm
- · Start: AVR & electric start
- · Fuel Tank: 15 Litre long run
- · Running Time: 11 hours





INCLUDES HANDLE FOR EASY

OLYMPUS









3.8 3.0 P POWERED BY — POWERED BY — MACGEN

© ■ f in X J

£540.83

4.4KVA PETROL GENERATOR (ELECTRIC START)

JEFGENPET35EL

- · Engine: MacGen 7.5HP Stage V Petrol
- · Max. Output: 4.4kVA / 3.5kW
- · Rated Output: 4.0kW / 3.2KW
- · AC Output: 1x230V 16A / 1x110V 16A (Sockets)
- · DC Output: 12V / 8.3A
- · Guaranteed Noise Level 97dB LWA
- · Dry Weight: 57.5kg
- · Dimensions: 620 x 510 x 490mm
- · Start: AVR & electric start
- · Fuel Tank: 15 Litre long run
- · Running Time: 8 Hours





PRICE EX.VAT £662.50

QLYMPUS











6.9KVA PETROL GENERATOR (ELECTRIC START)

JEFGENPET55EL

- · Engine: MacGen 13.0HP Petrol
- · Max. Output: 6.9kVA / 5.5kW
- · Rated Output: 6.3kVA / 5.0kW
- · AC Output: 1x230V 32A / 1x110V 32A (Sockets)
- · DC Output: 12V / 8.3A
- · Guaranteed Noise Level: 97 dB Lwa
- · Dry Weight: 73kg
- Dimensions: 720 x 560 x 590mm
- · Start: AVR & electric start
- · Fuel Tank: 25 Litre long run
- · Running Time: 10 hours
- · LCD Digital Display Shows Voltage, Frequency & Hour Meter

















PRICE EX.VAT

7.9KVA PETROL GENERATOR (ELECTRIC START)

JEFGENPET63EL

- · Engine: MacGen 14.0HP Petrol
- · Max. Output: 7.9kVA / 6.3kW
- · Rated Output: 7.2kVA / 5.8kW
- · AC Output: 1x230V 32A / 1x110V 32A (Sockets)
- · DC Output: 12V / 8.3A
- · Guaranteed Noise Level: 97 dB Lwa
- · Dry Weight: 77kg
- · Dimensions: 720 x 560 x 590mm · Start: AVR & electric start
- · Fuel Tank: 25 Litre long run
- · Running Time: 10 hours











7.9 6.3 — POWERED BY — MACGEN







PRICE EX.VAT



6.3KVA / 5.0KW DIESEL GENERATOR (ELECTRIC START)

JEFGENDIE50ERSC





INTERNAL COOLING FAN





SOUND ATTENUATED CANOPY (70DB @ 7M, 75% LOAD)

· Air Cooled

- · AVR
- · Low Oil Alert
- · Automatic Engine Shutdown
- · Large Fuel Tank
- · 4-Stroke Diesel Combustion Engine
- · AC & DC Outputs
- · Generator Type: Single Phase
- · Starting Method: Remote or Key Start
- · Excitation: Self-Excitation
- · Max. Output: 5.0kW/6.3kVA
- · Frequency(Hz): 50Hz
- · AC Rated Voltage(V): 110V/230V
- · DC Rated Output: 12V/8.3A
- · Speed: 3000rpm
- · Power Factor (Cos Φ): 1.0
- · Type: Single-cylinder, vertical, 4-stroke, air-cooled, direct-injection
- · Output 110V: Continuous: 3.3kW Maximum: 3.5kW
- · Output 230V: Continuous: 4.6kW Maximum: 5.0kW
- · Bore x Stroke: 86x70mm
- · Displacement: 418cc
- · Lube-Oil Capacity: 1.75L
- · Fuel Tank Capacity: 14.5L · Battery: 12V 30Ah
- · Voltage System: Condenser Compensation System

Our new Jefferson 5.0kW Diesel Generator is your number one choice for sub 10kW standby power. Its compact design, low noise output and consistent clean power output makes it ideal for home or business use. Providing 5.0kW/6.3kVA power, it's versatile design makes it perfect for back-up power to your home, workshop or for use around your farm or business. For farming and agricultural applications, the 5.0kW generator can be easily transported for off-site repairs or maintenance work and can power welders, compressors, power tools and much more.

KFY START 32A @ 110V 32A @ 230V (PLUGS INCLUDED) WHEEL MOUNTED PORTABLE DESIGN



AIR

COOLED











5.7KVA / 180A DIESEL WELDER GENERATOR

JEFGENDIEWEL180

- · 180Amp DC Welding Output
- · Engine: MacGen 10HP Diesel 3600rpm
- · Max. Output: 5.7kVA / 4.6kW
- · Rated Output: 4.2kW@230V / 1.8kW@110V
- · AC Output: 1x230V 32A / 1x110V 32A (Sockets)
- · DC Output: 12V / 8.3A
- · Weld Range: 2.5/3.2mm Electrode
- · Dry Weight: 110kg
- · Dimensions: 730 x 500 x 630mm
- · LCD Digital Display: Shows Voltage, Frequency & Hour Meter
- · AVR & electric start
- · 11.5 Litre tank





COMPLETE WITH EARTH

LOW OIL ALERT









PRICE EX.VAT 1958.33

6.3KVA / 5.0KW DIESEL GENERATOR

JEFGENDIE50ELK

- · Engine: MacGen 10HP Diesel 3000rpm
- · Max. Output: 6.3kVA / 5.0kW
- · Rated Output: 5.6kVA / 4.5kW
- · AC Output: 1x230V 32A / 1x110V 32A (Sockets)
- · DC Output: 12V / 8.3A
- · Noise Level @ 7m (Full load): 85 dB(A)
- · Dry Weight: 113kg
- · Dimensions: 750 x 520 x 640mm
- · LCD Digital Display: shows voltage, frequency & hour meter
- · With AVR & electric start
- · Low oil shutdown
- · 12.5 Litre long run fuel tank
- · Up to 11 hours running time
- · With 12V set of charging leads













MINIGEN™ DIESEL GENERATORS

200 LITRE FUEL TANK





FEATURES

- coated canopy with engine enclosed

- ★ Tank indicating fuel level
 ★ Automatic or manual operation
 ★ Deep sea controller

- Water jacket heater
 Optional automatic mains failure panel











	50% L	LOAD (PRIME PO	WER)
	JEFMFY15-1P	JEFMFY20-1P & JEFMFY20-1P	JEFMFY25-1P & JEFMFY25-3P
FUEL CONSUMPTION (APPROX.)	2.3L/hour	2.8L/hour	3.4L/hour
RUN TIME (APPROX.)	80 hours	70 hours	55 hours



PRODUCT	PHASE	POWER OUTPUT	ENGINE DIMENSIONS		WEIGHT	PRICE EX. VAT
JEFMFY15-1P	Single	15kVA / 12kW	19kW	2240 x 1000 x 1280mm	850kg	P.O.A
JEFMFY20-1P	Single	20kVA / 16kW	23kW	2240 x 1000 x 1280mm	1030kg	P.O.A
JEFMFY20-3P	Three	20kVA / 16kW	23kW	2240 x 1000 x 1280mm	1000kg	P.O.A
JEFMFY25-1P	Single	25kVA / 20kW	29kW	2240 x 1000 x 1280mm	1100kg	P.O.A
JEFMFY25-3P	Three	25kVA / 20kW	29kW	2240 x 1000 x 1280mm	1030kg	P.O.A



MINIGEN™ MULTIVOLTAGE DIESEL GENERATORS



M DOUBLE BUNDED FUEL TANK

SUPER SILENCED CANOPY

FEATURES

- Super silenced canopy, 65-70dB @ 7m

- Secure fully galvansied and powder coated canopy with engine enclosed Double bunded fuel tank

- Double bunded fuel tank
 Automatic or manual operation
 Deep sea controller
 Battery charger
 Water jacket heater
 Optional automatic mains failure panel



PRODUCT	VOLTAGES	POWER OUTPUT	DIMENSIONS	WEIGHT	PRICE EX. VAT
JEFMKY10-MV	110V, 230V	10kVA / 8kW	2000 x 1000 x 1280mm	0001	P.O.A
JEFMKY13-MV	110V, 230V, 400V	13kVA / 10.4kW	2000 X 1000 X 1280MM	900kg	P.O.A



SINGLE PHASE PTO GENERATORS

THE PERFECT SOLUTION FOR PORTABLE POWER ON OR AROUND A FARM






- · All of our PTO generators come as standard with removable 3-point linkage & bolt-down slots for fixed operation
- · Frequency: 50Hz
- Input Speed: 540rpm
- · Socket Configuration:
- 1 x 125A / 1 x 32A
- · Power Factor (Cos): 1
- · Phase: Single

· Voltage: 230V



PRODUCT	STANDBY Power	PRIME POWER	RATED OUTPUT	PRICE Ex. Vat
MTR030-1	33kVA	30kVA	30kW	P.O.A
MTR040-1	44kVA	40kVA	40kW	P.O.A
MTR045-1	49kVA	45kVA	45kW	P.O.A



	PRODUCT	DESCRIPTION	PRICE EX. VAT
	JEFELPLG-11016	110V 16A Plug	£4.13
1	JEFELPLG-11032	110V 32A Plug	£5.99
	JEFELPLG-23016	230V 16A Plug	£3.99
2	JEFELPLG-23032	230V 32A Plug	£6.41
	JEFELPLGWM-23016	230V 16A Wall Mounted Plug	£5.13
3	JEFELPLGWM-23032	230V 32A Wall Mounted Plug	£8.96



PRODUCT	DESCRIPTION	PRICE EX. VAT
JEFELSOC-11016	110V 16A Socket	£5.08
1 JEFELSOC-11032	110V 32A Socket	£7.71
JEFELS0C-23016	230V 16A Socket	£5.08
2 JEFELSOC-23032	230V 32A Socket	£8.63
JEFELSOCWM-23016	230V 16A Wall Mounted Socket	£6.33
3 JEFELSOCWM-23032	230V 32A Wall Mounted Socket	£10.42
















DON'T BE FOOLED BY CHEAPER CABLE REELS! CCA (COPPER COATED ALUMINIUM) IS USED IN CHEAPER ALTERNATIVES! OUR CABLE REELS ARE GUARANTEED 2.5MM CORE COPPER WIRE, ENSURING MAXIMUM STABILITY IN ELECTRICAL FLOW.

14M THROW LEADS





INDUSTRIAL CABLE REELS

These Industrial Cable Reels feature an impact resistant spool for outstanding durability. With a thermal cutout fitted as standard you will never have to worry about the reel overheating, this in turn is added protection for your own tools that draw power from the reel.

- · Industrial aluminium frame for outstanding durability
- · Complete with handy cable clip for neat and tidy storage
- · Fitted with reel-lock screw to keep from unwinding
- · Fitted with thermal cutout as standard
- · Durable, easy to use winding handle
- · Easy grip handle
- · Insulation Class: IP44



CABLE SECTION: 3 X 2.5MM² CABLE TYPE: PVC

INDUSTRIAL





PRODUCT	INPUT (AMPS)	CABLE LENGTH	NO. OF SOCKETS	CAPACITY Wound	CAPACITY UNWOUND	PRICE EX. VAT
JEFCRIN25-23016	16A	25m	2	720W	3680W	£70.00
JEFCRIN40-23016	16A	40m	2	720W	3680W	£96.67

PROFESSIONAL CABLE REELS

Professional quality; these Jefferson cable reels are fitted with thermal cutout as standard, a comfort grip handle for easy transportation and come complete with a winding handle.

- · 100% copper guaranteed
- · Cable Section: 3 x 2.5 mm²
- · Cable Type: PVC
- Thermal Trip
- Insulation Class: IP44











	JI
2	JI
	JI

	PRODUCT	INPUT (AMPS)	CABLE	NO. OF	CAPACITY	CAPACITY	PRICE
	11102001	ini or (Aini o)	LENGTH	SOCKETS	WOUND	UNWOUND	EX. VAT
1	JEFCRPR25-110	16A	25m	2	660W	1760W	£62.08
	JEFCRPR40-110	16A	40m	2	660W	1760W	£81.67
2	JEFCRPR25-230	13A	25m	4	1200W	3120W	£62.08
	JEFCRPR40-230	13A	40m	4	1200W	3120W	£81.67

Our Industrial & Professional cable reels are rated as IP44



IP codes refer to the degree of protection against intrusion of solids or water in electrical enclosures. An **IP44** rating indicates protection against most wires, screws, tools, fingers and water splashing against the enclosure from any direction.

CABLE REELS 15M * 25M * 50M * 110V or 230V

FEATURES

- 230V models fitted
 with 13Amp plug
 110V models fitted with
 16Amp round 3 pin plug

























PRODUCT	VOLTAGE	INPUT	CABLE LENGTH	CORE	CAPACITY WOUND	CAPACITY UNWOUND	INGRESS PROTECTION	PRICE EX. VAT
JEFCRL110-15	110V	16A	15m	1.5mm ²	660W	1760W	IP44	£31.63
JEFCRL230-15	230V	13A	IDIII	1.25mm ²	1000W	3000W	IP20	£29.13
JEFCRL110-25	110V	16A	25m	1.5mm ²	660W	1760W	IP44	£43.29
JEFCRL230-25	230V	13A	23111	1.25mm ²	1000W	3000W	IP20	£39.13
JEFCRL110-50	110V	16A	50m	1.5mm ²	660W	1760W	IP44	269.96
JEFCRL230-50	230V	13A	50111	1.25mm ²	1000W	3000W	IP20	£64.96



CASSETTE CABLE REELS

<u>10M</u> ★ 20M

FEATURES







PRODUCT	CABLE LENGTH	PRICE EX. VAT	
FCRL230-10C	10m	£19.96	
CRL230-20C	20m	£32.08	



10M 3000W RETRACTING CABLE REEL

JEFCRRT101.5-230-1S

FEATURES

- ★ 180° swivel wall bracket

- ★ Single socket outlet

- Supply: 230V Cable Length: 10m
- Protection Rating: IP20
 Cable Section: 9.5mm²













10M 1500W RETRACTING CABLE REEL

JEFCRRT101.0-230

- · Durable composite housing operated by simple pull and release action
- · Includes manual thermal trip switch to prevent overload
- · Supply: 230V 13A
- · Cable Length: 10m
- · Thermal Trip: Yes
- · Protection Rating: IP20
- · Cable Section: 3 x 1.0mm²
- · Sockets: 1
- · Capacity Wound: 1000W
- · Capacity Unwound: 1500W





£45.42

3.3KVA PORTABLE TRANSFORMER

JEFKVA03.3

- · 2 x 16A Sockets
- · Max. Rating: 3.3kVA
- · Continuous: 1.65kVA · Resettable circuit breaker
- · Power-on indicator
- · Complete with 1.5m cable and 13A plug





ALL JEFFERSON TRANSFORMERS ARE FITTED WITH A THERMAL OVERLOAD CUTOUT WHICH WILL AUTOMATICALLY SHUTDOWN/TRIP THE DEVICE WHEN OVERHEATING IS DETECTED.



5.0KVA PORTABLE TRANSFORMER

JEFKVA05.0

- · 2 x 16A Sockets
- · 1 x 32A Socket
- · Max. Rating: 5.0kVA
- · Continuous: 3.0kVA
- · Resettable circuit breaker
- · Power-on indicator
- · Complete with 1.5m cable and 13A plug

5.0 kVA



WILL AUTOMATICALLY SHUTDOWN/TRIP THE

DEVICE WHEN OVERHEATING IS DETECTED.

ALL JEFFERSON TRANSFORMERS ARE FITTED WITH A THERMAL OVERLOAD CUTOUT WHICH

PRICE EX.VAT £187.50

10KVA SITE TRANSFORMERS

Manufactured to the highest quality, the Jefferson 10kVA site transformer comes complete in a steel construction to make it robust and durable in tougher conditions. Ideal for more challenging environments, this Jefferson transformer is rated to IP22 standard and finished with 6 power outlets.

ALL JEFFERSON TRANSFORMERS ARE FITTED WITH A THERMAL OVERLOAD CUTOUT WHICH WILL AUTOMATICALLY SHUTDOWN/ TRIP THE DEVICE WHEN OVERHEATING IS DETECTED.

	JEFKVA10.0-S	JEFKVA10.0-3P
INPUT:	230V ~ 50Hz - 32A	415V ~ 50Hz - 16A
OUTPUT Voltage:	4x 110V C.T.E ~ 50Hz - 16A 2x 110V C.T.E ~ 50Hz - 32A	5x 110V C.T.E ~ 50Hz - 16A 1x 110V C.T.E ~ 50Hz - 32A
MAXIMUM RATING:	10kVA (5mins on 15mins off)	10kVA (5mins on 15mins off)
CONTINUOUS Rating:	7.0kVA	7.5kVA
POWER FACTOR:	0.93 Cos	0.93 Cos
IP RATING (Housing):	IP22	IP22
PHASE:	Single	Three



SINGLE-PHASE

JEFKVA10.0-S

THREE-PHASE

JEFKVA10.0-3P

PRICE EX.VAT £595.83





10.0 kVA -230V - 3

BOOSTER CABLES

- · PVC sheathed copper coated aluminium cables
- · Insulated heavy duty clamps
- · 350A & 480A models supplied in handy zip storage bag
- · 1200A model supplied in protective storage case







	PRODUCT	CABLE SECTION	CABLE Length	CAPACITY	PRICE Ex. Vat
1	JEFB0CAB25-3.5	25mm ²	3.5m	350A	£20.79
2	JEFB0CAB35-4.5	35mm ²	4.5m	480A	£31.25
3	JEFB0CAB40-5.0	40mm ²	5m	1200A	£87.46

3.5A BATTERY CHARGER 6-12V

JEFBATCHG3.5-612

- · Suitable for charging all 6V and 12V lead-acid batteries including; Wet (Flooded), Gel, MF (Maintenance-Free), CA (Calcium), EFB (Enhanced Flooded Battery), and AGM (Absorption Glass Mat) batteries
- · Suitable for charging battery capacities from 2 to 120 Ah and maintaining all battery sizes
- · Stabilises internal battery chemistry for increased performance and longevity
- · Four external holes for easy mounting
- · Supplied with 1.7 metre DC, 0.5 metre battery clamp and eyelet terminal connector quick charge leads
- · Max Rated Capacity: 2 120Ah (12V)
- · Power: Max. 60W

INPIIT:

- · Voltage: 220~240V AC 50Hz
- · Current: 0.8A

OUTPUT:

- · Voltage: 6V DC / 12V DC
- · Current: 3.5A / 1A/3.5A
- · Weight: 0.7kg
- · Dimensions: 190 x 79 x 42mm
- · IP Rating: IP54



DYNAMO BATTERY **CHARGERS**

- · Output Voltage: 12V / 24V
- · Duty Cycle: 5 sec ON / 30 sec OFF @ 5 Cycles

JEFBTRYCHG030

- · Charging Rates: 2
- Fast Charge Timer: NoIngress Protection Rating: IP21
- Charging cables: 2.5mm x 2m with fully
- Power Cable: 3 x 1mm x 2m
- · Plug: 3A

DYNAMO 30A BATTERY CHARGER

DYNAMO 20A BATTERY CHARGER



· Input Power: 30W

· Output Charge Peak(EN): 20A (17A)

- Input (Charge): 0.2A
- · Battery Capacity (Min Max): 60 250Ah
- Fuse: 1 x 20A / 1 x 5A
- · Weight: 4.4kg
- · Dimensions: 235 x 195 x 190mm





SAFETY CLASS (DIN 40530): II





PRICE EX.VAT

£86.2







- Output Charge Peak(EN): 30A (25A)
- Input (Charge): 0.3A
- Battery Capacity (Min Max): 3 320Ah
- · Fuse: 1 x 30A / 1 x 5A
- · Weight: 4.8kg
- Dimensions: 235 x 195 x 190mm









Dynamo™



DYNAMO INVERTER **BATTERY CHARGERS**

- · Supplied with 1.7 metre DC and 0.5
- · Max Rated Capacity: 2 400Ah (12V)
- IP Rating: IP20

, Dynamo™

Designed for charging all types of lead-acid batteries including; Wet (Flooded), Gel, MF (Maintenance-Free), (Absorption Glass Mat) batteries

12V (15A 300SEC B00STER)

JEFBATCHG15-12

- · Designed for charging all types of 12V lead-acid batteries
- · Suitable for charging battery capacities from 2 to 400Ah and maintaining all battery sizes
- · 15A booster enables a fast charge within 300 seconds
- Power: Max 320W

OUTPUT:

- · Voltage: 12V DC
- · Current: 12V DC 2A / 6A / 10A / 15A or 12V DC - 15A (300 seconds boost charge)
- · Voltage: 220-240V AC ~ 50Hz
- · Current: 2.5A



PRICE EX.VAT £82.50

12-24V (20A 300SEC B00STER)

JEFBATCHG15-1224

- · Designed for charging all types of 12V and 24V lead-acid batteries
- · Suitable for charging battery capacities from 2 to 400Ah (12V), 50 to 400Ah (24V) and maintaining all battery sizes
- · 20A booster enables a fast charge within 300 seconds
- · Power Max 350W

UIITPIIT:

- · Voltage: 12V DC / 24V DC
- · Current: 12V DC 2A / 4A / 6A / 8A / 10A / 15A or · Current: 2.5A 24V DC - 3.5A/7.5A or 12V DC - 20A (300 seconds boost charge)
- Voltage: 220-240V AC ~ 50Hz

Dynamo"



PRICE EX.VAT £95.00

DYNAMO JUMP **STARTERS**

- 354 Lumens 3W worklight function •
- 5V 2.4A USB charging port
- 12V 15A output socket LED working light with flash mode
- Big current on/off safety switch
- LED indicator of battery state
- Tough plastic with rubber enclosure
- 1AWG heavy duty boost cable and copper clamps
- Complete with AC charger Compatible with LEAD-ACID, STD, AGM, GEL, WET or IFP batteries

Light functions:

- Hiah
- Low
- Flashing
- Slow flashing SOS

1800A

JEFJSTART1800

- · Peak Current: 1800A (12V)
- · Starting Current: 700A (12V) · Max. Rated Capacity: 22Ah (12V)
- Output Sockets: 12V (15A) / USB 5V (2.4A)
- · Weight: 14.19kg





UP TO 5 LITRE ENGINES: IDEAL FOR CARS, BIKES, VANS, LIGHT COMMERCIAL VEHICLES ETC.

3000A JEFJSTART3000

- Peak Current: 12V: 3000A / 24V: 1800A
- Starting Current: 12V: 1200A / 24V: 700A
- · Max. Rated Capacity: 12V: 44Ah / 24V: 22Ah
- · Output Sockets: 12V (15A) / USB 5V (2.4A)
- · Weight: 22.25kg



UP TO 10 LITRE ENGINES: IDEAL FOR COMMERCIAL VEHICLES, LORRIES, TRACTORS ETC.





PRICE EX.VAT £274.1



12V DC & **USB OUTLETS**

PRICE EX.VAT

DYNAMO STARTER CHARGERS

- Single phase battery / starter charger with sturdy plastic and steel housing and carry handle
 12/24V battery voltage
- · Well ventilated to help maintain
- · Large ammeter display showing rate of charge
- · Dash-mounted fuse and polarity protection
- Variable charging rate
- Supplied with a pair of fully insulated positive and negative charging clamps which can be stored within the equipment casing

(Dynamo™ (JEFSTACHG230	JEFSTACHG430	JEFSTACHG630
4) Dynamo		INPUT VOLTAGE:	230V ~ 50Hz	230V ~ 50Hz	230V ~ 50Hz
		INPUT POWER:	W08	130W	180W
		OUTPUT Voltage:	12V / 24V	12V / 24V	12V / 24V
Jeffer	Empi	OUTPUT CHARGE PEAK(EN):	30A (25A)	75A (30A)	90A (70A)
		OUTPUT START PEAK(EN):	180A (120A)	400A (300A)	600A (350A)
		INPUT (CHARGE):	0.4A	0.4A	0.5A
) .	INPUT (START):	2A	3A	4A
yna A sr	ARTER ARGER	DUTY CYCLE: @ 5 CYCLES	5 sec ON / 30 sec OFF	5 sec ON / 30 sec OFF	5 sec ON / 30 sec OFF
efferson		BATTERY Capacity:	20 - 350Ah	60 - 800Ah	80 - 1000Ah
		FUSE:	1 x 50A	2 x 50A	3 x 50A
		IP RATING:	IP21	IP21	IP21
ynamo		SAFETY CLASS (DIN 40530):	II	II	II
Jefferson STARTER CHARGER		POWER CABLE	3x 1.5mm x 2.4m	3x 1.5mm x 2.4m	3 x 1.5mm x 2.4m
		PLUG	13A	13A	13A
		CHARGE CABLES:	14mm x 2.0m	14mm x 2.0m	16mm x 2.0m
Dunamo	CLASS 220V 13	WEIGHT	12kg	15kg	20kg
	0530): II 230V AMP	DIMENSIONS	300 x 230 x 630mm	300 x 230 x 630mm	330 x 260 x 720mm

230A STARTER CHARGER

JEFSTACHG230

PRICE EX.VAT £165.83

430A STARTER CHARGER

JEFSTACHG430

PRICE EX.VAT **£257.50**

630A STARTER CHARGER

JEFSTACHG630

PRICE EX.VAT **£340.83**



PVC FLOOR TILES

PAGE 124


DYNAMO INDUSTRIAL STARTER CHARGERS


- Ideal for jump starting most vehicles
- Heavy-duty steel case, high power US manufactured battery and industrial quality switchgear make this model suitable for starting most vehicles
- Easy-to-read LED battery indicator to IEC 51 provides fast indication o battery's state of charge
- Surge and spike suppressing circuitry reduces risk of damaging vehicle's
- Fitted with charge balance circuitry to
 provide even charge to integral batteries
- Supplied with mains voltage recharge unit

IEE IMPSTATOO IEE IMPSTATOOO



	JEFJIVIF 3 I A DUU	JEFJIVIFSTATUUU
HORSE POWER	500HP	1000HP
VOLTAGE	12/24V	12/24V
CHARGER 230V	12 Volt 5 Amp	12 Volt 5 Amp
PEAK AMPS 12V	4400A	7000A
PEAK AMPS 24V	2200A	3500A
CRANKING CURRENT (20°C, 5 SECS) 12V	1700A	1900A
CRANKING CURRENT (20°C, 5 SECS) 24V	850A	950A
COLD CRANKING CURRENT (18°C, 5 SECS) 12V	700A	800A
COLD CRANKING CURRENT (18°C, 5 SECS) 24V	350A	400A
CABLE SECTION	35mm²	35mm²
CABLE & CLAMP LENGTH	2m	2m
WEIGHT	24kg	29kg









500HP STARTER CHARGER

JEFJMPSTA500

PRICE EX.VAT £1312.50

1000HP STARTER CHARGER

JEFJMPSTA1000

£1645.83





TOOL STORAGE SOLUTIONS

PAGE 196-211

24 PIECE 1/4" DRIVE SOCKET SET

JEFS0C009

Set includes:

- · 1x 1/4" Extension bar (50mm)
- · 1x 1/4" Square drive ratchet wrench (45 teeth)
- · 11x 1/4" Drive sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- · 5x Hex-plus: 3, 4, 5, 6, 8mm
- · 6 x 1/4" Torx Security: T10, T15, T20, T25, T30, T40





52 PIECE 1/4" DRIVE SOCKET SET

JEFS0C012

- · 72 Tooth ratchet gear
- · 13 x 1/4" dr. socket including: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- · 7 x 1/4" dr. Deep socket including: 6, 7, 8, 10, 11, 12, 13mm
- · 21 x 1/4" dr. bit sockets including: T10, 15, 20, 25, 30, 40, H3, 4, 5, 6, 7, 8, PH1, 2, 3, PZ1, 2, 3, SL4, 5.5, 7
- · 2 x 1/4" dr. Extension bar: 50mm & 100mm
- · 1 x 1/4" dr. spinner handle
- · 1 x 1/4" dr. universal joint
- · 1 x 1/4" dr. bit adaptor
- · 1 x 1/4" dr. flexible extension bar 150mm
- · 3 x Hex key wrench 1.5, 2, 2.5mm
- · 1 x T-Sliding handles
- · Chrome Vanadium











20 PIECE 3/8" DRIVE SOCKET SET

JEFS0C010

Set Includes

- · 1x 3/8" Extension bar (125mm)
- · 1x 3/8" Square drive ratchet wrench (45 teeth)
- · 18 x 3/8" Square drive sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24mm











35 PIECE 3/8" DRIVE SOCKET SET

JEFS0C013

- · 1 x 72 Tooth Ratchet Gear
- · 17 x 3/8" dr. Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm
- · 5 x 3/8" Deep Sockets: 8, 10, 13, 17, 19mm
- · 7 x Hex dr. Sockets: 3, 4, 5, 6, 7, 8, 10mm
- 2 x 3/8" dr. Extension Bar: 75mm, 250mm
- · 2 x 3/8" dr. Spark plug socket: 16mm, 21mm
- · 1 x 3/8" dr. Universal Joint











PRICE EX.VAT

TUNDRA IMPACT SOCKET SETS



PAGES 31-35

12 PIECE 1/2" DRIVE SOCKET SET

JEFS0C011

Set includes

- 1x 1/2" Extension bar (125mm)
- · 1x 1/2" Square drive ratchet wrench (45 teeth)
- 10x 1/2" Square drive sockets: 10, 12, 13, 14, 16, 17, 18, 19, 21, 24mm











24 PIECE 1/2" DRIVE SOCKET SET

JEFS0C015

- · 72 Tooth ratchet gear
- 17x 1/2" dr. Socket including: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
- · 2x 1/2" dr. Extension bar: 75mm, 250mm
- · 1x 1/2" dr. Sliding head: 1/2" (m) x 3/8" (f)
- · 2x 1/2" dr. Spark plug socket: 16mm, 21mm
- · 1x 1/2" dr. Universal joint
- · 1x 1/2" dr. Ratchet wrench: 72T
- · Chrome Vanadium











PRICE EX.VAT **£63.33**

29 PIECE 1/2" DRIVE SOCKET SET

JEFS0C017

- 19x 1/2" dr. sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm
- · 3x 1/2" deep dr. sockets: 17, 19, 22mm
- · 1x 1/2" dr. universal joint
- · 1x 1/2" extension bar: 5"
- · 1x 1/2" extension bar: 10"
- · 1x 1/2" 3-way adaptor
- · 2x 1/2" spark plug socket: 16, 21mm
- · 1x 1/2" dr. ratchet handle











34 PIECE 1/2" DRIVE SOCKET SET

JEFS0C014

- · 72 Tooth Ratchet Gear
- 26 x 1/2" Dr. Socket including: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 34 and 36mm
- · 3 x 1/2" Extension Bar: 75mm, 125mm and 250mm
- · 1 x dr. Sliding head: 1/2"(M) x 3/8"(F)
- · 1 x Universal joint 1/2"
- · 1 x F Handles: 380mm
- · 1 x 1/2" dr. Ratchet Handles:
- · 2 x 1/2" dr. Spark Plug: 16mm and 21mm
- Chrome Vanadium











MORE SOCKETS SETS



ON THE NEXT PAGE



94 PIECE 1/4" & 1/2" DRIVE SOCKET SET

JEFS0C016

· 72 Tooth Ratchet Gear

1/4" Drive sockets and extensions:

- · 13 x Sockets 1/4": 4, 4.5, 5, 5.5, 6, 7,
- 8, 9, 10, 11, 12, 13, 14 mm · 8 x Long sockets 1/4":
- 6, 7, 8, 9, 10, 11, 12, 13mm
- · 6 x Socket bits 1/4":
- T8, T10, T15, T20, T25, T30 · 4 x Socket bits 1/4": H3, H4, H5, H6
- · 3 x Socket bits 1/4": SL4, SL5.5, SL7mm
- · 2 x Socket bits 1/4": PH1, PH2
- · 2 x Socket bits 1/4": PZ1, PZ2
- · 3 x Hex wrenches: 1.5, 2, 2.5, 3mm
- · 2 x Extensions 1/4": 50 and 100mm
- · 1 x Universal joint 1/4"
- · 1 x T-type handle 1/4": 115mm
- · 1 x Spinner handle 1/4": 150mm
- · 1 x Flexible extension 1/4": 150mm · 1 x Adaptor 1/4": 30mm
- · 1 x Ratchet handle 1/4" (72 teeth)

- · 1/2" Drive sockets and extensions:
- · 17 x Sockets 1/2": 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm
- · 4 x Long sockets 1/2": 14, 15, 17, 19mm
- · 2 x Sockets 1/2" for spark plugs: 16, 21mm
- · 2 x Extensions 1/2": 125, 250mm
- · 1 x Holder 1/2" for bits: 5/16"
- · 1 x Universal joint 1/2"
- · 1 x Adaptor
- · 1 x Ratchet handle 1/2" (72 teeth)
- · 4 x Bits 5/16" 30mm: H8 / H10 / H12 / H14
- · 4 x Bits 5/16" 30mm: T40 / T45 / T50 / T55
- · 1 x dr. Sliding head: 1/2"(M) x 3/8"(F)
- · 1 x Universal joint 1/2"
- · 1 x F Handles: 380mm
- · 1 x 1/2" dr. Ratchet Handles:
- · 2 x 1/2" dr. Spark Plug: 16mm and 21mm
- · Chrome Vanadium









14 PIECE 3/4" DRIVE TRUCK SOCKET SET

JEFS0C005

- · 10 x sockets: 22, 24, 27, 30, 32, 36, 38, 41, 46, 50mm
- · 1 x dr. Ratchet handle: 3/4" 500mm
- · 2 x Extension bar: 100, 200mm
- · 1 x Sliding T-bar: 455mm
- · Complete in a metal storage case







PRICE EX.VAT £145.83

21 PIECE 3/4" DRIVE TRUCK SOCKET SET

COMES COMPLETE WITH EXTENDABLE RATCHET (495MM - 770MM)

JEFS0C006

- · 16 x sockets: 19. 21. 22. 23. 24. 26. 27. 29, 30, 32, 35, 36, 38, 41, 46, 50mm
- · 1 x 1-24t Extendable ratchet handle: 495-770mm
- · 3 x Extension bars: 100, 200, 400mm
- · 1 x Sliding T-bar: 450mm
- Complete in a metal storage case







PRICE EX.VAT £320.83

22 PIECE 1" DRIVE TRUCK SOCKET SET

JEFS0C007

- · 17 x sockets: 36, 38, 41, 46, 50, 54, 55, 58, 60, 63, 65, 67, 70, 71, 75, 77, 80mm
- · 1 x detachable pear ratchet head with flip reverse
- · 1 x Ratchet head handle: 550mm
- · 2 x Extension bar: 200, 400mm
- 1 x Sliding T-bar
- Complete in a metal storage case





INDUSTRIAL



PRICE EX.VAT







- · 72 Teeth
- · Reversible with quick release mechanism



CR-V	

PRODUCT	SIZE	PRICE Ex. Vat
JEFSOCRAT72-14	1/4"	£17.29
JEFSOCRAT72-38	3/8"	£20.63
JEFS0CRAT72-12	1/2"	£23.75



OFFSET SOCKET RATCHETS



1/2"

JEFSOCRT-120S

500MM

600MM

3/4" 24T SOCKET RATCHET

JEFSOCRAT3-4

- · 24 Teeth
- · Chrome vanadium mirror polish finish
- · Hardened Steel
- Reversible with quick release mechanism







REPAIR KIT AVAILABLE



£24.96

1" 24T PEAR STYLE SOCKET RATCHET

JEFSOCRIN1-0

- · 24 Teeth
- · Chrome vanadium mirror polish finish
- · Hardened Steel
- · Reversible with quick release mechanism







REPAIR KIT AVAILABLE

PRICE EX.VAT £115.00

3/4" 24T EXTENDABLE SOCKET RATCHET

JEFSOCRAT3-4EX

- · 24 Teeth



FIII IY FXTENDED 770MM

CLOSED 495MM







REPAIR KIT AVAILABLE



TORQUE WRENCHES

- · Chrome Vanadium
- · Flip reverse steel ratchet head with smooth action mechanism
- · Aluminium knurled handle for comfort and control
- · Scales graduated in Nm, kg/m, lf/ft
- · Calibration tolerance in accordance with BS EN ISO 6789-1:2017
- · Individually tested to standards with ±4% accuracy





FESSIONAL

1/4" **DRIVE**

- · Range: 5-25Nm
- · Length: 245mm

3/8" DRIVE

- · Range: 20-120Nm
- · Length: 433mm

1/2" **DRIVE**

- · Range: 60-330Nm
- · Length: 590mm







PRODUCT	SIZE	PRICE EX. VAT
1 JEFTRQWRH-1/4MS	1/4"	£33.29
2 JEFTRQWRH-3/8MS	3/8"	£57.46
3 JEFTRQWRH-1/2MS	1/2"	£68.29

BS EN ISO 6789-2:2017

3 PIECE CALIBRATED MICROMETER STYLE TORQUE WRENCH SET

JEFTRQWRHSET03

- · Flip reverse Chrome Vanadium steel ratchet head with smooth action mechanism
- · Scales graduated in Nm, Kg/m or lb/ft
- · Calibration tolerance in accordance with BS EN IS06789-1:2017
- · Wrenches are individually tested to standards with $\pm 4\%$ accuracy and each wrench is issued with an individually numbered test certificate
- · Aluminium knurled handle for comfort and control

SUPPLIED IN FOAM LINED DURABLE CARRY CASE

1/2" DRIVE

- · Range: 60-330Nm
- · Length: 590mm

3/8" DRIVE

- · Range: 20-120Nm
- · Length: 433mm

1/4" **DRIVE**

- · Range: 5-25Nm
- · Length: 254mm

BS EN ISO 6789-2:2017



PRICE EX.VAT £162.50

1/2" SOUARE DRIVE CALIBRATED MICROMETER TOROUE WRENCH

JEFTRQWRH1-2B

- · High quality precision tool for tightening nuts and bolts designed for applications where a specific or accurate torque is required
- · Constructed from durable carbon steel shaft with a knurled adjustment handle, locking ring and reversible ratchet head for precise torque settings between 42-210Nm
- · Flexible tightening power and control
- · Supplied with a tough moulded storage case
- Individually tested and calibrated to comply with BS EN ISO 6789-2:2017 and is supplied with a serial-numbered calibration certificate
- · Drive Capacity: 1/2" Square Drive
- Length: 18" / 465mm
- · Torque Range: 42-210Nm
- · Resolution: 1Nm
- · Accuracy: +/-4%
- · Weight: 1.3kg

SUITABLE FOR USE IN GENERAL MECHANICAL, AGRICULTURAL AND INDUSTRIAL WORKING **ENVIRONMENTS**



INDUSTRIA



PRICE EX.VAT







BREAKER BARS & AVAILABLE IN 1/2" & 3/4"

With a hardened Chrome Vanadium finish, our Jefferson Breaker Bars are the ideal workshop accessory, with long slim chrome finish handles and fully replaceable knuckle joints available.

INDUSTRIAL





JEFBRKBAR0600-3-4		JEFBRKBAR	1000-3-4
PRI	£34.58	PRICE EX	VAT 1.25
		REPLACEMENT KNUCKLE	JOINTS
	PRODUCT	COMPATIBLE WITH	PRICE

PRODUCT	COMPATIBLE WITH	PRICE EX. VAT
JEFBRKBRKJ450	JEFBRKBAR450-1-2	£9.13
JEFBRKBRKJ600	JEFBRKBAR600-1-2	£10.17
JEFBRKBARKJ-3-4	JEFBRKBAR0600-3-4 JEFBRKBAR1000-3-4	£13.96

INDIVIDUAL SPANNERS & SETS · Manufactured from Chrome Vanadium · Available in metric and imperial sets



INDIVIDUAL COMBINATION SPANNERS



· Drop forged steel finish



PRODUCT	SIZE	PRICE
JEFCST06	6mm	EX. VAT £2.74
JEFCST07	7mm	£2.88
JEFCST08	8mm	£2.96
JEFCST09	9mm	£3.13
JEFCST10	10mm	£3.41
JEFCST11	11mm	£3.50
JEFCST11	12mm	£3.79
JEFCST12	13mm	
	1311111 14mm	£3.96
JEFCST14		£4.13
JEFCST15	15mm	£4.50
JEFCST16	16mm	£4.88
JEFCST17	17mm	£5.13
JEFCST18	18mm	£5.38
JEFCST19	19mm	£5.75
JEFCST20	20mm	£6.17
JEFCST21	21mm	£6.50
JEFCST22	22mm	£6.74
JEFCST23	23mm	£7.29
JEFCST24	24mm	£7.58
JEFCST25	25mm	£8.08
JEFCST26	26mm	£8.58
JEFCST27	27mm	£9.38
JEFCST28	28mm	£10.21
JEFCST30	30mm	£11.66
JEFCST32	32mm	£12.58

10 PIECE STUBBY SPANNER SET

JEFCSS10ST

· Set includes sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

· Complete with handy storage pouch











DIN 3113

PRICE EX.VAT £26,00

14 PIECE IMPERIAL COMBINATION SPANNER SET

JEFCSSI14



- · Complete with handy storage pouch
- · Set includes sizes: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1 & 1-1/4"



PRICE EX.VAT £39.96

18 PIECE COMBINATION SPANNER SET

JEFCSS18

- · Cold stamp with fully polished head
- Set includes sizes:
 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16,
 17, 18, 19, 20, 21, 22, 24mm





DIN 3113







PRICE EX.VAT **£37.46**

25 PIECE COMBINATION SPANNER SET

JEFCSS25

- · Cold stamp slim design
- · Satin finish
- · Fully polished head
- · DIN 3113
- Set includes sizes:
 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,
 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm





DIN 3113







PRICE EX.VAT **£69.96**

25 PIECE COMBINATION SPANNER SET

JEFCSS25-MP

- · Fully polished
- · Complete with handy storage pouch
- Set includes sizes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm











50 PIECE COMBINATION SPANNER SET

JEFCSS50

- · Complete with handy storage pouch Set includes sizes:
- 10 x Stubby Combination Spanners:
 10,11,12,13,14,15,16,17,18,19mm
- 5 x Double Open Ended Spanners: 6/7, 8/9, 10/11, 12/13, 14/15mm
- 5 x Ring Spanners: 6/7, 8/9, 10/11, 12/13, 14/15mm
- 5 x Double Sized Half Moon: 10/11,12/13,14/15,16/17,18/19 mm
- 5 x S-Type Ring Spanners: 10/11, 12/13,14/15,16/17,18/19mm
- 20 x Combination Spanners:
 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17,
 19, 20, 21, 22, 24, 25, 27, 30, 32mm









INDIVIDUAL JUMBO COMBINATION SPANNERS



· Mirror polish finish



	PRODUCT	SIZE	PRICE Ex. Vat
	JEFCST34	34mm	£18.54
	JEFCST36	36mm	£24.79
	JEFCST38	38mm	£28.54
	JEFCST41	41mm	£32.71
	JEFCST46	46mm	£40.21
	JEFCST50	50mm	£49.58
	JEFCST55	55mm	£79.96
	JEFCST60	60mm	£103.33
γ	JEFCST65	65mm	£135.42
П	JEFCST70	70mm	£151.67
0	JEFCST75	75mm	£165.83
1.	JEFCST80	80mm	£180.00
IC	JEFCST85	85mm	£195.00

6 PIECE JUMBO COMBINATION SPANNER SET	UPETIME UPETIME
• Hardened steel, mirror polish finish • Set includes sizes: 34, 36, 38, 41, 46, 50mm	
99990	
PRICE E. £1:	31.25

EXTRA LONG 7 PIECE DOUBLE END RING SPANNER SET



JEFDRRSS07EL

- · Mirror polish finish
- Set includes sizes: 8x10mm, 11x13mm, 14x15mm, 16x17mm,18x19mm, 20x21mm, 22x24mm





INDIVIDUAL RATCHET PODGER SPANNERS

- · Double sided head
- · Manufactured from Chrome Vanadium
- · Black phosphate finish for improved corrosion resistance
- · Ideal for scaffolding





CR-V

INDIVIDUAL RATCHET SPANNERS & SETS

LIFETIME WARRANTY ON ALL NON-MOVING PARTS

· Manufactured from Chrome Vanadium

Lifetime warranty on all non-moving part

INDIVIDUAL REVERSIBLE RATCHET SPANNERS

- · Fully polished
- · 5° rotation
- \cdot 15° offset

CR-V

ւևևևև



PRODUCT	SIZE	PRICE Ex. Vat
JEFCRRS08	8mm	£9.79
JEFCRRS09	9mm	£10.29
JEFCRRS10	10mm	£10.75
JEFCRRS11	11mm	£11.00
JEFCRRS12	12mm	£11.25
JEFCRRS13	13mm	£11.63
JEFCRRS14	14mm	£12.25
JEFCRRS15	15mm	£12.67
JEFCRRS16	16mm	£13.29
JEFCRRS17	17mm	£14.50
JEFCRRS19	19mm	£15.29
JEFCRRS22	22mm	£20.29
JEFCRRS24	24mm	£23.00
JEFCRRS27	27mm	£26.63
JEFCRRS30	30mm	£30.42
JEFCRRS32	32mm	£40.79

3 PIECE 4 IN 1 REVERSIBLE RATCHET SPANNER SET

JEFRRSS03

- Set includes sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- Complete with handy inner pouch and case cover

CR-V



12 PIECE REVERSIBLE RATCHET SPANNER SET

JEFRRSS12B

- Set includes sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- · Chrome Vanadium Steel
- · Mirror polished finish
- · Durable ratchet gears 90 teeth
- · 15° offset / 5° rotation
- · Complete with heavy duty storage pouch







EXTRA LONG 7 PIECE DOUBLE RING FIXED/ RATCHET END SPANNER SET





RATCHET & FIXED ENDS





£56.63

10 PIECE STUBBY RATCHET SPANNER SET

JEFCRSS10STB

- Set includes sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- · Chrome Vanadium Steel
- · Mirror polished finish
- · Durable ratchet gears
- · 72 teeth
- 15° offset / 5° rotation
- Complete with heavy duty storage pouch





CR-V


PRICE EX.VAT **£34.79**

12 PIECE FLEXIBLE **RATCHET SPANNER SET**

JEFFHRRS12

- · Set includes sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- · Chrome Vanadium Steel
- · Mirror polished finish
- · Durable ratchet gears
- · 90 teeth
- · 5° rotation
- · Complete with heavy duty storage pouch

CR-V







INDIVIDUAL ADJUSTABLE WRENCHES

Our Adjustable Wrenches are all chrome vanadium except for JEFAW750 which is carbon steel with a chrome vanadium outer finish.



PRODUCT	SIZE	PRICE EX. VAT
JEFAW150	6"	£7.46
JEFAW200	8"	£10.42
JEFAW250	10"	£12.83
JEFAW300	12"	£17.71
JEFAW375	15"	£43.75
JEFAW450	18"	£65.00
JEFAW600	24"	£99.17
JEFAW750	30"	£224.17

CR-V

20 PIECE COMBINATION RATCHET SPANNER SET

JEFCRSS20

· Set includes sizes: 8, 9, 10, 11, 12, 13, 14, $15,\,17,\,18,\,19,\,21,\,22,\,24,\,27,\,30,\,32mm$

· 3 x socket adaptors:















ADJUSTABLE WRENCHES

- · Heavy duty
- · High-carbon steel with nickel-plated finish





PRODUCT	SIZE	PRICE Ex. Vat
JEFAW200S	8"	£8.75
JEFAW250S	10"	£11.46

3 PIECE ADJUSTABLE WRENCH SET

JEFAWSET03

- · Set includes sizes: 8, 10 & 12"
- · Heavy duty
- · High-carbon steel with nickel-plated finish
- · Supplied with canvas storage pouch







PRICE EX.VAT £33.29

STILLSON TYPE **PIPE WRENCHES**

- STEEL CONSTRUCTION
- OF POWDER COATED FINISH
- distortion resistant





- · Flame-hardened and tempered, V-shaped tooth profile provides grip on pipe, quick adjusting jaw ratchets and releases quickly and smoothly
- Drop forged
- Metal handle
- Wear resistant

PRODUCT	SIZE	JAW OPENING	PRICE Ex. Vat
JEFSPW12	12"	32mm	£19.58
JEFSPW14	14"	38mm	£23.75
JEFSPW18	18"	50mm	£31.25
JEFSPW24	24"	63mm	£49.17
JEFSPW36	36"	89mm	£90.83

ALUMINIUM PIPE WRENCHES

The Pipe Wrench range are all constructed from heavy duty aluminium due to the strength to weight properties of the material



PRODUCT	SIZE	EX. VAT
JEFPW0300	12"	£28.13
JEFPW0350	14"	£33.29
JEFPW0450	18"	£42.92
JEFPW0600	24"	£65.00
JEFPW0900	36"	£128.33
JEFPW1200	48"	£199.17

INDUSTRIAL

LEVER PIPE BENDER

JEFLPB15-22

- · Suitable for 15 & 22mm pipes
- · Suitable for copper and steel pipes
- · Aluminium former
- · Bi-material metal handle
- · Precision tooling to give a smooth and accurate bend across a range of sizes and materials
- · Handle end stops with steel inserts protect hands and increase durability
- · Cast aluminium guides and formers with degree marks for accuracy
- · Tough construction for durability
- · Can be used in a vice



PRICE EX.VAT



PIPE CUTTERS

AUTOMATIC * AUTOMATIC RATCHET * MINI * MANUAL



AUTOMATIC PIPE CUTTERS



PRODUCT	CAPACITY	PRICE EX. VAT
JEFPCUTA03-15	15mm	£19.96
JEFPCUTA04-22	22mm	£23.29
JEFPCUTA05-28	28mm	£27.08



COMPATIBLE CUTTING WHEEL FOR AUTOMATIC PIPE CUTTERS

PRODUCT	PRICE EX. VAT		
JEFPCUTWHL01	£11.63		

3-28MM MINI PIPE CUTTER

JEFPCUT03-28M

- · Cutting capacity: 3-28mm
- · Suitable for copper cutting
- · 2 roller guides
- · Replacement blades available



COMPATIBLE CUTTING WHEEL

PRODUCT	PRICE Ex. Vat
JEFPCUTWHL02	£11.63



INNER & OUTER PIPE DEBURRER

JEFPDEBUR38

- · Cutting capacity: 6-38mm
- Suitable for copper cutting
- · Suitable for reaming and bevelling





£12.46

AUTOMATIC RATCHET PIPE CUTTERS

- · Available in 15 or 22mm capacities
- · Suitable for copper cutting
- · Effective in confined spaces



PRODUCT	CAPACITY	PRICE EX. VAT
JEFPCUTA01-15R	15mm	£26.63
JEFPCUTA02-22R	22mm	£30.79



COMPATIBLE CUTTING WHEEL FOR AUTOMATIC RATCHET PIPE CUTTERS

PRODUCT	PRICE Ex. Vat
JEFPCUTWHL01	£11.63

MANUAL PLASTIC PIPE CUTTER

JEFPCUTMP01

- · Cutting capacity: 3-42mm
- Suitable for electrical and plumbing applications
- Cuts most plastic pipes: PVC, PPR, PE, PEX
- · Aluminium body with soft grip handle





£15.79





5 PIECE LONG REACH PLIER SET

JEFPLILGR-05

- · Drop-forged heat-treated steel
- · Comfortable rubber grip handles
- · Supplied with canvas storage pouch
- · Size: 11"





CIRCLIP PLIER SETS

- · Available in 7" or 9"
- · Manufactured from drop forged high carbon steel
- · Black and polished finish
- · Red rubber handles for comfortable gripping
- · Used for both external and internal retaining clips

STRAIGHT

INTERNAL



79
50
•

BENT NOSE

INTERNAL

3 PIECE VDE PLIER SET

JEFPLIVDES-03

- · TPE handles & CR-V heads
- · VDE-approved: 1000V AC / 1500V DC
- · Manufactured to DIN EN IEC 60900
- · HRC55 DIN 5749

WIRE STRIPPERS & CRIMPING SET ON PAGE 187

Includes:

- · 8" Combination 580N cutting force
- · 8" Long Nosed 570N cutting force
- · 7" Side Cutting- 700N cutting force





3 PIECE HIGH-VIS PLIER SET

JEFPLIGENH-03

- · TPE handles & CR-V heads
- · HRC55 DIN 5749

Includes:

- · 8" Combination 580N cutting force
- · 8" Long-nosed 570N cutting force
- · 7" Side-cutting 700N cutting force



CR-V

PLIERS & CUTTERS

Manufactured with Chrome Vanadium steel, these professional quality pliers are reliable and complete with comfort grip handles for improved handling.















	PRODUCT	DESCRIPTION	JAW Length	OVERALL Length	CUT CAPACITY (PIANO WIRE)	PRICE Ex. Vat
1	JEFPLICOM07	7" Combination Pliers	38mm	7"/180mm	2.0mm	£13.13
2	JEFPLICOM08	8" Combination Pliers	42mm	8"/200mm	2.0mm	£14.96
3	JEFPLILNS06	6" Long Nosed Pliers	52mm	6" / 160mm	1.6mm	£10.33
4	JEFPLILNS08	8" Long Nosed Pliers	77mm	8"/200mm	1.6mm	£12.42
5	JEFPLIDIA06	6" Diagonal Cutting Pliers	22mm	6" / 160mm	2.0mm	£11.42
6	JEFPLIEND07	7" End Cutting Pliers	32mm	7" / 180mm	2.0mm	£13.17
7	JEFPLIFEN0105	10.5" Fencing Pliers	25mm	10.5" / 266mm	3.0mm	£13.96



FENCE WIRE STRAINER

JEFFENTEN

Crafted from hardened and tempered carbon steel, this tool features a 600mm handle for superior leverage and a pivoting 'Durbar' steel foot that securely grips any post type while tensioning wire.

· Overall length: 760mm





ONE PIECE FORGED STEEL **HATCHET & HAMMERS**

✓ ANTI-VIBRATION

HIGH QUALITY CARBON STEEL

NON-SLIP ERGONOMIC GRIP

200Z ONE PIECE FORGED HATCHET

JEFSHAC20

- · Pre sharpened blade for fast precise cuts
- · Precision balanced
- · Dimensions: 350 x 125 x 30mm



200Z ONE PIECE FORGED BRICK HAMMER

- · Precision ground chisel for accurate shaping of masonry
- · Dimensions: 310 x 178 x 30mm



ONE PIECE FORGED CLUB HAMMERS



PRODUCT	SIZE	DIMENSIONS	PRICE Ex. Vat
JEFSHCB25	2.5lb	298 x 350 x 80mm	£18.29
JEFSHCB40	4.0lb	310 x 100 x 40mm	£21.63

ONE PIECE FORGED CLAW HAMMER

· Curved claw head for nail and pin removal



PRODUCT	SIZE	DIMENSIONS	PRICE EX. VAT
JEFSHCL16	160z	325 x 128 x 30mm	£16.63
JEFSHCL20	200z	345 x 142 x 33mm	£18.75

HICKORY HAMMERS





BALL PEIN



Suitable for use on cold chisels, punches, rivets and shaping metal

PRODUCT	SIZE	PRICE Ex. Vat
JEFHCKBPH24	24oz	£14.13
JEFHCKBPH32	32oz	£16.25
JEFHCKBPH40	40oz	£17.92

CLUB






- · Available in 2.5lb or 4.0lb
- · DIN6475, GS certification

PRODUCT	SIZE	PRICE Ex. Vat
JEFHCKCLH2.5	2.5lb	£14.58
JEFHCKCLH4.0	4.0lb	£17.92

FIBREGLASS HANDLE **BALL PEIN HAMMERS**

· Rounded and usually used for shaping metal and closing rivets, the ball pein hammer is the most suitable for general use





320z

40oz

£9.99

£11.00

FIBREGLASS HANDLE SLEDGE HAMMERS

- · Shafts are glass-fibre and fitted with rubber gri
- · Swing like an axe for heavier jobs, such as driving in stakes and breaking up concrete, stone or masonry
- · Use just the weight of the head for lighter jobs

ips	
	DDICE

PRODUCT	SIZE	PRICE Ex. Vat
JEFHS4	4lb	£14.38
JEFHS7	7lb	£23.25
JEFHS10	10lb	£28.54
JEFHS12	12lb	£31.25
JEFHS14	14lb	£34.58

FIBREGLASS HANDLE CLAW HAMMERS

JEFHP32

JEFHP40

- · The most popular type of hammer for general work, fitted with a glass-fibre shaft and rubber grips
- · The claw can be used to lever up floorboards or other jobs where a lever is required

PRODUCT	SIZE	PRICE EX. VAT
JEFHC16	16oz	£6.96
JEFHC20	20oz	£7.83

FIBREGLASS HANDLE **CLUB HAMMERS**

- · Sometimes called a lump hammer, it has a double faced head, and is useful for light demolition work, driving steel chisels and masonry nails
- · As debris is likely to fly, the wearing of safety glasses and working gloves is recommended



PRODUCT SIZE E	X. VAT	
JEFHC25 2.5lb £	£9.96	•
JEFHC4 4lb £	12.25	



1KG DEAD BLOW HAMMER

JEFHDBL10

- · Black SBR high quality rubber
- · Oil proof
- · Cold endurance
- · Steel beads inside of head
- · Lenath: 350mm



FIBREGLASS HANDLE **6.5LB MAUL AXE**

JEFHAM3



FIBREGLASS HANDLE 4.5LB FELLING AXE

JEFHA45

· Head Weight: 4.5lb / 2.0kg

· Handle Length: 820mm





PRICE EX.VAT £22.08

FIBREGLASS HANDLE 1.25LB HATCHET

JEFHA125








PLASTERING TOOLS





























4 PIECE PRY BAR SET

JEFBARPS04

- · Manufactured from drop forged Cr-V tempered steel
- · Blackened finish for improved durability
- · Classic handles with comfortable contoured grip
- · Fabricated using impact resistant materials

Includes:

- · 200mm
- · 300mm · 450mm
- · 600mm





HEAVY DUTY 4 PIECE HAMMER CAP PRY BAR SET

JEFBARPS04HD

- · Heavy-duty, angled shafts, manufactured from Chrome Molybdenum steel with blackened finish
- · Each fitted with textured comfort grip handle and hammer cap











£14.92

36" JUMBO PRY BAR - 25° OFFSET

JEFBARPR36

· Hardened steel with powder coated finish

















	PRODUCT	SIZE	PRICE Ex. Vat
1	JEFBARP36HD	36"	£54.13
2	JEFBARP48HD	48"	£107.50

HEAVY DUTY JUMBO 4 PIECE PRY BAR SET

JEFBARPS04J

Sizes:

- · 16 x 900mm (Straight)
- · 16 x 900mm (30°)
- · 16 x 600mm (70°)
- · 16 x 600mm (90°)









60" BENT DIGGING BAR

JEFBARDG60

- · Hardened and tempered steel bar
- · Powder coated finish
- · Angled chisel end and square point end
- · Size x length: 25 x 1500mm







TUNDRA 3 PIECE CHISEL & BOLSTER SET

TUNCHIBOL03

- · Heat treated drop forged carbon steel
- · Powder-coated finish with polished tips

Includes:

- · 25 x 254mm Flat cold chisel
- 60 x 216mm electrician's chisel
- · 75 x 254mm Brick bolster



TUNDRA FLAT PRY BARS

- · Available in sizes 12", 15" and 18"
- · Heat treated drop forged carbon steel







PRODUCT	SIZE	PRICE EX. VAT
1 TUNBARPRF12	12"	£6.46
2 TUNBARPRF15	15"	£7.92
3 TUNBARPRF18	18"	£10.42

TUNDRA GOOSENECK WRECKING BARS

· Available in 18" x 5/8" and 24" x 3/4"

INDUSTRIA

- · Heat treated drop forged carbon steel



£37.50



TUNDRA 3 PIECE WRECKING BAR SET

TUNBARWR03HD

- · Heat treated drop forged carbon steel
- · Powder-coated finish with polished tips

Includes:

- · 14" (356 x 22 x 13mm)
- · 24" (610 x 30 x 17mm)
- · 36" (915 x 30 x 17mm)







TUNDRA 5 PIECE PRY BAR SET

TUNBARPRY05

- · Heat treated drop forged carbon steel
- · Powder-coated finish with powdered tips

Includes:

- · 12" x 1/2" Gooseneck wrecking bar
- · 18" x 5/8" Gooseneck wrecking bar
- · 24" x 3/4" Aligning bar
- · 15" Flat pry bar
- · 7" Flat pry bar







STEEL HEAD BOLT CUTTERS

- · Powder-coated steel tubular handle
- · Comfortable rubber grips
- · Adjustable cutting edge
- · Chrome vanadium steel head





PRODUCT	SIZE	PRICE EX. VAT
JEFBCT350	14"	£22.42
JEFBCT450	18"	£27.08
JEFBCT600	24"	£29.96
JEFBCT750	30"	£38.54
JEFBCT900	36"	£47.08

DROP FORGED BOLT CUTTERS

- · Drop-forged steel handle
- · Adjustable jaws
- · Alloy steel blade
- · Chrome molybdenum steel head





PRODUCT	SIZE	PRICE EX. VAT
JEFBCT350F	14"	£39.38
JEFBCT450F	18"	£48.29
JEFBCT600F	24"	£58.29
JEFBCT750F	30"	£72.92
JEFBCT900F	36"	£106.67

LONG NOSED VICE GRIPS





PRODUCT	SIZE	PRICE Ex. Vat
JEFAGP07LN	7"	£9.96
JEFAGP09LN	9"	£11.63

10" STRAIGHT JAWED VICE GRIPS





CR-V

£12.42

11" C-CLAMP WITH SWIVEL PADS



10" WELDING CLAMP



CURVED JAW VICE GRIPS

· Available in 5", 7" or 10"

· Wire cutter

CR-V



PRODUCT	SIZE	PRICE Ex. Vat
JEFAGP05C	5"	£8.29
JEFAGP07C	7"	£9.96
JEFAGP10C	10"	£12.42

TUFFGRIP SPRING CLAMPS

- · Adjustable protective cushions
- · Robust plastic frame
- · Contoured handles provide a comfortable grip



PRODUCT	CLAMP CAPACITY	CLAMP LENGTH	CLAMPING Force	PRICE Ex. Vat
JEFCLTFSP02-04	2"	4.5"	120N	£4.99
JEFCLTFSP03-04	3"	7"	150N	£7.92



SOLD IN PACKS OF 4





HEAVY DUTY G-CLAMPS

Two types of Heavy Duty G-Clamps are available within the Jefferson range - the coarse thread and a finer variety for those jobs which require a higher degree of control over the clamping force.



PRODUCT	SIZE	PRICE Ex. Vat
JEFCLGCT04	4"	£20.79
JEFCLGCT06	6"	£29.13
JEFCLGCT08	8"	£41.46
JEFCLGCT10	10"	£51.25
JEFCLGCT12	12"	£65.83

TUFFGRIP BAR CLAMP & SPREADER



- · Soft TPU cushions
- Heavy duty steel rail
- · Comfortable nylon leverage handle
- · Quick release trigger
- · Easy switch between clamp and spreader mode

PRODUCT	LENGTH	CAPACITY	CLAMPING Force	PRICE Ex. Vat
JEFCLTFBR150	150mm / 6"	80 x 150mm	1350N	£16.63
JEFCLTFBR300	300mm / 12"	80 x 300mm	1350N	£19.96
JEFCLTFBR450	450mm / 18"	80 x 450mm	1350N	£24.96
JEFCLTFBR600	600mm / 24"	80 x 600mm	1350N	£31.25



Our range of coarse thread, light trade G-Clamps are manufactured from drop forged steel and complete with tommy bar handle and swivel shoe. For use on a variety of materials.

PRODUCT	SIZE	PRICE Ex. Vat
JEFCLGLTCT04	4"	£9.75
JEFCLGLTCT06	6"	£13.29
JEFCLGLTCT08	8"	£16.25

USE WITH OUR BENCH & PILLAR DRILLS

- PAGES 59 & 60

TUNDRA T BAR CLAMPS

- · Designed for clamping large section workpieces
- · Ideal for woodworking, particularly joinery work and other fabrication tasks where assembly is required
- · Cast iron head and slides
- · Steel T-bar handle with pin





PRODUCT	DESCRIPTION	CAPACITY	CLAMPING Force	PRICE Ex. Vat
TUNTS136-48	Tundra 48" T Bar Clamp	48"	9806N	£74.96
TUNTS136-54	Tundra 54" T Bar Clamp	54"	9806N	£83.29
TUNTS136-78	Tundra 78" T Bar Clamp	78"	9806N	£99.17
TUNTS136-EXT48	Tundra T Bar 48" Extension Bar	48"	-	£58.29

DRILL PRESS VICES



Ideal for use on surface grinders and pillar drills, all our Jefferson drill presses come with serrated jaws for easy gripping and pre drilled holes for bench mounting.

PRODUCT	SIZE	JAW WIDTH	JAW Opening	DIMENSIONS	WEIGHT	PRICE Ex. Vat
JEFDPV4	4"	100mm	98mm	180 x 70 x 230mm	2.8kg	£28.96
JEFDPV5	5"	125mm	128mm	210 x 70 x 190mm	5.0kg	£36.25
JEFDPV6	6"	150mm	157mm	240 x 80 x 230mm	7.2kg	£44.13

LIGHT TRADE BENCH VICES



- · Cast Iron body
- · EN9 Steel jaws
- · 1 Tonne clamping capacity
- · Multi-purpose ideal for various light trade duties
- Roll threaded for fluid tightening and loosening motion
- Featuring robust anvil working surface
- Pre-drilled holes for bench mounting

PRODUCT	SIZE	JAW WIDTH	JAW OPENING	DIMENSIONS	WEIGHT	PRICE Ex. Vat
JEFBV4-LT	4"	100mm	100mm	280 x 140 x 155mm	7.70kg	£45.42
JEFBV5-LT	5"	135mm	125mm	350 x 165 x 170mm	12.0kg	£69.13
JEFBV6-LT	6"	155mm	150mm	370 x 171 x 175mm	13.5kg	£87.50
JEFBV8-LT	8"	205mm	200mm	457 x 203 x 203mm	20.0kg	£140.83



HEAVY DUTY BENCH VICES



Our heavy duty, cast iron bench vices are complete with serrated jaws for easy gripping and pre-drilled holes for bench mounting. They offer smooth and fast operation with a robust lever and grey iron castings that are manufactured to resist distortion under pressure. Ideal for workshops, machinery and engineering applications.

	• •					
PRODUCT	SIZE	JAW WIDTH	JAW OPENING	DIMENSIONS	WEIGHT	PRICE Ex. Vat
JEFBV4	4"	100mm	137mm	350 x 160 x 160mm	9.25kg	£66.25
JEFBV5	5"	125mm	183mm	440 x 190 x 200mm	16.0kg	£91.25
JEFBV6	6"	150mm	173mm	520 x 220 x 230mm	23.5kg	£129.17
JEFBV8	8"	200mm	200mm	600 x 250 x 280mm	37.5kg	£220.83

5" PIPE VICE

JEFBV5LGT

- · Built-in pipe jaws
- · Serrated Jaws for easy gripping
- Comes with pre-drilled holes for bench-mounting
- · Jaw Width: 125mm
- · Jaw Opening: 125mm
- · Weight: 15.0kg
- · Dimensions: 420 x 230 x 200mm





PRICE EX.VAT £149.17



6" FABRICATED STEEL VICE

JEFBVFS6

- · Built-in pipe jaws
- · Serrated Jaws for easy gripping
- · Comes with pre-drilled holes for bench-mounting
- · Jaw Width: 150mm
- · Jaw Opening: 190mm
- · Weight: 22kg
- · Dimensions: 520 x 220 x 230mm









6.5" DUCTILE IRON BENCH VICE

JEFBVDI65

Ductile Iron, also known as Spheroidal Graphite Iron, was developed over 60 years ago in the USA, while most varieties of cast iron are brittle, Ductile Iron has much more impact and fatigue resistance due to its nodular graphite inclusions.

- · Jaw Width: 100mm
- · Jaw Opening: 137mm
- · Weight: 32.2kg
- Dimensions:
 350 x 160 x 160mm





PRICE EX.VAT **£220.83**


INDUSTRIAL

8" DUCTILE IRON BENCH VICE

JEFBVD180QR

- · Quick release jaws
- · 360 swivel base with locking lever
- · Fixed pipe jaws
- · Large anvil
- · Jaw Width: 200mm
- · Jaw Opening: 254mm
- · Weight: 32.7kg
- Dimensions: 680 x 280 x 320mm







4 PIECE WOOD CHISEL SET

JEFCHIWDS-04

- · Chrome Vanadium steel blades
- · Soft grip handles
- · Durable metal striking caps
- · Sizes:

6mm / 1/4"

12mm / 1/2"

19mm / 3/4" 25mm / 1"







Jefferson

7 PIECE FLAT CHISEL SET

JEFCHIFLT-07

- · Ideal for cutting rivets, bolts and nuts
- · High carbon steel
- · Hex shank
- · Includes roll-up storage pouch

Includes:

- · 1/4"
- 5/16"
- · 3/8"
- · 1/2"
- · 5/8"
- · 3/4"
- · 7/8"



COLD CHISELS

- · Available in 1/2", 5/8", 3/4", 7/8"
- For cutting and shearing hard materials such as metal and masonry
- Chrome Vanadium steel with black-oxide protective coating
- · Soft non-slip hand grips
- · Protective hand guards
- · Durable striking caps





PRODUCT	SIZE	PRICE EX. VAT
JEFCHIP01-2	1/2"	£6.25
JEFCHIP05-8	5/8"	£7.08
JEFCHIP03-4	3/4"	£9.58
JEFCHIP07-8	7/8"	£10.42

7 PIECE CHAINSAW SHARPENING KIT

JEFSHRCSW-07

- · Wooden, ergonomic handle
- · High quality durable steel
- Complete with roll-up storage pouch
- File guide holder maintains correct angle for round files
- Depth gauge to maintain chain depth guides at correct heights

Includes:

- · 3x round files: 5/32", 3/16", 7/32"
- · 1x flat file
- · 1x hard handle
- · File guide holder
- · Depth gauge



5 PIECE 8" ENGINEERING FILE SET

JEFENGFIS-05

- Manufactured from heavy-duty hardened and tempered high-carbon steel
- · Treated with rust preventative oil to provide a tough protective finish
- Ideal for filing flat surfaces, sharp corners and shoulders as well as for deburring
- Ergonomic soft-handle design for a comfortable grip
- · Second cut







16 PIECE ENGINEERING FILE SET

JEFENGFIS-16

- · Second cut
- · Needle files: high grade alloy steel
- · Engineer files: T12 steel
- · Handle material: PP & TPR
- · Complete with carry case

Includes:

• 12x 4" Needle files: 2x equalling 2x flat

1x barette 1x square 1x knife 1x crossing

1x round 1x oval
1x half round 1x triangle

• 4x 8" Engineering files:
1x triangle
1x half round
1x round

1x flat





£34.96

CENTRE PUNCHES

- · Available in 1/4", 5/16", 3/8", 1/2"
- · For piercing or marking for starting drills in metals and other hard materials
- · Chrome Vanadium steel (CR-V) with black-oxide protective-coating
- Durable striking caps
- · Soft non-slip hand-grips
- · Protective hand guards



PRODUCT	SIZE	PRICE EX. VAT
JEFCENP01-4	1/4"	£4.13
JEFCENP05-16	5/16"	£4.96
JEFCENP03-8	3/8"	£5.42
JEFCENP01-2	1/2"	£7.08

TAPER PUNCHES

- · Available in 1/8", 3/16" & 1/4"
- · Designed for loosening and driving pins or aligning existing holes
- · Chrome Vanadium steel with black-oxide protective coating
- · Soft non-slip hand grips
- · Protective hand guards
- · Durable striking caps




PRODUCT	SIZE	PRICE EX. VAT		
JEFTAPP01-8	1/8"	£4.96		
JEFTAPP03-16	3/16"	£5.42		
JEFTAPP01-4	1/4"	£6.04		

PIN PUNCHES

- · Available in 1/8", 3/16" & 1/4"
- · Designed for loosening and driving pins
- · Chrome Vanadium steel with
- black-oxide protective coating
- · Soft non-slip hand grips · Protective hand guards
- · Durable striking caps





PRODUCT	SIZE	PRICE EX. VAT
JEFPINP01-8	1/8"	£4.57
JEFPINP03-16	3/16"	£4.96
JEFPINP01-4	1/4"	£5.41

6 PIECE PARALLEL PIN PUNCH SET

JEFPPPS06

- · 150mm steel shafts
- · 1 x 1/8" / 3mm
- · 1 x 5/32" / 4mm
- · 1 x 3/16" / 5mm
- · 1 x 1/4" / 6mm
- · 1 x 9/32" / 7mm
- · 1 x 5/16" / 8mm



PRICE EX.VAT

5 PIECE EXTRA LONG PARALLEL PIN PUNCH SET

JEFPPPS05EL

- · 205mm steel shafts
- · 1 x 1/8" / 3mm
- · 1 x 3/16" / 5mm
- · 1 x 1/4" / 6mm
- · 1 x 5/16" / 8mm
- · 1 x 3/8" / 10mm



PRICE EX.VAT £19.96

12 PIECE CHISEL & PUNCH SET

JEFCHIPUNS-12

- · High-carbon steel for corrosion resistance
- · Black finish
- · Complete with storage case

Includes:

- · 2x centre punches: 1/4". 5/16"
- · 1x taper punch: 3/32"
- · 3x cold chisels: 3/8", 1/2", 5/8"
- · 6x pin punches: 5/16", 1/4", 3/16",





PRICE EX.VAT £22.92

16 PIECE CHISEL AND PUNCH SET

JEFCHIPUNS-16

- · Sand blasted carbon steel
- · Set Includes:
- 3 x Pin Punch:
- 1/8", 3/16", 1/4"
- 3 x Taper Punch:
- 1/8", 3/16", 1/4" 3 x Center Punch:
- 5/16", 3/8", 1/2"
- 5 x Cold Chisel:
- 5/16", 1/2", 5/8", 3/4", 7/8"
- 2 x Line-up Punch:
- 3/16", 1/4"



INCLUDES STORAGE POUCH



HEAVY DUTY LAZY TONG RIVETER

JEFRIVLT01

- · Supplied with five nozzle sizes: 2.4mm(3/32") 3.2mm(1/8") 4mm(5/32")
 - 4.8mm(3/16") 6.4mm(1/4")
- · Supplied with spanner
- · Die cast head with steel jaw case and three-piece jaws
- · For use with blind aluminum, steel and stainless steel rivets
- · Suitable for repetitive riveting tasks 820mm extended length





10" HAND RIVETER

JEFRIVHND10

- · Aluminium body, steel a handles with PVC grips
- · Includes 4 nozzles & adjustment spanner

Suitable for blind rivets of the following capacity:

- · Stainless steel: 2.4mm (3/32") 3.2mm (1/8")
- 4.0mm (5/32")
- · Aluminium: 4.8mm (3/16")





21" DOUBLE HAND RIVETER

JEFRIVHND21D

· Heavy duty and durable construction · Twin steel handle with ergonomic

PVC grips provide excellent leverage · Spent mandrels are collected in

& ease of disposal · Includes 5 nozzles & adjustment spanner

Suitable for aluminium & stainless steel blind rivets of the following capacity:

- · 3.2mm (1/8")
- · 4.0mm (5/32")
- · 4.8mm (3/16")
- · 6.0mm (8/32")
- · 6.4mm (1/4")







310ML CAULKING GUN

JEFGUNCLK310

- · Non-drip function
- · Black heat treated
- pushing bar
- · Powder metal drive plate
- · Aluminium handle & trigger
- · Includes nozzle cleaner
- · Pushing Power: 1600N
- · Thrust Ratio: 7:1
- · Cartridge: 310ml



3 PIECE GENERAL PURPOSE PAINT BRUSH SET

JEFPNTBSG-03

- · Pure bristles square cut ends
- · Includes: 1", 11/2" and 2" brushes



400ML HEAVY DUTY CAULKING GUN JEFGUNCLK400-HD · Non-drip function TRIPLE HARDENED · Black heat treated triple PUSHING ROD hardened pushing bar · Quick-release with hook end · Aluminium handle & trigger Pushing Power: 4000N Thrust Ratio: 18:1 I AMINATED DRIVE PLATES TO PROTECT **PUSHING BAR** Cartridge: 400ml PRICE EX.VAT £16.46

6 PIECE GENERAL PURPOSE PAINT BRUSH SET

JEFPNTBSG-06

- · Pure bristles square cut ends
- · Includes: 1x 1/2", 2 x 1", 2 x 11/2" & 1 x 2" brushes



KNIVES & BLADES





JEFKFBD-N

JEFKFSCPUT



PRICE EX.VAT £11.04

UTILITY KNIFE BLADES (PACK OF 10)

JEFKFBUT10-N



PRICE EX.VAT £1.30

SAFETY BOX CUTTER

JEFKFSBC

- · Quickly & safely cuts strapping, tape, cardboard, wrapping & film
- · Durable plastic body with both concealed & protruding blade
- · Hi-visibility design for easy identification
- · Ergonomic soft touch grip for comfortable control
- · Including lanyard eyelet for convenient fixing to belt loop or tool belt



CARDBOARD, TAPE, WRAPPING & FILM

UTILITY BLADE (PACK OF 10)

JEFKFBUT10

- Blade length: 61mm
- Blade thickness: 0.65mm
- · Blade height: 19mm
- · Pack of 10





PRICE EX.VAT £5.79

UTILITY KNIVES

- · 3-position retractable blade mechanism
- · Robust die-cast housing · Interlocking nose to hold blade securely
- · Available in white, high visibility green or orange



PRODUCT	COLOUR	PRICE Ex. Vat	
JEFKFUT-0	Orange	£3.99	
JEFKFUT	White	£3.99	
JEFKFUT-G	High-vis Green	£3.99	

SNAP OFF BLADE (PACK OF 10)

JEFKFBS010

- · Blade height: 18mm
- · Each blade has 7 snap off cells
- · Pack of 10



AUTO RETRACTING SAFETY KNIFE

JEFKNSA

- · Extra-safe, automatically retracting blade
- · Interlock nose for blade security



MINI FOLDING UTILITY KNIFE

JEFKFMIFD

- · Compact design with safe lock-back function
- · Zinc handle and soft TPR grip
- · Easy-change blade mechanism





PRICE EX.VAT £7.92

ON THE RANGE

2 PIECE FOLDING & **UTILITY KNIFE SET**


BLADE STORAGE IN UTILITY KNIFE

JEFKFFDUT02

- · Includes utility knife, folding knife and 20 spare blades
- · Folding knife:

Head material: zinc alloy

Handle material: nylon and fibreglass







ZINC UTILITY KNIFE

JEFKFZUTI

- · Hardened zinc housing
- · Soft-touch TPR grip
- · Quick change blade mechanism
- · Includes 10 spare blades





PRICE EX.VAT £9.96

SPRING ASSIST FOLDING KNIFE

JEFKFZAFD

- · Spring assist actuation button
- · Hardened zinc housing and handle
- · Soft-touch TPR grip
- · Safe lock-back design
- · Quick change blade mechanism
- · Includes 3 blade in knife, plus an additional 5 blades





SNAP OFF CUTTERS & BLADES

- · Available in 9mm and 18mm
- · ABS plastic housing
- · Carbon steel blade
- · Includes 3 blades
- · Retractable for easy and
 - convenient storage



JEFKFS0C09

· Includes 3x 9 x 80mm blades



COMPATIBLE BLADES

JEFKFS0B09-10

· 12x snap off sections per blade





18MM

JEFKFS0C18

COMPATIBLE WITH JEFKFBS010

· Includes 3x 18 x 100mm blades

PRICE EX.VAT



38MM RAZOR BLADE SCRAPER

JEFRBSCRP038

- · Retractable blade for safety and a non-slip soft grip on the body
- · Includes 1.5" (38mm) blade · Spare blades available
- (JEFRBDIS038-10)



PRICE EX.VAT £4.33

COMPATIBLE BLADES

JEFRBDIS038-10

· Compatible blades for the JEFRBSCRP038




PRICE EX.VAT £2.58

WOODEN HANDLE SCRAPERS

- · Decorators scraper with 38mm / 50mm / 76mm wide knife
- · Tempered blade that extends through the handle in one piece
- · Hardwood handle complete with hanging hole





JEFSCRPW050

JEFSCRPW076



50mm

76mm

HACKSAWS

- · 24 Teeth per inch
- · Soft grip handle design

6" JUNIOR HACKSAW

JEFHCSAW06-MN01

- · 65MN Steel
- · Cutting Angles: 90°, 45°



12" HACKSAW

JEFHCSAW12-CS01

- · High Carbon Steel
- · Cutting Angles: 90°, 0°



Professional

PRICE EX.VAT £8.75

PROFESSIONAL

£6.46

£7.29

HIGH-VIS HACKSAWS

- · 24 Teeth per inch
- · Soft grip handle design

6"

JEFHCSHV06-MN02



· 6" / 150mm adjustable blade

· 65Mn Steel

PRICE EX.VAT £7.08

12"

JEFHCSHV12-BM01



- · 12" / 300mm blade
- · 90° / 45° cut angles
- · Bi-metal steel

PRICE EX.VAT £15.42

5M MEASURING TAPE

JEFTM050DB

- · Plastic body measuring tape with soft rubber grip for greater comfort, superior grip and ease of use
- · Auto return mechanism
- · Blade is marked with metric and imperial graduations
- · Blade Width: 19mm



19MM BLADE WIDTH







PROFESSIONAL NYLON COATED MEASURING TAPES

- · Manufactured, tested and certified in accordance with MID 2014/32/EU, UKCA compliant
- · Rubber outer casing for comfort and added protection
- · Smooth-action system provides reliable hold and easy blade retraction
- · Riveted hook for strength and durability
- · Anti-corrosion nylon coated blade surface gives lasting performance and additional strength when tape is extended






	PRODUCT	SIZE	COLOUR	BLADE WIDTH	PRICE Ex. Vat
1	JEFTM050NC-G	5m	Green	19mm	£6.83
	JEFTM080NC-G	8m	Green	25mm	£8.25
	JEFTM050NC	5m	Grey	19mm	£6.83
2	JEFTM080NC	8m	Grey	25mm	£8.25

TUFFLOCK MEASURING TAPES

The Jefferson TuffLock measuring tapes are unapologetically named, due to its sturdy construction and industrial magnetic blade tips, both of which give it the added reliability you need to complete those larger tasks.

- · Available in 5m, 8m, & 10m
- · Anti-corrosive nylon coated blade surface for long lasting performance and extra strength when tape is extended
- · Rubber outer casing for comfort and added protection
- · Smooth-action locking system provides reliable hold and easy blade retraction





50M STEEL MEASURING TAPE

JEFTM500ST

- · Blade Length: 50m
- · Blade Width: 12.5mm
- · Rubber moulded, impact-resistant & durable body
- · 3x Fast Retracting 50m Steel Blade
- · Class II Metric Scale
- · Complete with rubber hanging strap and fold away winding handle









STEEL TAPE

PRICE EX.VAT

FIBREGLASS MEASURING TAPES



- · Available in 30m, 50m & 100m
- · Plastic body measuring tapes with soft rubber grip for greater comfort and ease of use
- · Impact resistant and durable body
- · 3x Fast retracting centre wheel
- · Class III metric and imperial scale
- Steel hook
- · Tape width: 13mm

	PRODUCT	SIZE	PRICE Ex. Vat
1	JEFTM300FG	30m	£17.71
2	JEFTM500FG	50m	£21.58
3	JEFTM1000FG	100m	£30.79

STAINLESS STEEL RULERS

- · High quality stainless steel ruler with metric and imperial graduations
- · 100cm ruler width: 3
- 30cm ruler width: 25
- · 15cm ruler width: 18 dddd



32mm	4	
5mm		
3mm	1	

PRODUCT	SIZE	PRICE EX. VAT
1 JEFRULESS015	15cm	£1.63
2 JEFRULESS030	30cm	£4.33
3 JEFRULESS100	100cm	£9.58

VERNIER CALIPER

JEFCALV150

- · Manufactured using tempered and hardened non-corrosive stainless steel to ensure longevity and durability
- · Strong mono block locking mechanism
- · Metric scale graduates in 0.02mm
- · Ranging between 0 150mm
- · Supplied in a storage case



400MM DIGITAL ANGLE RULE

JEFDANGR200

- · Ideal for finding angles in tight spots, helping you save time and improve accuracy with a lock angle feature
- · Includes a built-in reverse angle function for added versatility and convenience
- · Durable stainless steel
- · Ruler length: 400mm
- · Length Range: 200mm / 7"
- · Angle Range: 0-360°
- · Resolution: 0.05°
- · Accuracy: ±0.3°
- · Repeatability: 0.05°
- · Battery Type: 3V CR2032

DIGITAL VERNIER CALIPER

JEFCALD150

- steel with satin finish
- · LCD easy-read display
- conversion function button
- Zero reset button allows for comparative measurements
- · Hardened, tempered stainless · Supplied in storage case
 - · Range / Capacity: 0-150mm / 0-6"
 - · Resolution: 0.01mm / 0.0005"

 - · Repeatability: ± 0.01mm/0.0005"
 - · Battery Type:
 - 3V CR-2032 Lithium Button Cell







PRICE EX.VAT £19.13

DIGITAL MEASURING WHEEL

JEFDMWHL-DF

- · Foldable frame to effortlessly fit into supplied backpack
- · Central arrow to find a more accurate calculation
- · LCD digital screen
- · Save and store up to 5 datas, with a memory function to view
- · One key to reset
- · Strong spring stand

- · Double folding joints
- · Thick tyre treads suitable for construction sites, schools, stadiums, gardens, roads, golf courses, trails and other industries
- · ABS material for effortless folding
- · Hold function to prevent deviation · Ideal for using on rock, gravel, wood, carpet, silt/soil, grass etc.
 - · Digital display units: ft, in, m, cm
 - · Measures to: 10,000ft/m





10KM METRIC MEASURING WHEEL

JEFDMWHL

- · Compact, easily folded and carried
- · Lightweight and durable design
- · Class III metric measuring scale with counter reading up to 9999.9m
- · Instant zero reset
- · Smooth running rubber wheels
- · Forward and reverse distance measuring
- · Suitable for building trade, contractors, agricultural, property
- planners and accident investigation · Wheel diameter: 318mm
- · Measures to (by cm): 9999.9m
- · Weight: 1.3 kg



BOX SPIRIT LEVELS



- · Tough and durable hi-vis frames
- · Shock-absorbing protective rubber end caps and handy hanging holes



	PRODUCT	SIZE	EX. VAT
1	JEFLEVSPB0600	600mm	£16.63
2	JEFLEVSPB0900	900mm	£19.96
3	JEFLEVSPB1200	1200mm	£23.29
4	JEFLEVSPB1800	1800mm	£31.25

PRODUCT SPOTLIGHT

SPIRIT LEVEL SETS

4 PIECE BOX SPIRIT LEVEL SET

JEFLEVSPSET04

- ★ Professional spirit levels with 3 leakproof vials for 45°, 90° and 180° measurements
- * Tough and durable hi-vis frames
- ★ Shock-absorbing protective rubber end caps and handy hanging holes

Includes:

- * 230mm
- ★ 600mm
- **★ 1200mm**
- ★ 1800mm















= ()) ·



1 () 120cm

JEFLEVSPSET03MB

- * Magnetic base
- ★ Handy hanging holes
- ★ Shock absorbing end caps
- ★ Double milled surface
- * 2x grip handles

Includes:

- ★ 230mm: 90° & 180° vials
- ★ 600mm: 45°, 90° & 180° vials
- ★ 1200mm: 45°, 90° & 180° vials







230MM TORPEDO BOX SPIRIT LEVEL WITH SIDE VIEW

JEFLEVSPB0230SV

- · 3 vials: 45°, 90°, 180°
- · Magnetic base
- · Handy hanging holes
- · Shock absorbing end caps
- · Double milled surface
- · 2x grip handles



PRICE EX.VAT £9.58

230MM TORPEDO SPIRIT LEVEL

JEFLEVSPT0230

- · 3 vials for 45°, 90° and 180° measurements
- · Tough and durable cast frame
- · Protective end caps

MAGNETIC BASE



£11.63

COMBINATION SQUARES

- · High quality stainless steel blade
- · Durable zinc alloy die-cast squares
- · Strong and deeply etched markings
- · Working surface scribe included

On-board spirit level

· Precise & reliable machined faces

DISCOVER MORE

12" COMBINATION SQUARE








12" COMBINATION SQUARE SET

JEFCOMSQ030-3PS

- · Protractor for marking angles
- · Centre head for round objects



ADJUSTABLE QUICK SQUARES





- · Flexible, adjustable carpentry/roofing tool
- Designed for making repetitive marking and measurements
- Suitable for use as a bevel, protractor or a saw guide
- · Lockable and adjustable angle setting arm
- Double-sided design with metric and imperial marking and graduations
- Ideal for marking out common rafter cuts including: COM / Jack Plumb cuts, HIP/ VAL, Seat cuts



PRODUCT	SIZE	PRICE Ex. Vat
1 JEFAQSQ07	7"	£18.29
2 JEFAQSQ12	12"	£22.29

ENGINEERING SOUARES

- · Hardened and tempered blades
- Ground for straightness and accuracy
- Supplied in durable cardboard box for easy storage and carrying



	PRODUCT	SIZE	PRICE EX. VAT
1	JEFESQ150	6"	£8.67
2	JEFESQ250	10"	£13.29
3	JEFESQ300	12"	£17.00

INDUSTRIAL ENGINEERING SQUARES

- Hardened and tempered blades
- Ground for straightness and accuracy



INDUSTRIAL

DIGITAL MULTIMETERS SOVERLOAD PROTECTION

- **S** DATA HOLD FUNCTION
- MEGATIVE POLARITY INDICATION

- **CAT.III**

300V

JEFDMM300V

- · Battery testing: 1.5V / 9V / 12V
- · DC Voltage Range: 200m ~ 300V
- · DC Current Range: 2000µ ~ 10A
- · AC Voltage: 200 ~ 300V
- · Resistance: 200 ~ 2000kΩ
- · Continuity: <30Ω
- · Battery Testing 1.5V / 9V / 12V
- · Overload Protection: Both Fuses: ø5x20mm F1: Fuse, 250mA / 300V, Fast action F2: Fuse, 10A / 300V, Fast action
- · Dimensions: 138 x 74 x 32mm
- · Weight: 160g (inc. battery)



PRICE EX.VAT

£21

600V

JEFDMM600V

- · Battery testing: 1.5V / 9V
- · DC Voltage Range: 200m ~ 600V
- · DC Current Range: 2000µ ~ 10A
- · AC Voltage: 200 ~ 600V
- · Resistance: 200 ~ 2MΩ
- Continuity: $<30\Omega$, $>100\Omega$
- · Battery Testing: 1.5V / 9V Overload Protection: Both Fuses: ø5x20mm F1: Fuse, 250mA / 600V, Fast action F2: Fuse, 10A / 600V, Fast action
- · Dimensions: 147 x 87 x 47mm
- · Weight: 290g (inc.battery)



PRICE EX.VAT £33.5



600V PROFESSIONAL DIGITAL MULTIMETER

JEFDMM600PR0

- · 3/4 digit LCD display (max. reading 3999)
- · Auto and manual range modes
- · Negative polarity indication
- · Overload protection · Battery: 9V
- · AC Voltage Range: 4-600V
- · DC Voltage Range: 4-600V
- · AC Current Range: 400µ ~ 10A
- · DC Current Range: 400µ ~ 10A
- Resistance Range: 400Ω-40MΩ
- · Capacitance Range: 40nF ~ 1000µF
- · Frequency Range: 9.999-9.999MHz
- · Duty Cycle Range: 5-95%



MEASURING FUNCTIONS: **AC & DC VOLTAGE** AC & DC CURRENT RESISTANCE CAPACITANCE **FREQUENCY DUTY CYCLE** NON-CONTACT VOLTAGE CONTINUITY

DIGITAL DISPLAY

SOCKET TESTER

JEFSOCTST

- · Designed to detect faulty wiring in 3-wire receptacles
- · 3 LEDs indicate test result provides rapid detection of correct/incorrect wiring
- · Compact and durable
- · Fast and accurate
- · Nominal Voltage: 220-240V
- · Operating Current: <3mA



PRICE EX.VAT £9_96

CATIV PROFESSIONAL

PRICE EX.VAT £59.96

INFRARED THERMOMETER

JEFINFTHER01

- · Safe, non-contact temperature measurements
- · Accurate readings in °C & °F temperature scales
- · Battery charge status indicator
- Back-lit LCD display with data hold function
- · Temperature Range: -38 ~ 520°C -36.4 ~ 968°F
- · Laser: Class II
- · Max. Output: <1 mW



FOR USE ON MACHINERY ONLY

- · Accuracy (Tamb = 23 ± 3°C): $\pm 2^{\circ}$ C / $\pm 4^{\circ}$ F (or 2%)
- · Spectral Response: 7.5 13.5µm
- · Wave Length: 630 660nm
- Resolution: 0.1°C / 0.1°F
- · Response: 1s 95%
- · Distance : Spot 8:1 · Battery: 2x 1.5 AAA
- · Dimensions:
- 160 x 118 x 40mm
- · Weight: 158g (inc. battery)





PRICE EX.VAT



600A CLAMP METER

JEFDCM600A

- · Small body and jaws for easy grip
- · Battery-powered for maximum portability
- · Large backlit display (max. reading 9999)
- · Overload protection
- · Automatic power off
- · Negative polarity indication
- · Low battery indication
- · Non-contact AC voltage detection
- · Insulated input jacks
- · Relative mode
- · Min/max. recording mode
- · Battery: 3x AAA
- · Input Impedance: 10MΩ
- · AC Current Range: 600A
- · AC Voltage Range: 600V · DC Voltage Range: 600V
- · Resistance Range: 60MΩ



MEASURING FUNCTIONS:

32MM JAW

OPENING

AC & DC VOLTAGE AC & DC CURRENT

RESISTANCE

FREQUENCY

DUTY CYCLE

CAPACITANCE

CONTINUITY

TEMPERATURE

400A CLAMP METER

JEFDCM400A

- · Slim, ergonomic design with versatile clamp jaws
- · Measures AC & DC Voltage up to 300V
- · AC Current Range: 20A 400A 50-60Hz
- · 200KΩ Resistance Range
- · 30Ω Continuity Range
- · Data Hold Function
- · LCD Display: 3 1/2 Digits (Max Reading 1999)
- · Sample Rate: 3 per second
- · Battery: 3x 3V CR2032
- · Low Battery Indicator: Yes
- · Jaw Capacity: 27mm

CAT.III

EN 61010 & EN 61326-1

- · Operating Temperature Range: 0°C 40°C
- · Dimensions: 151 x 62 x 34mm
- · Weight: 127g (including batteries)

MEASURING FUNCTIONS: AC VOLTAGE: 300V DC VOLTAGE: 300V AC CURRENT: 400A RESISITANCE: 200KΩ CONTINUITY: 30Ω DIODE



PRICE EX.VAT £26.04

· Checking cable or wire has AC voltage · Locate a breakpoint in a wire

· Locate a neutral wire

· Detect AC/DC magnetic field

CAT.III

MOISTURE METER

JEFDM0IM01

- · Can measure environment temperature
- · Three LEDs to indicate moisture status
- · Backlit display
- · Data hold function
- · Automatic power off
- Lower battery indication · Battery: 1.5V button cell
- · Measurement Range: 6-60%

Designed to measure moisture in:

- · Sawn timber
- · Paper
- Cardboard
- Hardened material eg. mortar, concrete and plaster



PRICE EX.VAT

VOLTAGE TESTER

JEFV0LTST02

· Portable AC voltage and magnetic field detector

£54.13

- · Illumination function
- · Safe non-contact AC voltage detection
- · Two sensitivity degrees for AC voltage detection
- · Designed for indoor use
- Battery: 2x AAA
- · AC Voltage Detection Range:
- Low: 48-1000V High: 12-1000V · Magnetic Field Detection Range:
- DC: 0.3mT
- AC: 0.2mT



ILLUMINATION FUNCTION & LED DISPLAY

CAT.III



VOLTAGE TESTER

JEFVOLTST

- · This unit is a non-contact AC voltage detector for detecting 5 1000V AC voltage
- · AC voltage detection LED
- · Durable ABS plastic resin casing and compact design
- · With pocket clip for convenient storage and access
- · Safe, efficient, quick and accurate testing
- Variable sensitivity
- Battery: 2x 1.5V (AAA)
- · Operating Temperature Range: 0°C 40°C
- · LED torch for operation in low-light conditions
- · Frequency Range: 50Hz 400Hz
- · Low Battery Indicator
- Dimensions: 154 x 32 x 28mm
- · Weight: 50g (including batteries)

CAT.IV

- · Detecting whether a cable, wire or socket contains AC voltage
- · Locate breakpoint on a live line



PRICE EX.VAT





SOLDERING IRONS

- · Mica Heater
- · Includes metal stand
- · Standard UK plug
- Cable Length: 1.3m
- · Pre-heat Time: 3-5mins
- Copper plated nickle230V / 50Hz





PRODUCT	POWER	MAX. TEMP	TIP Sharpness	TIP Length	PRICE Ex. Vat
JEFIRSOL40W	40W	450°C	4.8mm	70mm	£14.13
JEFIRSOL80W	80W	500°C	6.8mm	95mm	£19.96

1.0MM SOLDERING IRON WIRE JEFIRSOLWI

• Tube of flux-cored 60% Tin / 40% lead wire for general-purpose soldering



HEAVY DUTY AUTOMATIC WIRE STRIPPERS

JEFWIRES01

- · Strip and cut cable/wire
- · 24-10 AWG (0.2-6mm²)
- Crimp 22-10 AWG (0.5-6mm²) insulated and non-insulated terminals
- · Crimp 7-8mm ignition terminals
- · Durable and corrosion resistant
- · Steel construction
- · Comfortable easy grip
- · Two piece handle
- Ideal for home wiring, electronics and automotive work



PRICE EX.VAT **£22.83**

102 PIECE CRIMPING TOOL SET

JEFCRIMS102

- Crimping insulated terminals size: 1.5mm² (red), 2.5mm² (blue) and 6.0mm² (yellow)
- Crimps round noninsulated terminals size: 1.5mm², 2.5mm² and 4.6mm²
- Shears bolts size: 2.6,
 3.0, 3.5, 4.0 and 5.0mm
- Removes wire insulation up to 165mm in length
- 99 piece terminals including: 44pc blue terminals at 2.5mm², 44pc red terminals at
- 44pc red terminals at 1.5mm², 11pc yellow terminal at 6.0mm²

Includes:

- · 1 x 6 Way Crimping Tool
- · 1 x Wire Stripping Tool
- · 1 x Black Tape
- · 99 Piece insulated crimping terminals



PRICE EX.VAT **£29.38**

THREAD REPAIR KITS

- Ideal for repairing damaged or stripped internal threads
- Protects tapped threads or stripped internal threads
- · Creates a stronger internal thread in soft metals
- · Includes:
 - 1x drill bit
 - 1x thread tap
 - 1x insert installation
- 1x breaking tool



					_				THE RES
	PRODUCT	DESCRIPTION	TAP THREAD	TAP THREAD	DRILL BIT	DRILL BIT	INSTALL	BREAKING	PRICE
PRODUCT DESCRIPTION	DESCRIPTION	LENGTH	DIAMETER	THREAD LENGTH	DIAMETER	TOOL SIZE	TOOL SIZE	EX. VAT	
	JEFTRKM05-08	M5 x 0.8	25mm	6mm	50mm	5.2mm	4x135mm	4x100mm	£14.58
	JEFTRKM06-10	M6 x 1.0	25mm	8mm	65mm	6.2mm	4.5x135mm	4.5x100mm	£16.63
	JEFTRKM08-125	M8 x 1.25	25mm	10mm	75mm	8.3mm	6.5x135mm	6.5x100mm	£19.96
	JEFTRKM10-150	M10 x 1.50	30mm	12mm	95mm	10.3mm	7.5x135mm	7.5x100mm	£21.63
	JEFTRKM12-175	M12 x 1.75	30mm	15mm	105mm	12.4mm	9.5x135mm	9.5x100mm	£24.13
	JEFTRKM14-125	M14 x 1.25	30mm	16mm	105mm	14.3mm	11x135mm	11x100mm	£29.13

THREAD INSERTS





PRODUCT	DESCRIPTION	INCLUDES	PRICE Ex. Vat
JEFTIN-M0508	M5 x 0.8	5x 3.5mm, 5x 5mm, 5x 7mm	£6.25
JEFTIN-M0610	M6 x 1.0	5x 4mm, 5x 6mm, 5x 9mm	£6.46
JEFTIN-M08125	M8 x 1.25	5x 6mm, 5x 9mm, 5x 12mm	£8.29
JEFTIN-M10150	M10 x 1.50	3x 7.5mm, 4x 11mm, 3x 15mm	£9.96
JEFTIN-M12175	M12 x 1.75	2x 9mm, 4x 14mm, 2x 18mm	£11.46
JEFTIN-M14125	M14 x 1.25	1x 10mm, 3x 16mm, 1x 21mm	£9.58

15 PIECE METRIC TAP & DRILL BIT SET



20 PIECE TAP & DIE SET

JEFTAPDSAL20M

- · 9x Dies M3 M12
- 9x Tap M3 M12
- · 1x Die stock M25
- · 1x Adjustable tap wrench M3-M12
- · Supplied in a protective plastic case



£21.46

40 PIECE TAP & DIE SET

JEFTAPDSAL40M

- · 16x Dies M3 M12
- · 16x Taps M3 M12
- · 1x NPT Die 1/8-27
- · 1x NPT Tap 1/8-27
- · 1x Tap wrench
- · 1x T-handle wrench
- · 1x Screwdriver
- · 1x Screw pitch gauge
- · 1x Tap wrench
- 1x die holder
 (1" outer diameter)
- · 1x Protective blow moulded carry case
- Manufactured from heat treated steel alloy
- · Ideal for cutting threads on mild steel and aluminium





PRICE EX.VAT **£44.50**

45 PIECE METRIC TAP & DIE SET

JEFTAPDSTU45M

- · Tungsten alloy
- · Metric coarse & fine sizes
- · Precision machined tungsten alloy steel taps and dies
- · Split dies to facilitate the fine adjustment of core diameter
- · Supplied in a heavy-duty carry-case
- · Taps & Dies:

6 x 1, 6 x 0.75, 8 x 1.25, 8 x 1, 10 x 1.25, 10 x 1.5, 12 x 1.5, 12 x 1.75, 14 x 1.5, 14 x 2, 16 x 1.5, 16 x 2, 18 x 1.5, 18 x 2.5, 20 x 1.5, 20 x 2.5, 22 x 1.5,

- 22 x 2.5, 24 x 1.5, 24 x 3mm
- · Sliding jaw type tap wrench and T-bar type tap wrench
- · Steel die holder with knurled screws
- · Spacer
- · Screwdriver









110 PIECE METRIC & IMPERIAL TAP & DIE SET

JEFTAPDS110MI

- · High-quality alloy steel
- · Precision machined
- · Inloudes: 35x taper taps. 35x plug taps, 35x MU dies

Each type includes:

icii type iiiciuues.	
Machine:	Imperial:
#4-40	1/4-20
#6-32	1/4-28
#8-32	1/4-24
#10-24	1/4-40
#10-32	5/16-18
#12-24	5/16-24
Metric:	3/8-16
M6 x 1.0	3/8-24
M8 x 1.25	7/16-14
M10 x 1.0	7/16-20
M10 x 1.5	1/2-13
M11 x 1.5	1/2-20
M12 x 1.25	9/16-12
M12 x 1.75	9/16-18
M14 x 1.25	5/8-11
M18 x 1.5	5/8-18
Pipe thread:	3/4-10
NPT 1/8-27	3/4-16









PRICE EX.VAT £174.17

METRIC & IMPERIAL



INDUSTRIAL

6 PIECE ALLOY STEEL STUD EXTRACTOR

NPT 1/4-18

JEFSCREX06

Manufactured from hardened chrome steel for extra durability Sizes include:

- · 3-6mm
- · 6-8mm
- · 8-11mm
- · 11-14mm · 14-18mm
- · 18-22mm



PRICE EX.VAT £10.83

8 PIECE SCREW & STUD EXTRACTOR

JEFSCREX08HD

Manufactured from heat treated Chrome Molybdenum steel. Rapid acting helix aids screw removal

- · M3-M6 · M11-M14 · M25-M35
- · M6-M8 · M14-M18 · M35-M50
- · M8-M11 · M18-M25







25 PIECE MULTI SPLINE SCREW EXTRACTOR SET

JEFSCREX25

- · Manufactured from heat-treated Chrome Molybdenum steel · Suitable for high torque applications
- · Reverse spiral design from maximum grip
- · Hex shaped head also supplied in a storage case
- · Designed to remove broken studs & bolts
- · Recommended drill bit size etched on each extractor
- · Supplied in a storage case

Sizes:

- · 3.2mm / 1/8" · 14mm / 17/32"
- · 4mm / 5/32" · 14.5mm / 9/16" · 15.5mm / 19/32"
- · 4.8mm / 3/16"
- · 16mm / 5/8" · 5.5mm / 7/32" · 17mm / 21/32"
- · 6.3mm / 1/4"
- · 7mm / 9/32" · 18mm / 11/16"
- · 8mm / 5/16" · 8.7mm / 11/32"
- · 18.5mm / 23/32" · 19.5mm / 3/4"
- · 9.5mm / 3/8"
 - · 20mm / 25/32"
- · 10.3mm / 13/32" · 21mm / 13/16"
- · 11.5mm / 7/16" · 22mm / 27/32"
- · 12mm / 15/32" · 23mm / 7/8"
- · 13mm / 1/2"
- Cr-Mo











TAP & DRILL SET & TAP WRENCH







EXTRACTOR SETS

21 PIECE 1/2" BOLT EXTRACTOR SET

JEFBTNEX21

FEATURES


- ★ Tapered internal thread profile enables socket to grip sufficiently for loosening in cases where standard sockets and wrenches fail
- Unique spiral fluting bites onto the damaged fastener making it easier to remove damaged, frozen, rusted, or rounded-off bolts,
- nuts, and screws
 Internal threading and reverse spiral flutes, the spiral teeth securely engage for maximum traction
 Compatible with manual, pneumatic, or power tools for a wide range of applications including automotive repairs, wheel lock removal, home mechanical projects, and industrial machinery maintenance
 Crafted from Cr-Mo steel and treated with a black phosphate finish





SCREWDRIVER SETS

3 PIECE LONG SCREWDRIVER SET JEFSDSET03L Magnetic tips Includes PHilips PH2, Pozi PZ2. Slotted 6mm



61 PIECE HAMMER THROUGH SCREWDRIVER SET

JEFSDSET061

- · Contoured soft grip handles
- · Colour coded
- · Wall mountable case

Screwdrivers

· Slotted: 6x38mm 3x75mm 4x100mm 5x100mm 6x100mm 6x150mm · Philips: #0x75mm #2x38mm #1x100mm

#0x75mm #1x100mm #2x100mm #2x100mm #3x150mm #3x150mm

· Pozi:

· TRX-Star: T20x100mm T25x100mm T27x100mm T30x125mm T40x125mm

PRICE EX.VAT

£13.75

· VDE: Slotted: 3x75mm Philips: 0x75mm 1x80mm 2x100mm

8x200mm 1/4" Hex Bits

- · TRX-Star: T7. T8. T9. T10. T15
- · Slotted: 4mm, 6mm
- · Philips: #1, 2x #2, #3
- · Pozi: #1. 2x #2. #3
- · Hex: 3, 4, 5, 6, 7, 8mm
- · Square: 1, 2, 3mm
- · Nut Drivers:

Metric: 6, 7, 8, 10, 12mm Imperial: 3/16", 1/4", 5/16", 3/8", 7/16"

Accessories

- · Magnetiser
- · De-magnetiser
- · Wall mountable display stand



PRICE EX.VAT

£12.46

INDIVIDUAL SCREWDRIVERS





PRODUCT	DESCRIPTION	PRICE Ex. Vat
JEFSRSL3-075	3.0 x 75mm Slotted	£2.21
JEFSRSL5-075	5.0 x 75mm Slotted	£3.08
JEFSRSL6-150	6.0 x 150mm Slotted	£3.63
JEFSRPH0-075	PH0 x 75mm	£1.99
JEFSRPH1-075	PH1 x 75mm	£3.00
JEFSRPH2-100	PH2 x 100mm	£3.54
JEFSRPZ2-100	PZ2 x 100mm	£3.54

7 PIECE SCREWDRIVER SET

JEFSDSET07

Set includes:

- 3x Slotted: 6 x 150mm
- 5 x 75mm 3 x 75mm
- · 3x Phillips: PH2 x 100mm PH1 x 75mm
- PHO x 75mm 1x Pozi: PZ2 x 100mm



£22.83

INDIVIDUAL STRIKING CAP SCREWDRIVERS





PRODUCT	DESCRIPTION	PRICE Ex. Vat
JEFSRSL5-075ST	5.0 x 75mm Slotted	£3.54
JEFSRSL5-100ST	5.0 x 100mm Slotted	£3.99
JEFSRSL6-100ST	6.0 x 100mm Slotted	£4.83
JEFSRSL8-125ST	8.0 x 125mm Slotted	£5.91
JEFSRPH1-075ST	PH1 x 75mm	£3.46
JEFSRPH2-100ST	PH2 x 100mm	£4.83
JEFSRPZ2-100ST	PZ2 x 100mm	£4.83

7 PIECE HAMMER THROUGH SCREWDRIVER SET

JEFSDSET07ST

Set includes:

- · 4x Slotted: 8 x 125mm
 - 5 x 75mm 5 x 100mm
- 6 x 100mm
- · 2x Phillips: PH1 x 75mm PH2 x 100mm
- 1x Pozi: PZ2 x 100mm



INDIVIDUAL VDE SCREWDRIVERS











8 PIECE VDE SCREWDRIVER SET

JEFSDSET08V

· Fitted with insulated, contoured, comfort grip handles

· Fully insulated to 1000V AC Set includes:

- · 3 x Slotted:
- 1.2 x 6.5 x 150mm
- 1 x 5.5 x 125mm
- 0.4 x 2.5 x 75mm
- · 3 x Phillips:

PH2 x 100mm PH1 x 80mm

PHO x 60mm

- · 1 x Pozi: (PZ2 x 100mm)
- · 1 x Single-Pole Voltage Tester



SINGLE POLE VOLTAGE TESTER

JEFSRSPVTR

- · Insulated to VDE standards
- · Tested and certified to BS EN IEC 60900





4 PIECE MINIATURE PICK & HOOK SET

JEFPHS04M

- · Carbon steel shafts with TPR grips
- · Includes: Mini Awl Straight Tip, Mini Hook Tip, Mini 45° Bent Tip, Mini 90° Bent Tip



PRICE EX.VAT £6.46

6 PIECE EXTRA LONG PICK & HOOK SET

JEFPHS06EL

- · Cr-V black coated shafts with PVC handles
- · Length: 244mm
- · Includes: Straight, Right Angle, Half-Round, Swan-Neck, 45°/90° Tip, 40°/45° Tip

CR-V



KEY SETS

- · Metric ball-end
- · Long handle · Sizes include:
- 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm









- Metric Ball End
- Extra Long Handle
- Sizes include: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm







- Folding mechanism
- Sizes include: T9, T10. T15. T20. T25. T27, T30, T40





Sizes include: T10, T15, T20, T25, T27, T30, T40, T45, T50







- · Folding Mechanism
- · Chrome Vanadium
- · Sizes include: 1.5. 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm

CR-V





Imperial Sizes: Metric Sizes: T10 x 75mm H2 x 75mm T15 x 75mm H2.5 x 75mm T20 x 100mm H3 x 100mm H4 x 100mm T25 x 100mm T30 x 150mm H5 x 150mm T40 x 150mm H6 x 150mm T45 x 200mm H8 x 200mm T50 x 200mm H10 x 200mm











- · Tempered Chrome Vanadium steel with mirror finish
- · Long handles with magnetic tip (featured on sizes 3mm and larger only)
- · Supplied in easy-access holder for portability and safe storage
- · Sizes include: 2mm (83 x 16mm) 2.5mm (90 x 18mm) 3mm (98 x 20mm) 4mm (106 x 24mm) 5mm (118 x 28mm) 6mm (137 x 32mm) 7mm (146 x 34mm) 8mm (156 x 36mm) 10mm (170 x 40mm) 12mm (207 x 45mm) 14mm (230 x 54mm) 17mm (250 x 61mm) 19mm (280 x 70mm)







8

- · Imperial long handle
- · Metric short handle

dddd

CR-V

· Hex end

սելելե

Imperial Sizes:

- · 0.028" · 9/64"
- · 0.035" · 5/32"
- . 0.05" · 3/16"
- · 1/6" · 7/32"
- · 5/64" · 1/4"
- · 3/32" · 5/16"
- · 7/64" · 3/8"
- · 1/8"

- **Metric Sizes:** · 0.7mm · 4.5mm
- · 0.9mm · 5.0mm
- · 1.3mm · 5.5mm
 - · 1.5mm · 6.0mm
- · 2.0mm · 7.0mm
 - · 2.5mm · 8.0mm
 - · 3.0mm · 10mm
 - · 4.0mm



PRODUCT	DESCRIPTION	PRICE EX. VAT
1 JEFKYHX09B	9 Piece Ball-Hex Key Set	£7.71
2 JEFKYHX09ELB	9 Piece Extra Long Ball-Hex Key Metric Set	£12.08
3 JEFKYTX08F	8 Piece Folding Torx Key Set	£9.79
4 JEFKYTX09	9 Piece Torx Key Set	£9.13
5 JEFKYHX08F-B	8 Piece Folding Hex Key Set	£7.71
6 JEFKYHXTX16T	16 Piece T-Handle Hex Key Set	£31.63
7 JEFKYHX13J	13 Piece Jumbo Ball-Hex Key Set	£56.63
8 JEFKYHX30	30 Piece Hex Key Set	£19.50

85 PIECE MECHANIC'S TOOL SET

JEFTB085-ME

- · Steel box
- · Accepts padlock for extra security · Fold out design
- · Carry handle
- · Dimensions: 541 x 213 x 221mm

· 5 sections

- · Heavy duty
 - · 17x 1/2" Drive sockets including: 10, 11, 12, 13, 14, 15, 16, 27, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
 - · 1x 1/2" Drive ratchet wrench
- · 1x Retractable safety knife
 - · 10x Knife blades
 - · 1x 6" Long nose pliers
 - · 1x 6" Lineman pliers
 - · 1x 9 piece hex key set Sizes: 1.5 - 10mm
- · 1x 10" Locking pliers
 - · 1x 10" Groove joint pliers
 - · 1x 5m Tape measure
 - · 1x Ball pein hammer
 - · 11x Combination spanners including: 6, 7, 8, 10, 11, 12, 13, 14, 15, 17, 19mm
 - · 5x Screwdrivers including: SL5x75mm, SL6x100mm, SL8x150mm, PH1x75mm, PH2x100mm

· 12x 1/4" Drive sockets including: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm

- · 6x 1/4" Socket bits including: PH1, PH2, PZ1, PZ2, SL5.5, SL7
- · 1x 1/4" Drive extension bar: 4"
- · 2x 1/2" Drive extension bars including: 5", 10"
- · 1x 1/2" Drive universal joint
- · 1x 1/2" Drive 3-way adaptor
- · 1x 1/4" Drive extension spinner handle



TOOL BOX ONLY ON PAGE 200



135 PIECE MECHANIC'S TOOL SET

JEFTKP135

1/4" Square drive sockets & accessories:

- · 13x Hex: 4, 4.5, 5, 5.5, 6, ,7 ,8, 9, 10, 11, 12, 13, 14mm
- · 5x TRX-Star: E4, E5, E6, E7, E8
- · 2x extension bars: 50mm, 100mm

1/2" Square drive sockets & accessories:

- · 11x Hex: 15, 16, 17, 28, 19, 21, 22, 24, 27, 30, 32mm
- · 3x TRX-Star: E20, E22, E24
- · 2x extension bars: 125mm, 250mm

Generic Socket accessories:

- · 6x 3/8" TRX-Star female sockets: E10, E11, E12, E14, E16, E18
- · 2x reversible ratchets: 1/4", 1/2"
- · 2x male adaptors: 3/8". 1/2"
- · 16mm spark plug socket
- · Spinner handle
- · 2x 3-way adaptors: 3/8"F x 1/2"M, 3/8"F x 1/4"M
- · 1/4" x 1/2" universal joint
- · 3x power extension bars: 1/4", 3/8", 1/2"

5/16" Bits: (30mm length) · 7x Hex: 4, 5, 6, 7, 8, 10, 12mm

- · 5x Slotted: 5, 6, 8, 10, 12mm
- · 7x TRX-Star: T20, T25, T30, T40, T45, T50, T55

1/4" Bits:

- · 4x Slotted: 3, 4, 5, 6mm
- · 10x Philips: 2x #0, 3x #1, 3x #2, 2x #3
- · 10x Pozi: 2x #0, 3x #1, 3x #2, 2x #3
- · 6x TRX-Star: T10, T15, T20, T25, T30, T40

Screwdrivers:

- · 3x Slotted: 6.5 x 38mm, 5.5 x 75mm, 6 x 100mm
- · 3x Philips: #2x38mm, #1x75mm, #2x100mm

Generic Bit Accessories:

- · Screwdriver bit holder
- · 1/2" x 1/4" bit holder
- · 1/2" x 8mm bit holder





- · 9x Ball-end hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- · 9x Combination spanners: 10, 11, 12, 13, 14, 15, 16, 17, 19mm
- · Long-nose pliers
- · Side cutters
- · Combination pliers · Water pump pliers
- · Pocket knife
- · 60mm bit adaptor

PRICE EX.VAT





150 PIECE TOOL SET

JEFTKI150

1/2" Drive:

- 17x 1/2" Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 28, 29, 20, 21, 22, 24, 27, 30,
- · 1x 1/2" 72T Offset Socket Ratchet
- · 1x 1/2" Universal Joint
- · 2x 1/2" Extension Bars: 5", 10"
- · 1x 1/2" Sliding T-Adaptor: 1/2"M, 3/8"F
- · 3x 1/2" E-Torx Sockets: E20, E22, E24
- · 6x 1/2" Deep Sockets: 10, 12, 13, 14, 17, 19mm
- · 4x 1/2" Impact Sockets: 17, 19, 21, 23mm

3/8" Drive:

- · 11x 3/8" Sockets: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 6x 3/8" Deep Sockets: 10, 11, 12, 13, 14, 15mm
- · 6x 3/8" E-Torx Sockets: E10, E11, E12, E14, E16, E18
- · 2x 3/8" Plug Sparks: 16, 21mm
- · 20x 3/8" Bit Sockets:

Philips: PH1, 2, 3

Torx: T30, 40, 45, 50, 55

Hex: H3, 4, 5, 6, 8, 10

Pozi: PZ1, 2, 3

FD: 4, 5.5, 6.5

- · 1x 3/8" Curved Socket Ratchet
- · 1x 3/8" Universal joint
- · 2x Extensions Bars: 3", 6"

1/4" Drive:

- · 13x 1/4" Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- · 6x 1/4" Deep Sockets: 4, 5, 6, 7, 8mm
- 5x 1/4" E-Torx Sockets: E4, E5, E6, E7, E8
- 1x 1/4" 72T Offset Socket Ratchet
- · 1x 1/4" Universal Joint
- · 2x 1/4" Extension Bars: 2", 4"
- · 1x 1/4" Sliding T-Adaptor: 1/4" (M)
- · 1x 1/4" Spinner Handle
- · 1/4" Bit Holder
- · 10x 1/4" Bit Sockets:

Torx: T10, 15, 20, 25, 27, 30, 40

ST20, 25, 30

Other Tools Included:

- · 3x Ratchet Spanners: 8*10mm, 12*13mm, 17*19mm
- $\cdot \ \, \text{Combination Wrenches: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm}$
- · 9x Hex Keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm















INDUSTRIAL

£165.83

STACKABLE STORAGE CASES

URABLE METAL CLIPS

STACKABLE WITH EACH OTHER

PROFESSIONAL



- · Standard and deep models available
- · Clear lid for easy identification
- · Lid locks with anti-rust latches for stability and endurance, locks all compartments in place
- · Perfect for organising small tools, bolts, screws and other items
- · Weather proof





10 COMPARTMENT STORAGE CASE

JEFSTOCS01

- · Adjustable dividers that can easily slide on and off to customise organiser space



PRICE EX.VAT £19.58

17 COMPARTMENT STORAGE CASE

JEFSTOCS02

- · Wide handle for easy and stable portability
- · Adjustable dividers that can easily slide on and off to customise organiser space
- · Dimensions: 445 x 290 x 70mm





£23_96

10 COMPARTMENT STANDARD STORAGE CASE

JEFST0CS03

REMOVABLE DIVIDERS

- · Wide handle for easy and stable portability



10 COMPARTMENT DEEP STORAGE CASE

JEFSTOCS04D

- · Deep trays for increased storage
- · Wide handle for easy and stable portability
- · Removable trays





PRICE EX.VAT

TUFFBIN STORAGE CONTAINERS & ACCESSORIES

- · Extra wide base for secure stacking
- · Reinforced ribs add strength and avoid spreading
- Ergonomic grip for comfort when moving full bins
- ${\boldsymbol{\cdot}}$ Full length rear lip support provided for hanging bins on louvre panels or rails
- · Made from polypropylene copolymer
- · Strong ribs for optional partitions to increase storage options
- · Label slot for easy content identification
- · Stopper prevents stacked bins from shifting forward









SIZE 2

· Dimensions: 187 x 106 x 76mm

PRODUCT	COLOUR	PRICE EX. VAT
JEFBIN02B	Blue	£2.29
JEFBIN02R	Red	£2.29



SIZE 3

· Dimensions: 205 x 139 x 126mm

PRODUCT	COLOUR	PRICE EX. VAT
JEFBIN03B	Blue	£3.96
JEFBIN03R	Red	£3.96

SIZE 4

· Dimensions: 280 x 210 x 179mm

PRODUCT	COLOUR	PRICE EX. VAT
JEFBIN04B	Blue	£8.13
JEFBIN04R	Red	£8.13





ACCESSORIES

PRODUCT	DESCRIPTION	PRICE EX. VAT
JEFBINPAR04	Partition for Tuffbin Size 4	£1.25
JEFBINPNL01	Wall Panel (457 x 914mm)	£37.46



TOOL RUCKSACK

JEFBAGT01

- · Strong and durable 1680D material
- Four zipped compartments
- Internal pen/notepad holders and laptop compartment



PRICE EX.VAT **£26.67**

15 COMPARTMENT METAL STORAGE CASE

JEFSTOCM15

- · Tough and durable metal case with fifteen plastic removable bins
- · Fitted with a sturdy swing type handle
- Twin-toggle locking catches and one safety catch provide added security
- · Ideal for storing a mixture of small and large fixings and components etc.
- · Case Dimensions: 388 x 280 x 67mm

- · 9 x Small Bins (Orange); Dimensions: 53 x 53 x 61mm;
- · 1 x Medium Bins (Yellow); Dimensions: 106 x 53 x 61mm;
- · 4 x Large Bins (Blue): Dimensions: 106 x 106 x 61mm:
- · 4 x Large Bins (Red); Dimensions: 215 x 105 x 61mm;





IDEAL FOR TRADE

PROFESSIONAL

AND DIY USE

PRICE EX.VAT £31.25

DOUBLE SIDED 29 COMPARTMENT STORAGE CASE

JEFSTOCDS29

- · Polypropylene body with a clear polycarbonate lid
- · Case Dimensions: 375 x 320 x 120mm

Includes:

- · 8 x Removable Bins; Dimensions: 120 x 90 x 55mm:
- · 2 x Large Compartments; Dimensions: 100 x 92 x 55mm
- 15 x Medium Compartments; Dimensions: 72 x 72 x 55mm;
- 4 x Small Compartments; Dimensions: 30 x 92 x 55mm



COMPARTMENTS ON BOTH SIDES



PRICE EX.VAT

44 PIECE WALL MOUNTED STORAGE BIN SYSTEM

JEFBIN44WL

- · Two back panels let you organise the bins and accessories to suit your needs
- · Bins are stackable and can be used independently
- · Dimensions: 540 x 960 x 220mm
- · Overall Capacity: 36kg





Includes:

- 16 x Small Bins (Red); Dimensions: 117 x 103 x 71mm; Capacity: 1kg
- 8 x Medium Bins (Yellow); Dimensions: 163 x 103 x 72mm; Capacity: 1.5kg
- 4 x Large Bins (Blue); Dimensions: 213 x 103 x 72mm; Capacity: 2kg
- 14 x Tool Storage Accessories
- · 2 x Mount Panels

PRICE EX.VAT

47 PIECE FREE STANDING STORAGE BIN SYSTEM

JEFBIN47FS

- · Single sided free-standing design can be positioned against a wall to maximise available floor space · Complete with a top tray with 8kg
- capacity for extra storage · Heavy duty metal frame with
- black powder coated finish · Dimensions: 1130 x 950 x
- 335mm · Overall Capacity: 70kg

Includes:

- 32 x Small Bins (Red); Dimensions: 163 x 104 x 74mm; Capacity: 1kg
- · 15 x Large Bins (Blue); Dimensions: 230 x 148 x 125mm; Capacity: 2kg



PRICE EX.VAT £143_33

94 PIECE MOBILE STORAGE BIN SYSTEM

JEFBIN94WHL

- · Two-sided design facilitates split work areas or dividing types of parts
- · Complete with a top tray (8kg capacity) and bottom tray (15kg capacity)
- · Mounted on four swivel wheels with two lockable wheels
- · Dimensions: 1220 x 905 x 535mm
- · Overall Capacity: 147kg

Includes:

- · 64 x Small Bins (Red); Dimensions: 163 x 104 x 74mm; Capacity: 1kg
- 30 x Large Bin (Blue); Dimensions: 230 x 148 x 125mm; Capacity: 2kg







PRICE EX.VAT



MODULAR STORAGE SYSTEM COMBO

JEFMSSCOMBO-01

- $\cdot \ \ \text{Modular storage system with wooden work bench}$
- · Welded construction with powder coated finish
- · Lockable units
- · Partial self-assembly required
- · LEDs to illuminate worktop
- · Overall dimensions (LxBxH): 2594 x 457mm x 1845mm
- · Supplied with brackets

THE PERFECT ACCESSORIES

MAGNETIC LIGHTING FROM PAGE 126

MAGNETIC ACCESSORIES ON PAGE 123



GAS STRUTS ON LIFT-UP DOORS



HEAVY DUTY BALL-BEARING SLIDES ON ALL DRAWERS



FULLY ADJUSTABLE SHELF HEIGHT



PEGBOARD BACK PANEL WITH LEDS TO ILLUMINATE WORKTOP




DURABLE WOODEN WORKTOP



ADJUSTABLE FEET FOR LEVELLING ON UNEVEN SURFACES







DRAWER UNIT

LARGE SHELVING UNIT



SMALL SHELVING UNIT

Dimensions & Capacities:

- Large Shelving Unit (3 Shelves):
 Dimensions: 762 x 457 x 1845mm
 Max. Capacity Per Shelf: 40kg
- Small Shelving Unit (1 Shelf):
 Dimensions: 608 x 432 x 836mm
 Max. Capacity Per Shelf: 40kg
- Horizontal Shelving Unit (3 Units):
 Dimensions: 1830 x 306 x 338mm
 Max. Capacity Per Shelf: 8kg
- Drawer Unit:
 Dimensions: 608 x 432 x 836mm
 Drawer 1: 498 x 345 x 63mm
 Drawers 2 & 3: 498 x 345 x 154mm
 Drawer 4: 498 x 345 x 200mm
- · Work Bench: 1830 x 381 x 25mm

SHEAVY DUTY WORKSHOP TROLLIES & IDEAL FOR USE IN GARAGES & WORKSHOPS CLOCKABLE CASTOR WHEELS

3-LEVEL WORKSHOP TROLLEY

JEFTTROL01

- · Side handle for comfort and control when manoeuvring
- · Capacity: 150kg
- · Weight: 23kg

Dimensions

- · Overall: 870 x 400 x 875mm
- · Shelves: 770 x 400 x 75mm
- · Handle: 100 x 400 x 120mm







2-LEVEL WORKSHOP TROLLEY WITH LOCKABLE DRAWER

JEFTTROL02

- soft close ball bearing runners · Overall: 880 x 415 x 765mm
- · Capacity: 194kg
- · Weight: 20.4kg

- · Shelves: 765 x 400 x 75mm · Drawer: 635 x 340 x 85mm



5 TRAY CANTILEVER TOOL BOX

JEFTB505

- Steel box
- · Accepts padlock for extra security
- · Carry handle
- · Heavy duty
- · 5 sections
- · Fold out design
- Dimensions: 541 x 213 x 221mm



AVAILABLE AS AN 85 PIECE TOOL KIT (JEFTB085-ME) PAGE 194

FOLD OUT DESIGN WITH 5 SECTIONS

PRICE EX.VAT £37.92



FEATURES

- · Compact and easy to manoeuvre
- · Will hold parts, power tools or bulky equipment too big for a tool chest
- · 4x swivel castor wheels (2 lockable)



2-LEVEL WORKSHOP TROLLEY **WITH SLIDING TOP & DRAWERS**


JEFTTROL03

- · Lockable sliding top with textured rubber work surface
- · Soft close ball bearing drawer runners
- · Twin sliding drawers
- · Capacity: 158kg
- · Weight: 27kg

- · Overall: 838 x 355 x 700mm (1210mm when top opened full)
- · Base shelf: 700 x 360 x 85mm











2-LEVEL WORKSHOP TROLLEY WITH GAS-SPRUNG LID & DRAWERS

JEFTTROL04

- · 5x latched drawers with non-slip liners
- · Lined base shelf ideal for larger parts
- · Features rear locking mechanism which engages once the lockable top lid is closed, adding extra security
- · Side shelf ideal for tools, spray tins or small parts
- · Soft close ball bearing drawer runners
- · Capacity: 320kg
- · Weight: 64kg

Dimensions

- Overall: 1050 x 515 x 940mm
- · Shelves:

Top: 660 x 480 x 120mm Bottom: 770 x 490 x 90mm

- · Drawers:
- 1: 295 x 430 x 55mm
- 2: 300 x 430 x 120mm
- 3: 624 x 430 x 70mm
- 4: 624 x 430 x 120mm





60" ADJUSTABLE WORK TABLE WITH DRAWER

JEFTBL05-01

- Ideal for use in garages and workshops
- · 30mm hard-wearing hardwood worktop
- · 17-18 gauge heavy-duty steel legs
- · Soft close ball bearing drawer runners
- · Drawer Capacity: 30kg
- Capacity: 589kg Dimensions:
- 1524mm x 558mm
- Height 791mm adjustable to 1016mm





7 + 3 DRAWER PROFESSIONAL TOOL CHEST

- · Anti-slip worktop mat
- Centralised security locking system
- · Integrated ergomomic handle within the worktop
- · Full-extension ball bearing drawer slides
- · High strength aluminium alloy drawer pull
- \cdot 4 x heavy duty castors roll smoothly over uneven \cdot 1/4" Deep Socket: 5, 6, 7, 8, 9, 10, 11, surfaces and provide a 240kg loading rate
- · Dimensions:

3 drawer top: 675 x 465 x 335mm 7 drawer bottom: 675 x 465 x 950mm

AVAILABLE AS A STAND ALONE 7 + 3 DRAWER TOOL CHEST (JEFTB203), OR INCLUDING A FULL **173 PIECE TOOL KIT** (JEFTB203-173TK)



· 1/2" Socket: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32mm

1/4" Socket: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, · Combination wrenches: 6, 7, 8, 9, 10, 11, 11, 12, 13, 14mm

12, 13mm

· 25mm 1/4" Bit Socket: Torx: 8, 10, 15, 20, 25, 27, 30, 40 Phillips: 1, 2, 3

Pozi: 1, 2, 3

Slotted: 4, 5.5, 7 Hex: 3, 4, 5, 6, 7, 8mm

- · Spinner Handle: 1/4"
- · Universal joints: 1/2" & 1/4"
- · Sliding bars: 1/2" & 1/4" · Ratchet handles: 1/2" & 1/4"
- · 1/2" Extension bar: 125 250mm
- · 1/4" Extension bar: 50-100mm

- · Double Ring Wrenches: 6-7mm, 8-9mm, 10-11mm, 12-13mm, 14-15mm, 16-17mm, 18-19mm, 20-22mm
- 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22mm
- Hex Keys: 2*100mm, 2.5*100mm, 3*100mm, 4*150mm, 5*150mm, 6*150mm



- · Screwdriver: 16-21
- · Screwdriver: 8"
- · Precision screwdriver: SL1.4-2-2.4-3; PH0, 00, 1"
- · Screwdriver: 3x75, 4x100, 5.5x125, 6.5x150; PH1x100, PH2x100
- · Hex key: 2, 2.5, 3, 4, 5, 6, 8mm



- · Combination pliers: 8"
- · Long Nose Pliers: 8"
- · Diagonal Cutting Pliers: 7.5"
- · Lock Grip Pliers: 10"
- · Water Pump Pliers: 10'
- · Machinist's hammer: 500g
- · Mallet: 40mm





PROFESSIONAL 😃

7 DRAWER PROFESSIONAL TOOL CHEST WITH 146 TOOLS

JEFTB202-146TK

- · 1/2" socket: 9, 10, 11, 12, 13, 14. 15. 17. 19. 20. 21. 22. 23. 24, 25, 27, 30, 32mm
- · 1/4" sockets: 4, 4.5, 5, 5.5, 6, 7, · Spinner handle: 1/4" 8, 9, 10, 11, 12, 13, 14mm
- · 1/4" deep sockets: 4, 5, 5.5, 6, 7, 8, 9, 10mm
- · 1/2" deep socket: 12, 13, 14, 15, 17, 19, 22mm
- · 1/2" E-socket: E10, E11, E12, F14 F16
- · 1/4" E-socket: E4, E5, E6, E7, E8
- · Spark plug socket: 16, 21mm

- · 1/2" dr. Sliding bar: 250mm
- · 1/2" extension bar: 125-250mm
- · Universal joint: 1/2", 1/4"
- · 1/4" dr. sliding bar: 115mm
- · 1/4" extension bar: 50-100mm
- · Ratchet handle: 1/2" dr., 1/4" dr.

· Machinist's hammer: 500g

4*10*150mm, 5*10*150mm,

6*10*150mm, 3*10*150mm,

15*12*150mm, 21*16*200mm

· Chisels: 3*10*150mm,

· Combination pliers: 8"

· Long nose pliers: 8"

· Diagonal cutting pliers: 7.5"

· Water pump pliers: 10" D4

- · Bit sockets: Hex: 3, 4, 5, 6, 8
- Slotted: 4, 5.5, 7 Phillips: 1, 2

Pozi: 1. 2

Torx: 8, 10, 15, 20

· Mallet: 40mm



- · Combination wrenches: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm
- · Ratchet combination wrenches: 8, 9, 10, 11, 12, 13, 14, 17, 19mm
- · Adjustable wrenches: 8"

· Screwdrivers:

8*150mm

1*125, 2*150, 3*150

- · T-handle hex key: 2*100mm, 2 5*100mm 3*100mm 4*150mm, 5*150mm, 6*150mm
- Slotted: 6*38mm, 5*75mm, 3*75mm, Pick up tool: 25"
 - Measuring Tape: 3m/10ft
 - · Ruler: 300mm
 - · Vernier caliper: 150mm
 - · File: round, half round, square, triangle, flat
 - · Circlip pliers: 6"













PRICE EX.VAT







4*100mm, 5*100mm, 6*125mm,

Phillips: 2*38, 0*75, 1*100, 2*100,

Torx: T10*75mm, T15*75mm,

T20*100mm, T25*125mm. T27*150mm, T30*150mm, T40*200mm









7 + 3 DRAWER PROFESSIONAL TOOL CHEST WITHOUT TOOLS

JEFTB203

PRICE EX.VAT £490_83

7 + 3 DRAWER PROFESSIONAL TOOL **CHEST WITH 173 TOOLS**

JEFTB203-173TK

PRICE EX.VAT £690.83

150 PIECE TOOL SET

KIT-JEFTB-012

- · Complete tool chest set, fitted with EVA foam to hold tools safely in place
- · Set includes a wide range of essential hand tools from Jefferson Tools
- · JEFTBX06A 6 Drawer Top Chest Red
- · Maximum storage load: 70kg
- Chest dimensions (W x H x D): 660 x 380 x 300mm























- · 7" Combination Pliers
- · 6" Diagonal Cutting Pliers
- · 6" Long Nosed Pliers

- 52 Piece 1/4" Socket Set
- · 72 Tooth Ratchet Gear
- 13 x 1/4"Dr. Socket including: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10,
- 7 x 1/4"Dr. Deep Socket including: 6, 7, 8, 10, 11, 12, 13mm
- 21 x 1/4"Dr. Bit Sockets including: T10, 15, 20, 25, 30, 40, H3, 4, 5, 6, 7, 8, PH1, 2, 3, PZ1, 2, 3, SL4, 5.5, 7
- 2 x 1/4"Dr. Extension Bar: 50mm & 100mm
- 1 x 1/4"Dr. Spinner Handle
- · 1 x 1/4"DR. Universal Joint
- · 1 x 1/4"Dr. Bit Adaptor
- 1 x 1/4"DR. Flexible Extension bar 150mm
- · 1 x 1/4"Dr. Ratchet Wrench 72T
- · 3 x Hex Key Wrench 1.5-2-2.5mm
- · 1 x T-Sliding handles
- · 9 Piece Ball-Hex Key Set including: 1.5mm, 2.0mm, 2.5mm, 3.0mm, 4.0mm, 5.0mm, 6.0mm, 8.0mm, 10.0mm
- Digital Vernier Calipers

- · 8" Adjustable Wrench
- · High-Vis Green Utility Knife
- · 12" Professional Hacksaw
- · 10" Straight Jaw Vice Grips
- · 5m Professional Measuring Tape
- · 32oz Ball Pein Hammer

- 12 Combination Spanners
- Sizes include: 6, 7, 8, 9, 10, 11, 12, 13, 15, 17, 19, 22mm
- 10" Water Pump Pliers
- 7 Screwdrivers including: 3x Slotted: 6 x 150mm, 5 x 75mm, 3 x 75mm
 - 3x Phillips: PH2 x 100mm, PH1 x 75mm, PH0 x 75mm 1x Pozi: PZ2 x 100mm



35 Piece 3/8" Socket Set

- · 1 x 72 Tooth Ratchet Gear
- · 17 x 3/8" Dr. Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm
- · 5 x 3/8" Deep Sockets: 8, 10, 13, 17, 19mm
- · 7 x Hex Dr. Sockets: 3, 4, 5, 6, 7, 8, 10mm
- · 2 x Spark Plug Sockets: 16, 24mm
- · 2 x 3/8" Dr. Extension Bar: 75mm, 250mm
- · 1 x 3/8" Dr. Sliding Head: 250mm
- · 2 x 3/8" Dr. Spark plug socket: 16mm, 21mm
- · 1 x 3/8" Dr. Universal Joint

24 Piece 1/2" Socket Set

- · 72 Tooth Ratchet Gear
- · 17 x 1/2"Dr. Socket including: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
- · 2 x 1/2"Dr. Extension Bar: 75mm, 250mm
- · 1 x 1/2"Dr. Sliding head: 1/2" (M) x 3/8" (F)
- · 2 x 1/2"Dr. Spark plug socket: 16mm, 21mm
- · 1 x 1/2"Dr. Universal Joint
- · 1 x 1/2"Dr. Ratchet Wrench: 72T



HEAVY DUTY TOOL CHESTS

SLOCKING MECHANISM FOR ADDED SECURITY



4 DRAWER TOP CHEST

JEFTBX04A

- · Maximum storage load: 90kg
- · Chest Dimensions: 660 x 307 x 377mm
- · Weight: 20kg



DRAWER 1

DRAWERS 1, 2 & 3 570 X 267 X 48MM **DRAWER 4** 570 X 267 X 74.5MM

PRICE EX.VAT £176.67

6 DRAWER TOP CHEST

JEFTBX06A

- · Maximum storage load: 90kg
- · Chest Dimensions: 660 x 307 x 377mm
- · Weight: 22kg



DRAWER DIMENSIONS

171 X 267 X 48MM DRAWER 6 570 X 406 X 153.5MM

PRICE EX.VAT £189.58

3 DRAWER MIDDLE CHEST

JEFTBX03A

- · Maximum storage load: 70kg
- · Chest Dimensions: 669 x 315 x 267mm
- · Weight: 14.5kg



DRAWER DIMENSIONS

DRAWERS 1 & 2 570 X 267 X 48MM DRAWER 3 570 X 267 X 74.5MM

PRICE EX.VAT

5 DRAWER MOBILE TOOL CHEST

JEFTBX05A

- · Supplied with smooth running castors
- · Maximum storage load: 250kg

DRAWER DIMENSIONS

- · Chest Dimensions: 680 x 458 x 812mm
- · Weight: 44kg



7 DRAWER MOBILE TOOL CHEST

JEFTBX07A

- · Supplied with smooth running castors
- · Maximum storage load: 250kg
- · Chest Dimensions: 680 x 458 x 995mm
- · Weight: 57.5kg



4 X HEAVY DUTY CASTOR WHEELS INCLUDED

DRAWER DIMENSIONS

DRAWERS 1, 2, 3, 4 & 5 570 X 406 X 74.5MM DRAWERS 6 & 7 570 X 406 X 153.5MM

£332.50

570 X 406 X 153.5MN

SDRAWER LINERS AND TOP MAT FOR TOOL AND DRAWER PROTECTION

BALL BEARING DRAWER SLIDERS FOR SMOOTH OPERATION





TOOL CHEST KIT - OPTION 1

KIT-JEFTBX-01

- · Kit includes: JEFTBX04A JEFTBX03A JEFTBX05A
- · Kit Dimensions: 680 x 458 x 1450mm



£632.09

£574.17

TOOL CHEST KIT - OPTION 2

KIT-JEFTBX-02

- · Kit includes: JEFTBX06A JEFTBX03A JEFTBX07A
- · Kit Dimensions: 680 x 458 x 1630mm



£708.33 EX. VAT

£629.17





PAGE 167

PROFESSIONAL TOOL CHESTS



⊗POWDER COATED FINISH ⊗PVC DRAWER LINERS

12 DRAWER PROFESSIONAL TOOL CHEST

JEFTB42-12C

- Easily manoeuvred 12 drawer professional tool chest
- Soft close ball bearing drawer runners offer a smooth, silent closing motion
- · 2x cable access grommets in top hatch
- Tough and rust-resistant powder coat finish increases product lifespan
- 3mm PVC drawer liners, reduce noise and damage on both the tool chest and tools inside
- · Max. Load (per drawer): 45kg
- · Dimensions: 1730 x 1150 x 550mm
- · Weight: 148kg









5 DRAWER PROFESSIONAL WORK STATION

JEFTB46-5WS

- · Easily manoeuvred 5 drawer professional work station
- · Hard-wearing hardwood worktop
- · Tough and rust-resistant powder coat finish increases product lifespan
- 3mm PVC drawer liners, reduce noise and damage on both the tool chest and tools inside
- · Max. Load (per drawer): 45kg
- · Dimensions: 1235 x 840 x 525mm
- · Weight 82kg











SOFT CLOSE DRAWER RUNNERS HEAVY DUTY CASTOR WHEELS





14 DRAWER PROFESSIONAL TOOL CHEST

JEFTB56-14C

- · Tough and rust-resistant powder coat finish increases product lifespan
- · 3mm PVC drawer liners
- · 2x gas strut top lid support
- · 2x cable access grommets in top hatch
- · Ball bearing drawer runners
- · Heavy duty castors: 2x fixed
- 4x swivel (2x with brake) · Dimensions: 1800 x 1400 x 560mm

CABLE ACCESS GROMMETS


· Weight: 250kg















3MM PVC DRAWER LINERS



POWER TOOL DRAWER



14 DRAWERS





1800MM (...) 560MM 1400MM





INDUSTRIAL

⊗POWDER COATED FOR DURABILITY AND RUST RESISTANCE TOOL CHESTS SFITTED WITH RELIABLE LOCKING MECHANISMS

41" 8 DRAWER TOP **TOOL CHEST**

JEFTB41-8T

· Lockable cabinet doors



41" 12 DRAWER TOP **TOOL CHEST**

JEFTB41-12T



(LxBxH): 1028 x 435 x 495MM

52" 10 DRAWER TOP **TOOL CHEST**

JEFTB52-10T



(LxBxH): 1294 x 435 x 490MM

PRICE EX.VAT £529.17

41" SINGLE DRAWER MIDDLE TOOL CHEST

JEFTB41-1M



(LxBxH): 1033 x 440 x 170MM

PRICE EX.VAT £151.67

52" SINGLE DRAWER MIDDLE TOOL CHEST

JEFTB52-1M

PRICE EX.VAT

£499.17



(LxBxH): 1300 x 440 x 170MM

PRICE EX.VAT £182.50

41" 8 DRAWER BOTTOM **MOBILE TOOL CHEST**

JEFTB41-8B



(LxBxH): 1130 x 465 x 990MM

PRICE EX.VAT £595.83

41" 12 DRAWER BOTTOM **MOBILE TOOL CHEST**

JEFTB41-12B



(LxBxH): 1130 x 465 x 990MM

PRICE EX.VAT £657.50

52" 13 DRAWER BOTTOM MOBILE TOOL CHEST

JEFTB52-13B



(LxBxH): 1385 x 465 x 990MM

PRICE EX.VAT £799.17

SANTI-SLIP LINERS TO KEEP TOOLS NEAT & TIDY ROLLER BEARING FUNCTION FOR SMOOTH OPENING & CLOSING





INDUSTRIAL

COMPLETE INDUSTRIAL TOOL CHEST KITS

41" TOOL CHEST KIT - OPTION 1

KIT-JEFTBBLK01

Includes:

- JEFTB41-8T: 41" 8
 Drawer Top Tool Chest
- JEFTB41-1M:
 41" Single Drawer
 Middle Tool Chest
- JEFTB41-12B: 41" 12 Drawer Bottom Mobile Tool Chest



PRICE EX.VAT £1129.00 41" TOOL CHEST

KIT - OPTION 2

Includes:

JEFTB41-12T: 41" 12
 Drawer Top Tool Chest

KIT-JEFTBBLK02

- JEFTB41-1M: 41"
 Single Drawer Middle
 Tool Chest
- JEFTB41-8B: 41" 8
 Drawer Bottom Mobile
 Tool Chest



E1275.00 EX. VAT

8 DRAWER SIDE LOCKER

JEFTB16-8S



(LxBxH): 470 x 406 x 851MM

£319.17

52" TOOL CHEST KIT WITH SIDE LOCKER - OPTION 3

£1246.67

KIT-JEFTBBLK03

Includes:

- JEFTB52-10T: 52" 10 Drawer Top Tool Chest
- JEFTB52-1M: 52" Single Drawer Middle Tool Chest
- JEFTB52-13B: 52" 13 Drawer Bottom Mobile Tool Chest
- · JEFTB16-8S: 8 Drawer Side Locker





TRUCK BOXES & 2X SHIELDED LOCKING POINTS

STEEL CONSTRUCTION SPRE-DRILLED FIXING HOLES

STOUGH WATERPROOF
TEXTURED POWDERED COATING

400MM HIGH SITE SAFE TRUCK BOX

JEFTB400

- · Storage Capacity: 90 Litres
- · Max. Load: 300kg



PRICE EX.VAT

SITE SAFE

570MM HIGH SITESAFE TRUCK BOX

JEFTB570

- · Storage Capacity: 170 Litres
- · Max. Load: 500kg



PRICE EX.VAT £345.83

SITE

700MM HIGH SITESAFE TRUCK BOX

JEFTB700

· Storage Capacity: 420 Litres





PRICE EX.VAT £445.00

850MM HIGH SITESAFE TRUCK BOX

JEFTB850

· Storage Capacity: 740 Litres



PRICE EX.VAT

- · Integrated forklift skids on 570mm, 700mm and 850mm (SiteSafe only) models
- · Gas struts and castor wheels available to purchase separately





570MM HIGH AGRISAFE TRUCK BOX

JEFASB570

- · Storage Capacity: 170 Litres
- · Max. Load: 500kg
- · Dimensions: 915 x 440 x 570mm
- · Weight: 33.1kg



PRICE EX.VAT

700MM HIGH AGRISAFE TRUCK BOX

JEFASB700

- Storage Capacity: 420 Litres
- · Max. Load: 500kg
- · Dimensions: 1220 x 610 x 700mm



£445,00

GAS STRUTS FOR SAFE SITE & AGRI SAFE TRUCK BOXES

- · Replacement gas struts for Jefferson SiteSafe
- & AgriSafe Truck Boxes
- · Sold individually



| PRODUCT | COMPATIBLE WITH | DIMENSIONS | PRICE
Ex. Vat |
|----------------|----------------------|-----------------|------------------|
| JEFTBGSTRUT400 | JEFTB400 | 405 x 17 x 17mm | £15.63 |
| JEFTBGSTRUT570 | JEFTB570 & JEFASB570 | 422 x 17 x 17mm | £16.63 |
| JEFTBGSTRUT700 | JEFTB700 & JEFASB700 | 521 x 17 x 17mm | £18.75 |

5" RUBBER HEAVY DUTY CASTOR WHEEL SET

JEFTBCASTSET

- · 5" Ball-bearing rubber castor set with grease nipples
- · 2 x swivel/braked wheel,
 - 2 x fixed wheels















POWER HOISTS

- · Compact, general purpose electric power hoist
- · Ideal for all manner of lifting work
- Easy to install and supplied with fixing clamps for fitting the hoist on square box section beams
- Includes remote control for convenient operation
- Approved and tested to EU and UK Lifting Gear Regulations
- · Ingress Protection: IP54
- · Insulation Class: B







| | PRODUCT | LOAD CAPACITY | LIFT
HEIGHT | MOTOR
Power | LIFTING
Speed | CABLE
DIAMETER | WEIGHT | PRICE
Ex. Vat |
|---|-------------|----------------|----------------|----------------|------------------|-------------------|--------|------------------|
| 1 | JEFP0WH250 | 125kg / 250kg | 12m / 6m | 540W | 10m/min | 3.0mm | 11kg | £155.83 |
| 2 | JEFPOWH400 | 200kg / 400kg | 12m / 6m | 950W | 5m/min | 3.8mm | 17kg | £214.17 |
| | JEFPOWH600 | 300kg / 600kg | 12m / 6m | 1200W | 8m/min | 4.5mm | 17.5kg | £240.83 |
| | JEFPOWH1000 | 500kg / 1000kg | 12m / 6m | 1600W | 4m/min | 5.6mm | 33kg | £365.83 |



TUNDRA MAGNETIC LIFTERS

These magnetic lifters are designed to lift a variety of loads including steel, iron, round and other magnetic materials. The equipment eliminates the need for clamps, slings and chains allowing for increased working efficiency in busy garages and workshops. This equipment does not require a power source.



| | | | | - 20 | | No. of Concession, Name of Street, or other Designation, Name of Street, Name | | |
|---|-------------|----------|---------------------------|--------------------------|------------------------|---|--------|------------------|
| ١ | PRODUCT | CAPACITY | MAX LOAD
(ROUND STEEL) | MAX LOAD
(FLAT STEEL) | MAX BREAKAWAY
FORCE | DIMENSIONS | WEIGHT | PRICE
Ex. Vat |
| , | TUNMAGL0100 | 100kg | 50kg | 100kg | 350kg | 92 x 64 x 72mm | 3.2kg | £224.17 |
| | TUNMAGL0300 | 300kg | 135kg | 300kg | 1050kg | 162 x 91 x 89mm | 10kg | £320.83 |
| | TUNMAGL0600 | 600kg | 300kg | 600kg | 2100kg | 231 x 121 x 116mm | 24kg | £487.50 |
| 1 | TUNMAGL1000 | 1000kg | 500kg | 1000kg | 3500kg | 260 x 150 x 158mm | 50kg | £745.83 |

INDUSTRIAL

TUNDRA CHAIN BLOCKS

This equipment has been designed for vertically lifting and lowering loads by hand, under normal atmospheric conditions in a safe working environment.

- · Heavy duty lifting capacity
- Fitted with heat treated and ground, triple-spur geared shaft and pinion
- Also includes mechanical load brake for extra safety
- All chains are manufactured from hardened alloy material and load hooks feature safety latches
- Compact gear housing allows use where headroom is limited
- · Standard lift: 3m



INDUSTRIAL

| PRODUCT | CAPACITY | PRICE
EX. VAT |
|------------|----------|------------------|
| TUNCB0.5-3 | 500kg | £111.67 |
| TUNCB1.0-3 | 1000kg | £124.17 |
| TUNCB1.5-3 | 1500kg | £165.00 |
| TUNCB2.0-3 | 2000kg | £186.67 |
| TUNCB3.0-3 | 3000kg | £248.33 |

TUNDRA LEVER BLOCKS

This equipment has been designed for vertically lifting and lowering loads by hand, in a safe working environment.

- Heavy duty Lever block with 3.0m standard lifting capacity
- Fitted with heat treated and ground, triple-spur geared shaft and pinion
- Also includes mechanical load brake for extra safety
- All chains are manufactured from hardened alloy material and load hooks feature safety latches
- Compact gear housing allows use
 where headroom is limited
- · Standard lift: 3m



INDUSTRIAL

| PRODUCT | CAPACITY | PRICE
Ex. Vat |
|-------------|----------|------------------|
| TUNLB0.75-3 | 750kg | £148.33 |
| TUNLB1.50-3 | 1500kg | £172.92 |
| TUNLB3.00-3 | 3000kg | £270.83 |
| TUNLB6.00-3 | 6000kg | £370.83 |



TUNDRA LOW HEIGHT HYDRAULIC CYLINDERS

- Fitted with stopping ring, this protects the cylinder when the piston comes to a stop because it absorbs the weight from the other side
- · Spring loaded piston which allows for quick release
- Chrome plated cylinder wall and primary piston to prevent corrosion and reduce friction















TUNDRA®
HYDRAULIC
CYLINDERS
PROVIDE A
RELIABLE DEVICE
FOR SAFELY LIFTING
LARGE STRUCTURES

| | PRODUCT | CAPACITY | STROKE | CLOSED
HEIGHT | EXTENDED
HEIGHT | LENGTH X WIDTH | INSIDE
Diameter | PISTON ROD
DIAMETER | NET WEIGHT | PRICE
Ex. Vat |
|---|----------------|----------|--------|------------------|--------------------|----------------|--------------------|------------------------|------------|------------------|
| 1 | TUNHYDCY30-13L | 30 Tonne | 13mm | 62mm | 75mm | 123mm x 98mm | 75mm | 64mm | 4.6kg | £239.17 |
| | TUNHYDCY50-16L | 50 Tonne | 16mm | 72mm | 88mm | 148mm x 120mm | 95mm | 70mm | 7.8kg | £329.17 |

TUNDRA LOW HEIGHT MULTI-STAGE HYDRAULIC CYLINDERS

- Lightweight, low-profile design for use in confined spaces
- Baked enamel finish for increased corrosion resistance
- · Easy to transport

TURBURY HONORAULE TRANSPORTER TO THE PARTY OF THE PARTY O

COMPATIBLE WITH TUNHNDPMP, TUNHNDPMP-700A & TUNHNDPMP-A HYDRAUI IC HAND PIIMPS

R2 3/8"CONNECTION

30 50 TONNE

INDUSTRIAL

TUNDRA® HYDRAULIC CYLINDERS ARE IDEAL FOR LIFTING LARGE STRUCTURES IN CONFINED SPACES

| | PRODUCT | CAPACITY | STROKE | CLOSED HEIGHT | EXTENDED
Height | LENGTH X WIDTH | NET WEIGHT | PRICE
EX. VAT |
|---|----------------|----------|--------|---------------|--------------------|----------------|------------|------------------|
| 1 | TUNHYDCY30-54M | 30 Tonne | 54mm | 64mm | 118mm | 123mm x 98mm | 4.7kg | £312.50 |
| | TUNHYDCY50-69M | 50 Tonne | 66mm | 74mm | 140mm | 148mm x 120mm | 7.9kg | £362.50 |

TUNDRA LARGE STROKE HYDRAULIC CYLINDERS

- Fitted with stopping ring, this protects the cylinder when the piston comes to a stop because it absorbs the weight from the other side
- · Spring loaded piston which allows for quick release
- Fitted with 0-ring for outstanding seal performance and a long service life
- TUNHYDCY30-100 & TUNHYDCY30-150 compatible with TUNHNDPMP-700A & TUNHNDPMP-A Tundra Hydraulic Hand Pumps
- TUNHYDCY100-100 compatible with TUNHNDPMP, TUNHNDPMP-700A & TUNHNDPMP-A Tundra Hydraulic Hand Pumps



TUNDRA® HYDRAULIC CYLINDERS ARE IDEAL FOR LIFTING LARGE STRUCTURES



INDUSTRIAL

R2 3/8"CONNECTION

| | | PRODUCT | CAPACITY | STROKE | CLOSED
HEIGHT | EXTENDED
HEIGHT | | INSIDE
DIAMETER | PISTON ROD
DIAMETER | NET
WEIGHT | PRICE
EX. VAT |
|-------|---|-----------------|-----------|--------|------------------|--------------------|-------|--------------------|------------------------|---------------|------------------|
| | 3 | TUNHYDCY30-100 | 30 Tonne | 100mm | 187mm | 287mm | 103mm | 75mm | 65mm | 10.7kg | £299.17 |
| 100 | 1 | TUNHYDCY30-150 | 30 Tonne | 150mm | 237mm | 387mm | 103mm | 75mm | 65mm | 13.5kg | £362.50 |
| TONNE | 2 | TUNHYDCY100-100 | 100 Tonne | 100mm | 232mm | 332mm | 168mm | 135mm | 90mm | 30.6kg | £482.50 |

TUNDRA 30 TONNE HIGH CAPACITY HOLLOW PLUNGER HYDRAULIC CYLINDER

TUNHYDCY30-150HW

- · Hollow plunger design allows for both push & pull forces
- · Single-acting, with hydraulic advance and spring return
- · Manufactured from high-strength, durable alloy steel
- · Anti-corrosive baked enamel finish
- · With R2 3/8" Male quick connector and protective dust cap
- · Stroke: 150mm
- Effective area: 47 7cm²
- · Closed Height: 312mm
- · Extended Height: 462mm
- Outside Diameter: 114mm
- · Inside Diameter: 90mm
- · Piston rod Diameter: 63mm
- · Piston Rod Bore: 33mm
- · Hose connection: 3/8"
- · Weight: 20kg



COMPATIBLE WITH TUNHNDPMP-700A & TUNHNDPMP-A Hydraulic Hand Pumps



INDUSTRIAL

£515.83

3/8" MALE OUICK

CONNECTOR

TELESCOPIC TRESTLE

JEFTRESTEL

- · Heavy-duty adjustable steel work trestle
- · Telescopic action with height-adjusting locking bars
- Dual-locking safety arms & folding support braces for rigidity when working
- · Adjustable height: 810mm 1310mm
- · Folds down for safe, compact storage
- · Manufactured from tough & durable box section steel
- · Sold individually

SOLD AS SINGLE UNITS





£24.96

DOUBLE CYLINDER TROLLEY

JEFCYLTRL08-D

- Perfect for moving cylinders around job sites
- Durable steel rimmed wheels with roller bearings and solid rubber tyres
- Includes safety chain for securely holding cylinders
- Maximum Cylinder Diameter: 240mm
- Dimensions (h x w): 1040mm x 470mm
- · Middle Bar Height: 740mm



£105.00

DOUBLE CYLINDER TROLLEY (3 WHEELED)

JEFCYLTRL14-D3

- Three wheels for extra stability and safety while moving cylinders around job sites
- Strong, durable steel rimmed wheels with roller bearings and solid rubber tyres
- Includes safety chain for securely holding cylinders
- · Supplied with lockable storage box
- Maximum Cylinder Diameter: 315mm
- Dimensions (h x w):
- Middle Bar Height: 863mm









DOUBLE CYLINDER TROLLEY (SINGLE HANDLE)

JEFCYLTRL06-D

- Perfect for moving cylinders around job sites
- Durable steel rimmed wheels with roller bearings and solid rubber tyres
- Includes safety chain for securely holding cylinders
- Maximum Cylinder Diameter: 190mm
- Dimensions (h x w): 1040mm x 400mm
- · Middle Bar Height: 495mm



PRICE EX.VAT **£69.17**

SINGLE CYLINDER TROLLEY

JEFCYLTRL08-S

- Perfect for moving cylinders around job sites
- Durable steel rimmed wheels with roller bearings and solid rubber tyres
- Includes safety chains for securely holding cylinders
- Maximum Cylinder Diameter: 215mm
- Dimensions (h x w): 1115mm x 255mm
- · Middle Bar Height: 800mm











SINGLE HANDLE HAND TRUCK JEF1805 - Height: 1300mm - Overall Width: 540mm - Platform Depth: 220mm - Wheel Type: Inflatable - Wheel Size: 265mm - Weight: 10kg COMPATIBLE WITH INFLATABLE OR SOLID WHEELS PRICE EX.VAT £51.67







HAND TRUCK SPARE WHEELS



| | PRODUCT | DESCRIPTION | PRICE
Ex. Vat |
|---|------------------|---------------------------------------|------------------|
| 1 | JEFWHEEL1805 | Spare Wheel for JEF1805 | £12.67 |
| 2 | JEFWHEEL1805-S | Solid Spare Wheel for JEF1805 | £14.13 |
| | JEFWHEEL1805-PUY | Puncture Proof Wheel for JEF1805/1806 | £14.58 |
| | JEFWHEEL0101-S | Solid Spare Wheel For JEF0101 | £16.63 |
| | JEFWHEEL1806 | Pneumatic Spare Wheel For JEF1806 | £12.67 |
| | JEFWHEEL1806-S | Solid Spare Wheel For JEF1806 | £14.13 |
| | JEFWHEEL1823 | Spare Wheel for JEF1823 | £12.67 |
| | JEFWHEEL1823-S | Solid Spare Wheel for JEF1823 | £14.13 |
| 3 | JEFWHEEL1823-PUY | Puncture Proof Wheel for JEF1823 | £14.58 |
| | | | |

PUNCTURE PROOF WHEELBARROW WHEEL

JEFWHLBARW-Y

- Puncture proof wheel for various wheelbarrows
- Includes steel axle and two plastic caps
- · Diameter: 395mm
- · Width: 90mm



£24.96



ELECTRIC PALLET TRUCKS

& EASY MAINTENANCE ✓ 2 SPEEDS

& REMOTE CONTROL **W** LOW PROFILE FORKS

- · Similar size and weight to a manual pallet truck
- · Effortless for operator to manouveure, reducing strain
- · Brushless motor for easy maintenance
- · 6% gradeability with full load
- · Long service life lithium battery
- · Reinforced rocker arm, push rod, wheel frame and support seat, with solid forks
- · Small turning radius
- · Can easily handle European, American and plastic pallets
- · Ergonomic handle
- · Low profile forks
- · PU wheels
- · 2 speeds for varied work environments
- · Easy parking on slopes, preventing accidental reversing of pallet truck
- · Upright drive mode, ideal for operation in vans, on tail lifts or in lifts
- · Ideal for use in warehouses, on tail lifts and in supermarkets
- · Multi-function handle: Recharge alert Hour meter Powered travelling

Powered lifting & lowering Error code display

Emergency stop button Horn

- · Overall fork width: 550mm
- · Overall length: 1552mm
- · Rear body width: 550mm
- · Min. turning radius: 1353mm
- · Max. fork height: 197mm





















COMPATIBLE BATTERIES

| PRODUCT | DESCRIPTION | PRICE
EX. VAT |
|--------------|-------------|------------------|
| JEFELPTBAT10 | 10Ah | £329.17 |
| JEFELPTBAT15 | 15Ah | £515.83 |

| PRODUCT | DESCRIPTION | BATTERY | PRICE
EX. VAT |
|---------------|----------------------------------|---------|------------------|
| JEFELPT15-K | 1.5 Tonne | 10Ah | £1145.83 |
| JEFELPT20-K | 2 Tonne | 15Ah | £1329.17 |
| JEFELPT20RC-K | 2 Tonne
(with remote control) | 15Ah | £1412.50 |

1.5 TONNE SEMI-ELECTRIC HIGH LIFT

JEFELPT15SHL-K

- · Nylon/PU wheels
- · Rubber coated handle
- · Maintenance free battery
- · On board charger
- · Quick lift single cylinder
- · Capacity: 1.5 Tonne
- · Lifting Height: 85-800mm
- · Fork Length: 1150mm
- · Fork Width: 160mm
- · Overall Fork Width: 680mm
- · Battery: 12V/65Ah
- · Lifting Time with Rated Load: 19s
- · Lifting time without Rated Load: 11s







2 TONNE PALLET TRUCK JEFPT1 · Suitable for a broad range of material handling applications, including horizontal transport, order picking, loading / unloading PUMP CONTROL HANDLE and stacking ALLOWS 3 FUNCTIONS: LOWER, NEUTRAL, LIFT · Designed for ease of use, our long-lasting truck allows for the safe and efficient movement of goods with very little effort · Provides lift heights up to 190mm · Fitted with heavy-duty double wheel solid castors · Fork Width: 150mm · Fork Spacing: 130mm · Fork Length: 1150mm Max. Lift: 2000kg · Max. Load: 2 Tonne Max. Lift Height: 190mm

TUNDRA ADJUSTABLE GREASE DRUM TROLLEY

TUNHNDTRL20A

- · Ideal for transporting oil/grease barrels
- Steel construction with heavy duty wheels for use in rigorous work environments
- Adjustable drum height locking clamp and base knobs for holding drums of varying diameters
- · Ideal for 20 litre, 5 gallon to 60 litre and 16 gallon drums



WORKSHOP HAND TROLLEY

JEF4101C

· Constructed from light yet durable metal

Dimensions (LxWxH): 750 x 450 x 775mm



DOUBLE WHEEL SOLID CASTORS

TOOLS NOT INCLUDED

PRICE EX.VAT **£385.00**

PRICE EX.VAT **£72.92**

TOOLS NOT INCLUDED

WELDING TROLLEY CART

JEF4222C

The Jefferson Welding Trolley is the perfect all in one solution for the modern workshop. Manufactured from durable yet light steel, it delivers exceptional performance and mobility. Keep your welding equipment neat and tidy and most importantly safe with this essential product. It features space at the rear for one tank of gas and safety chains to keep it secure.

- · Load Capacity: 80kg
- · Wheels: 7.5" / 3" solid wheels
- · Dimensions (LxBxH): 705mm x 375mm x 692mm





TUNDRA 500KG HIGH LIFT TABLE

TUNLFTAB500-HL

- Can be widely used as a working platform for goods handling in workshops, warehouses, freight yards and other small sites
- Fitted with two fixed and two swivel composite wheels for easy rolling over rough workshop and warehouse floors
- · Features safety bars to prevent inadvertent lowering
- Suitable for numerous garage, industrial and warehouse handling applications
- · May also be used as a mobile service bench
- · Heavy-duty construction
- · Capacity: 500kg
- Min. Height: 360mm
- · Max. Height: 1500mm
- · Table Size: 910 x 510mm
- · Weight: 120kg





£829.17

TUNDRA LIFT TABLES

- · Heavy-duty construction
- Fitted with two fixed and two swivel composite wheels for easy rolling over rough workshop and warehouse floors
- · Swivel wheels fitted with foot-operated brake
- One-piece hydraulic unit controlled by large rear mounted foot pedal
- Safety release mechanism positioned on handlebar for smooth controlled descent
- Both models feature safety bars to prevent inadvertent lowering
- Suitable for numerous garage, industrial and warehouse handling applications
- Supplied with non-slip platform cover for added load security
- May also be used as a mobile service bench




| | PRODUCT | MAX. LOAD | MIN
Height | MAX
HEIGHT | TABLE SIZE | WEIGHT | PRICE
Ex. Vat |
|---|-------------|-----------|---------------|---------------|-------------|--------|------------------|
| 1 | TUNLFTAB300 | 300kg | 270mm | 760mm | 810 x 500mm | 58kg | £465.83 |
| 2 | TUNLFTAB500 | 500kg | 280mm | 860mm | 815 x 500mm | 76kg | £562.50 |









TUNDRA 16 TONNE MACHINE MOVING SKATES

TUNCT16

- 1 x 8 Tonne steering skate with turntable allowing directional changes during movement
- · 2 x 4 Tonne trailing skates
- All skate systems are standard equipped with a steering bar and alignment bar
- · Pulling / Towing eye
- · Anti-slip rubber pads
- Polyurethane wheels giving a long life and reduced risk of any damage to your floor
- Max capacity: 16 Tonne as a set



INDUSTRIAL



5 TONNE BLUE RATCHET STRAPS

Manufactured according to European Standard EN 12195-2:2001, Jefferson ratchet straps are all fitted with a double J hook for added durability and provide superior support and safety when transporting goods.

- 50mm width
- · High quality ratcheting tie down straps
- Made from high-strength 100% Polyester Webbing
- Ideal for securing and binding oversized and difficult loads
- Automatic lock ratcheting action with easy release
- · Fitted with double J Hooks
- Manufactured and tested to EN 12195-2 with TUV & GS Certification







| PRODUCT | LENGTH | LASHING CAPACITY | COMBINED LASHING CAPACITY | PRICE
Ex. Vat |
|-------------|--------|------------------------------------|---------------------------|------------------|
| JEFRS5T-08M | 8m | Ratchet: 2500daN
Strap: 2500daN | 5000daN | £15.42 |
| JEFRS5T-10M | 10m | Ratchet: 2500daN
Strap: 2500daN | 5000daN | £16.63 |
| JEFRS5T-12M | 12m | Ratchet: 2500daN
Strap: 2500daN | 5000daN | £19.58 |

5M X 25MM BLUE RATCHET STRAP

JEFRS05M

Manufactured according to European Standard EN 12195-2:2001, Jefferson ratchet straps are all fitted with a double J hook for added durability and provide superior support and safety when transporting goods.

- Lashing Capacity: Ratchet: 400daN Strap: 400daN
- Combined Lashing capacity: 800daN



PRICE EX.VAT £7.33

EN 12195-2:2001

3.5M X 25MM ORANGE RATCHET STRAP SET (2 PACK)

JEFRS03.5-02

- · High quality ratcheting tie down straps
- Made from high-strength 100% Polyester Webbing
- Ideal for securing and binding oversized and difficult loads
- Automatic lock ratcheting action with easy release
- · Fitted with double S Hooks
- Manufactured and tested to EN 12195-2 with TUV & GS Certification



PRICE EX.VAT £9.38

4.5M X 25MM RATCHET TIE DOWN STRAPS (2 PACK)

JEFRS04.5-02

- Lashing capacity: Ratchet: 350daN Strap: 350daN
- Combined lashing capacity: 700daN

EN 12195-2:2001



5M X 25MM ORANGE RATCHET STRAP SET (4 PACK)

JEFRS05.0-04

- · High quality ratcheting tie down
- Made from high-strength 100% Polyester Webbing
- Ideal for securing and binding oversized and difficult loads
- Automatic lock ratcheting action with easy release
- · Fitted with double S Hooks
- Manufactured and tested to EN 12195-2 with TUV & GS Certification



EN 12195-2:2001

£18.13

EN 12195-2:2001

TARPAULINS

- · 140gsm polyethylene weave with reinforced corners
- · UV treated
- · Tear-proof, waterproof, mould- and mildew-proofed
- · Aluminium eyelets set at metre intervals
- · Edges heat treated and reinforced with cord in the hem
- · All corners strengthened with heavy-duty plastic







| PRODUCT | SIZE | PRICE
EX. VAT |
|-------------|----------|------------------|
| JEFTARP3-2 | 3m x 2m | £6.63 |
| JEFTARP4-3 | 4m x 3m | £12.08 |
| JEFTARP5-4 | 5m x 4m | £18.29 |
| JEFTARP5-8 | 5m x 8m | £37.50 |
| JEFTARP7-6 | 7m x 6m | £39.58 |
| JEFTARP9-14 | 9m x 14m | £112.50 |





10 PIECE ASSORTED ELASTIC STRAPS

JEFESMIX-10

- · High quality rubber bungee cords with coated steel hooks
- · TUV/GS Tested & Approved
- · 4x Ø4mm x 250mm
- · 2x Ø8mm x 600mm
- · 2x Ø8mm x 800mm · 2x Ø8mm x 1000mm



PRICE EX.VAT £9.58

2 PIECE HEAVY DUTY ELASTIC STRAPS

- Manufactured from virgin rubber with plastic coated steel hooks
- · Lashing capacity 20kg
- · Ideal for securing loads to vans and trucks



| PRODUCT | SIZE | PRICE
EX. VAT |
|-------------|-------|------------------|
| JEFES450-02 | 450mm | £3.16 |
| JEFES600-02 | 600mm | £3.54 |
| JEFES800-02 | 800mm | £4.08 |





JEFCN75-75

- · Safely secures vehicle loads whilst in transit
- · 75cm by 75cm-
- Complete with 12
- Suitable for trade and domestic use











· TUV/GS Tested & Approved

20 PIECE ASSORTED

ELASTIC STRAPS

JEFESMIX-20

steel hooks

· High quality rubber bungee cords with coated



PRICE EX.VAT £14.92



LOAD SLINGS

- · Reinforced flat double eye
- · 100% High tenacity polyester
- · Low elongation and 7:1 safety factor
- · Manufactured and certified to EN4192-1
- $\,\cdot\,$ Colour coded to identify capacity in accordance with European standards







| PRODUCT | DESCRIPTION | LENGTH | PRICE
Ex. Vat |
|-------------|--------------------------------|--------|------------------|
| JEFLSL0101P | 1 Tonne 1m Load Sling (Purple) | 1m | £4.58 |
| JEFLSL0102P | 1 Tonne 2m Load Sling (Purple) | 2m | £5.79 |
| JEFLSL0103P | 1 Tonne 3m Load Sling (Purple) | 3m | £8.29 |

2 TONNE (GREEN)



| PRODUCT | DESCRIPTION | LENGTH | PRICE
Ex. Vat |
|-------------|-------------------------------|--------|------------------|
| JEFLSL0201G | 2 Tonne 1m Load Sling (Green) | 1m | £7.08 |
| JEFLSL0202G | 2 Tonne 2m Load Sling (Green) | 2m | £9.96 |
| JEFLSL0203G | 2 Tonne 3m Load Sling (Green) | 3m | £14.96 |

3 TONNE (YELLOW)



| PRODUCT | DESCRIPTION | LENGTH | PRICE
Ex. Vat |
|-------------|--------------------------------|--------|------------------|
| JEFLSL0302Y | 3 Tonne 2m Load Sling (Yellow) | 2m | £14.96 |
| JEFLSL0303Y | 3 Tonne 3m Load Sling (Yellow) | 3m | £19.58 |
| JEFLSL0304Y | 3 Tonne 4m Load Sling (Yellow) | 4m | £24.13 |
| JEFLSL0305Y | 3 Tonne 5m Load Sling (Yellow) | 5m | £28.29 |



| PRODUCT | DESCRIPTION | LENGTH | PRICE
Ex. Vat |
|--------------|------------------------------|--------|------------------|
| JEFLSL0403GR | 4 Tonne 3m Load Sling (Grey) | 3m | £24.13 |
| JEFLSL0404GR | 4 Tonne 4m Load Sling (Grey) | 4m | £35.79 |

5 TONNE (RED)



| PRODUCT | DESCRIPTION | LENGTH | PRICE
Ex. Vat |
|-------------|-----------------------------|--------|------------------|
| JEFLSL0502R | 5 Tonne 2m Load Sling (Red) | 2m | £24.96 |
| JEFLSL0503R | 5 Tonne 3m Load Sling (Red) | 3m | £32.08 |
| JEFLSL0504R | 5 Tonne 4m Load Sling (Red) | 4m | £37.46 |
| JEFLSL0505R | 5 Tonne 5m Load Sling (Red) | 5m | £47.92 |

BLACK/RED PROFESSIONAL FITTER GLOVES (PACKET OF 6 PAIRS)

· Polyester liner with nitrile micro-thin coated palm

· Strong and close fitting dexterous glove with high abrasion resistance

· Designed to keep hands cool & dry

· Sizes: L or XL





| PRODUCT | SIZE | PRICE
EX. VAT |
|----------------|---------|------------------|
| JEFGLPROF-6PL | Large | £10.50 |
| JEFGLPROF-6PXL | X-Large | £10.50 |



ORANGE GRIP GLOVES (PACKET OF 6 PAIRS)

· Strong Latex coated glove for general work and handling tasks

· Fabric back allows air to circulate around the hand for comfort and safety

· Sizes: L or XL





| PRODUCT | SIZE | PRICE
Ex. Vat |
|---------------|---------|------------------|
| JEFGLORG-6PL | Large | £8.25 |
| JEFGLORG-6PXL | X-Large | £8.25 |



ECO FIT GLOVES (PACKET OF 6 PAIRS)

- · Polyester protective work glove
- · Polyurethane coated palms for extra grip
- Suitable for precision tasks such as smallscale assembly
- · Sizes: L or XL





| PRODUCT | SIZE | PRICE
Ex. Vat |
|---------------|---------|------------------|
| JEFGLECO-6PL | Large | £6.88 |
| JEFGLECO-6PXL | X-Large | £6.88 |







JEFGLGG-L

JEFGLGG-XL

| ORANGE GRIP GLOVES |
|---|
| · Strong Latex coated glove for general |
| work and handling tasks |

· Fabric back allows air to circulate around the hand for comfort and safety

· Sizes: L or XL

£1.96

£1.96

£1.96



| 2121X | Tarum. | and the same of th |
|-------------|-------------|--|
| PRODUCT | DESCRIPTION | PRICE
Ex. Vat |
| JEFGLORG-L | Large | £1.96 |
| JEFGLORG-XL | X-Large | £1.96 |

ORANGE THERMAL GLOVES · Black latex coated palm and finger wrinkle finish · 10g hi-visibility orange acrylic liner · Designed to keep hands warm in cold conditions · Provides excellent grip, flexibility and durability · Sizes: L or XL

Large

X-Large

| PRODUCT | DESCRIPTION | PRICE
EX. VAT |
|------------|-------------|------------------|
| JEFGLOT-L | Large | £3.67 |
| JEFGLOT-XL | X-Large | £3.67 |



| PRODUCT | DESCRIPTION | PRICE
EX. VAT |
|------------|-------------|------------------|
| JEFGLDG-L | Large | £3.66 |
| JEFGLDG-XL | X-Large | £3.66 |
| | | |



| PRODUCT | DESCRIPTION | PRICE
EX. VAT |
|------------|-------------|------------------|
| JEFGLSF-L | Large | £2.08 |
| JEFGLSF-XL | X-Large | £2.08 |



| | PRODUCT | DESCRIPTION | PRICE
Ex. Vat |
|---|------------|-------------|------------------|
| | JEFGLPF-S | Small | £3.46 |
| I | JEFGLPF-M | Medium | £3.46 |
| | JEFGLPF-L | Large | £3.46 |
| | JEFGLPF-XL | X-Large | £3.46 |
| | | | |



RIGGER GLOVES

JEFGLRIGK

- High grade grey leather work gloves with 100% cotton back
- Cotton lined for improved comfort, dexterity and moisture absorption
- · Size: One Size





RED PVC GAUNTLET (14") SAFETY WORK GLOVES

JEFGLPVCG-XL

- Features a smooth, resistant PVC finish with excellent abrasion protection
- This versatile glove provides excellent resistance to most fats, alcohols, oils, detergents etc.
- Ideal for wide range of tasks including DIY, labouring, cleaning & gardening
- · Size: XL





JEFGLPVCKW-XL

- Features a knitted wrist and cotton interlock lining with a smooth, resistant PVC finish with excellent abrasion protection
- This versatile glove provides excellent resistance to most fats, alcohols, oils, detergents etc.
- Ideal for wide range of tasks including DIY, labouring, cleaning & gardening
- · Size: XL







GECKO HEAVY DUTY HAND CLEANSER

- Designed to effectively remove oil, grease and ground-in soils and substances from skin
- · Contains no harsh solvents
- Manufactured from natural extracts and ingredients, making it gentle on skin
- Contains polychips to enhance cleansing action and lanolin to help prevent chapped and dry hands
- Ideal for automotive, engineering, agricultural and domestic use

500ML

JEFHCLN0.5















CONTAINS NATURAL
EXTRACTS & INGREDIENTS WITH POLYCHIPS





NITRILE GECKO GLOVES AVAILABLE IN BLACK OR ORANGE

- · Latex-free comfort fit, nitrile material
- · "Diamond Dimple" texture for reliable grip
- · Superior puncture resistance & protection
- · Rolled cuff for additional strength
- · Heavy-duty protection
- · 100% Powder-free

RESISTANCE TO CHEMICALS & MICRO-ORGANISMS

Fully tested and certified to offer resistance against certain bacterial, fungal micro-organisms and general use chemical-based products including:

- Engine & Hydraulic Oil Carburetor Cleaner Transmission Fluid
- Sodium Hydroxide /













AVAILABLE IN BLACK AND ORANGE











BLUE NITRILE GLOVES

- · The Jefferson Blue Nitrile Gloves range offers all-round chemical & bacterial protection
- · These versatile and multi-purpose gloves are ambidextrous, and available in sizes L & XL
- · Latex-free comfort fit
- · Rolled cuff for additional strength
- 100% Powder-free
- · Chemical and bacteria resistant





CAT.III

MDD - 93/42/EC EU 2016/425 EN ISO 374-1:2016 EN ISO 374-5:2016 EN 420:2003+A1:2009 EN 16523-1:2015

| PRODUCT | PACK SIZE | GLOVE SIZE | PRICE
Ex. Vat |
|----------------|-----------|------------|------------------|
| JEFGLNIBL-100L | Pack of | Large | £6.50 |
| EFGLNIBL-100XL | 100 | X-Large | £6.50 |







- · Designed to offer effective protection against dry particles and certain limited liquid chemical splashes (CE Protective Clothing Category III Type 5/6)
- · Certified to offer protection against radioactive particles and biological agents and reduce the build up of electrostatic charges
- · Suitable for a wide range of applications and environments including but not exclusive to: industrial cleaning, machine maintenance, clean rooms, toxic powder handling, asbestos inspection, pharmaceutical processing, insulation, painting, coating and resin applications



EN 13034:2005+A1:2009 LIMITED CHEMICAL SPLASH PROTECTION



EN ISO 13982-1:2004+A1:2010 DRY PARTICLE PROTECTION



EN 1149-5:2018 ELECTRO STATIC PROTECTION



EN 14126:2003 INFECTIVE AGENT PROTECTION



EN 1073-2:2002

RADIOACTIVE PARTICULATE PROTECTION (Class 1)

| PRODUCT | SIZE | PRICE
EX. VAT |
|-------------|----------|------------------|
| JEFSPRS-L | Large | £3.96 |
| JEFSPRS-XL | X-Large | £3.96 |
| JEFSPRS-XXL | XX-Large | £3.96 |

PROFESSIONAL



PREMIUM EAR DEFENDERS

JEFSFEMU01

- · General purpose ear defenders
- · Adjusts to three wearing positions
- · Lightweight & robust design
- · Single Number Rating (SNR): 24dB



PRICE EX.VAT £7.29

HIGH PERFORMANCE FOLDING EAR DEFENDERS

JEFSFEMU02

- · SNR: 31.3dB
- · Efficient Noise Reduction
- · Self-adjusting cups provide superior fit
- · Comfortable & efficient seal against noise







CLEAR VISOR FACE SHIELD

JEFSFFSH01

C € EU 2016/425, EN 352-1

- · 8"x15" full face clear visor
- · Browguard with adjustable headband
- · Quick-lock clips for visor replacement
- · Tested & approved to CE EN 166:2001



MESH VISOR FACE SHIELD

JEFSFFSH02

- · 8"x15" full grill mesh visor
- · Browguard with adjustable headband
- · Quick-lock clips for visor replacement
- · Tested & approved to CE EN 1731:2006





FFP1 MASKS (PACK OF 5)

JEFMSKFFP1-05

- Moulded design with adjustable nose clip and cushioned nose/brow quard
- Protects against non-toxic particulates, fumes, oil & water-based mists
- Manufactured to CE 2797 EN149:2001 + A1:2009 (NR)



CE 2797 EN149:2001 + A1:2009 (NR)

PRICE EX.VAT **£4.79**

FFP2 SAFETY MASKS

- Moulded design with adjustable nose clip and cushioned nose/brow guard
- Protects against non-toxic particulates, fumes, oil & water-based mists
- Manufactured to CE 2797 EN149:2001 + A1:2009 (NR)



CE 2797 EN149:2001 + A1:2009 (NR)

| PRODUCT | PACK SIZE | PRICE
EX. VAT |
|----------------|------------|------------------|
| JEFMSKFFP2V-03 | Pack of 3 | £4.46 |
| JEFMSKFFP2V-10 | Pack of 10 | £9.99 |

FFP3 SAFETY MASKS

- Moulded design with adjustable nose clip and cushioned nose/brow guard
- Protects against non-toxic particulates, fumes, oil & water-based mists
- Manufactured to CE 2797 EN149:2001 + A1:2009 (NR)



CE 2797 EN149:2001 + A1:2009 (NR)

| PRODUCT | PACK SIZE | PRICE
Ex. Vat |
|----------------|------------|------------------|
| JEFMSKFFP3V-02 | Pack of 2 | £5.79 |
| JEFMSKFFP3V-10 | Pack of 10 | £19.13 |

REUSABLE HALF-FACE RESPIRATORY MASK

JEFMSKFIL-NF

Made using high quality liquid silicone, this easy clean, comfort fit mask fits the users facial curve and adjusts to different face shapes.

- · Uncompromised visual field
- The inhalation and exhalation valves enable smooth respiration
- Suitable for agricultural, petroleum, chemical industry, light industry, manufacturing, building materials, construction and other industries
- · Filters not supplied



PRICE EX.VAT
£14.58

REUSABLE HALF-FACE RESPIRATORY MASK ACCESSORIES

- · Category III respiratory masks
- · Compatible with JEFMSKFIL half face mask

PRE-FILTERS (2 PACK)

JEFMSKPRFIL-02



PRICE EX.VAT

RETAINER (2 PACK)

JEFMSKPFRET-02



PRICE EX.VAT
£2.74

ABEK1 GAS FILTER CARTRIDGES (X2)

| TYPE | COLOR | PROTECTION |
|-------|-------------|---|
| A1 | Brown | Organic Vapours & Gases with boiling point 65°C & above |
| B1 | Grey | Inorganic Vapours & Gases (ex. Carbon Dioxide/Monoxide) |
| E1 | Yellow | Sulphur Dioxide & Other Acidic Vapours & Gases |
| K1 | Green | Ammonia & Ammonia Derivatives Vapours & Gases |
| ABEK1 | A1+B1+E1+K1 | A1+B1+E1+K1 |

JEFMSKFCAR-02





£17.46

FRAMELESS SAFETY GLASSES

- Available in clear, amber or dark lenses
- · Polycarbonate arms & legs
- · Side shields









BLACK NYLON FRAME SAFETY GLASSES

JEFSFGLS01

- · One piece design for low energy impact protection
- · Lightweight black nylon frame & clear lens
- · Adjustable temple length
- · Manufactured, tested and approved to EN 166:2001







ANTI FOG & SCRATCH SAFETY GLASSES

JEFSFGLS05

- · One piece design for low energy impact protection
- · Lightweight black nylon frame & clear lens
- · Soft, non-slip nose bridge
- · Adjustable temple length
- · Manufactured, tested and approved to EN 166:2001







CLEAR SAFETY GOGGLES

JEFSFG0G01

- · Lightweight clear PVC body to fit most face shapes
- · Indirect ventilation system for dust & liquid protection





FLIP UP LENS GAS WELDING GOGGLES

JEFSFG0G02

- · Infrared (IR) shade 5 protection with flip-up lenses
- · Clear polycarbonate safety lenses
- · Soft flexible vinyl frame
- · Indirect ventilation in goggle frame
- · Adjustable head strap





PRICE EX.VAT £7.08



PROFESSIONAL SAFETY GOGGLES

JEFSFG0G03

- · Clear lens with soft frame, nose cushioning & browguard
- · Airtight and pressure-free fit with adjustable strap
- · Full vision goggle with unrestricted side visibility
- · Tested and approved to CE EN 166:2001



PRICE EX.VAT

DIAMOND CUTTING BLADES

- · Engineered with an extended service life in mind
- Increased diamond density and segment heights improve performance over many of our competitors, 10mm segment height on our 4½" and 9" blades and 12mm on the 12" blades and 14" blades, greatly increases the lifespan of our blades
- Many of our competitors use between 5 to 10mm for similar sized blades

INDUSTRIAL DIAMOND BLADES (ASPHALT)

· Usage: Suitable for wet & dry cutting of asphalt, asphalt over concrete, and abrasive building materials



| PRODUCT | SIZE | BORE | MAX
SPEED | MAX RPM | PRICE
Ex. Vat | |
|---------------|-----------|------|--------------|---------|------------------|--|
| JEFDIBLB-300A | 300mm/12" | 20mm | 100m/s | 6.400 | £79.17 | |

25.4mm

100m/s

GENERAL PURPOSE DIAMOND BLADES (SINTERED TYPE)

JEFDIBLB-350A

· Usage: General Masonry - Concrete Floors, Slabs, Slate, Paving Stones, Facing Bricks



& CONCRETE

5,500

£94.17



| ODUCT | SIZE | BORE | MAX SPEED | MAX RPM | PRICE
EX. VAT |
|----------|------------|------|-----------|---------|------------------|
| BLR-115T | 115mm/4.5" | 22mm | 80m/s | 13,300 | £8.46 |
| BLR-230T | 230mm/9" | 22mm | 80m/s | 6,650 | £19.67 |
| BLR-300T | 300mm/12" | 20mm | 80m/s | 5,100 | £32.92 |

350mm/14"

INDUSTRIAL DIAMOND BLADES (LASER WELDED)

· Usage: Concrete/Hard Material - Reinforced Concrete, Hard Facing Brick, Clay Pipes, Roofing Tiles



| PRODUCT | SIZE | BORE | MAX
Speed | MAX RPM | PRICE
Ex. Vat |
|---------------|------------|--------|--------------|---------|------------------|
| JEFDIBLB-115P | 115mm/4.5" | 22mm | 80m/s | 13,300 | £16.42 |
| JEFDIBLB-230P | 230mm/9" | 22mm | 80m/s | 6,650 | £35.79 |
| JEFDIBLB-300P | 300mm/12" | 20mm | 80m/s | 5,100 | £64.58 |
| JEFDIBLB-350P | 350mm/14" | 25.4mm | 100m/s | 5,500 | £100.83 |

INDUSTRIAL TILE CUTTING DIAMOND BLADES (LASER WELDED)

· Usage: Tiles, Ceramic, Porcelain



| TILE |
|------------|
| INDUSTRIAL |

| PRODUCT | SIZE | BORE | MAX SPEED | MAX RPM | PRICE
Ex. Vat |
|----------------|------------|------|-----------|---------|------------------|
| JEFDIBLG-115TC | 115mm/4.5" | 22mm | 80m/s | 13,300 | £14.58 |
| JEFDIBLG-230TC | 230mm/9" | 22mm | 80m/s | 6,650 | £38.54 |

PRICE

FX VAT

£1.33

£1.65

£2 83

£1.96

£3.21

BORE

16mm

22mm

22mm

20mm

25.4mm

METAL CUTTING ABRASIVE DISCS

Whether you need to cut iron box section, mild steel or steel reinforcing rod, there's a Jefferson® disc to do the job. Our discs come in a variety of bore sizes to suit the most common tools and are manufactured from the highest quality materials.



| PRODUCT | SIZE | BORE | PRICE
Ex. Vat |
|-----------|------|--------|------------------|
| JEFD01PR0 | 4" | 16mm | £1.28 |
| JEFD02PR0 | 4.5" | 22mm | £1.58 |
| JEFD04PR0 | 9" | 22mm | £2.29 |
| JEFD06PR0 | 12" | 20mm | £3.83 |
| JEFD08PR0 | 14" | 25.4mm | £4.99 |

METAL GRINDING ABRASIVE DISCS

When cutting isn't an option, or maybe you only need to reduce the edge of a surface, then you need a grinding disc. Our range of discs have been designed to work efficiently while maintaining durability.



| PRODUCT | SIZE | BORE | PRICE
Ex. Vat |
|-----------|------|------|------------------|
| JEFD15PR0 | 4" | 16mm | £1.58 |
| JEFD16PR0 | 4.5" | 22mm | £1.88 |
| JEFD17PR0 | 9" | 22mm | £3.71 |

SIZE

4"

4.5"

q١١

4.5"

9"

INDUSTRIAL

INOX CUTTING ABRASIVE DISCS

Due to the particular properties of stainless steel such as its hardness and ductile nature, our INOX steel cutting discs are much slimmer than the standard metal cutting discs.





STONE CUTTING ABRASIVE DISCS

Since the properties of stone or concrete differ greatly from that of steel, the discs required to cut them must also vary. Our stone cutting discs have been optimised for performance in slicing through both natural stone and man-made concrete products.



| PRODUCT | SIZE | BORE | PRICE
EX. VAT |
|-----------|------|------|------------------|
| JEFD10PR0 | 4.5" | 22mm | £1.64 |
| JEFD12PR0 | 9" | 22mm | £2.54 |
| JEFD13PR0 | 12" | 20mm | £4.24 |

INOX CUTTING ABRASIVE DISCS - TIN OF 10

JEFD26PRO-CASE

Due to the particular properties of stainless steel such as its hardness and ductile nature, our INOX steel cutting discs are much slimmer than the standard metal cutting discs.



PRICE EX.VAT **£14.58**

ABRASIVE FLAP DISCS

The abrasive zirconium surface of our flap discs allow for a slower, more controlled removal of smaller amounts of waste material, particularly material produced while welding.



| 1 | | | | |
|-----------|------------|------|------|------------------|
| PRODUCT | SIZE | BORE | GRIT | PRICE
Ex. Vat |
| JEFD20PR0 | 4.5" | 22mm | 40 | £2.58 |
| JEFD21PR0 | 4.5" | 22mm | 60 | £2.58 |
| JEFD30PR0 | 4.5" | 22mm | 80 | £2.58 |
| JEFD31PR0 | 4.5" | 22mm | 120 | £2.58 |
| | INDUSTRIAL | | | |
| MCF04540 | 4.5" | 22mm | 40 | £3.33 |
| MCF04560 | 4.5" | 22mm | 60 | £3.33 |
| MCF07040 | 7" | 22mm | 40 | £5.13 |
| | | | | |

BLACK POLY DISC 115MM 22MM BORE

JEFD50PR0

· Suitable for use on angle grinders

INDUSTRIAL

- · Removes rust & paint on a wide range of materials
- · Max Speed: 13300rpm
- · Size: 115mm
- Bore: 22.2mm







PRICE EX.VAT £6.63

EMERY CLOTH ROLLS

- · Made from Aluminium oxide
- Strong and flexible multi-purpose abrasive cloth
- · Easy tearing, high-performance material
- · Ideal for removing rust, paint, cleaning and polishing metallic surfaces



PRICE WIDTH LENGTH GRIT EX. VAT JEFEMYR2550-040 25mm 50m 40G £19.96 JEFEMYR5050-040 50mm 40G £37.08 50m 50mm 60G JEFEMYR5050-060 50m £37.08

50MM OR 25MM WIDE

AVAILABLE IN 40 & 60 GRIT





PRODUCT

* 52,000 BTU

∗60,000 BTU

* 72,000 BTU

PAGE 85

BENCH GRINDER CRIMPED WIRE WHEEL BRUSHES

- · Ideal for removing rust from metal surfaces
- · Suitable for fitting on a wide range of bench grinder sizes
- · Manufactured & tested to BS EN 1083-2 standard
- · Crimped, coarse brassed steel wire fill
- · 32mm standard arbor with multi-bore reducer set: 25.4mm, 22mm, 19mm, 16mm, 12.7mm
- · Max RPM: 6000





| PRODUCT | SIZE | PRICE
EX. VAT |
|--------------|------------|------------------|
| JEFWIWHB-150 | 150 x 25mm | £9.96 |
| JEFWIWHB-200 | 200 x 25mm | £12.08 |

INDUSTRIAL CUP BRUSHES



INDUSTRIA

For jobs requiring the removal of rust and other corrosion from metal surfaces, our cup brushes are a fast and efficient solution. They are also well suited to the removal of paint or similar surface coatings. While best results are found when used on metallic surfaces, they can be used on others but we would advise that you test a small area first.

| | PRODUCT | DESCRIPTION | PRICE
Ex. Vat |
|-------|------------|--------------|------------------|
| | | CRIMPED KNOT | |
| 1 JEF | CBCR075M14 | M14 75mm | £6.50 |
| 2 JEF | CBCR100M14 | M14 100mm | £9.75 |
| 3 JEF | CBCR125M14 | M14 125mm | £11.25 |
| | | TWIST KNOT | |
| 4 JEF | CBTW065M14 | M14 100mm | £8.00 |
| 5 JEF | CBTW100M14 | M14 125mm | £13.29 |

BENCH GRINDING WHEELS

The Jefferson® grinding stones come in sizes 6" or 8" in either 36 or 60 grit. For the jobs that require a little more roughness, 36 grit would be the preferable choice. 60 grit is ideal for those jobs that require less coarseness.



ATIBLE WITH ALL BENCH GRINDERS



| PRODUCT | SIZE | GRIT | BORE | WITH | EX. VAT |
|----------------|--------------------|-------|--------|----------|---------|
| JEFBGWH06-036 | 6" | 36G | 12.7mm | JEFBGS06 | £13.13 |
| JEFBGWH06-060 | 6" | 60G | 12.7mm | JEFBGS06 | £13.13 |
| JEFBGWH08-036 | 8" | 36G | 15.8mm | JEFBGS08 | £22.71 |
| JEFBGWH08-060 | 8" | 60G | 15.8mm | JEFBGS08 | £22.71 |
| | INDUS ⁻ | TRIAL | | | |
| JEFBG6WIND-036 | 6" | 36G | 32mm | JEFBG6 | £25.38 |
| JEFBG6WIND-060 | 6" | 60G | 32mm | JEFBG6 | £25.38 |
| JEFBG8WIND-036 | 8" | 36G | 32mm | JEFBG8 | £33.13 |
| JEFBG8WIND-080 | 8" | 80G | 32mm | JEFBG8 | £33.13 |



INCLUDES:


FUEL TRANSFER PUMP 230V

JEFPMPDIECUBE60

- · This 230V mobile pump is perfect for dispensing diesel or light fuel oils such as paraffin from drums or tanks
- · The equipment comprises of an electric motor, vane oil pump, flow meter and fuel nozzle
- · This dispenser has been designed for a wide variety of non-commercial uses and is ideal for refuelling vehicles and equipment in garages, construction sites or agricultural environments

The pump kit is reliable, easy to operate and easily maintained

- · Flow Rate: 60L/min
- · Motor: 550W (2800rpm)
- · Max Pressure: 3bar / 44psi
- · Suction: Distance (5m) Lift (10m)





DIESEL PUMP SET

- · Self-priming rotary vane pump 40L/min / 140W
- · Cast iron pump body finished with anti-corrosion paint
- · Vane pump with sintered steel rotor and acetal resin vanes
- · By-pass valve incorporated in the pump body
- Comes complete with metal diesel gun with 1" swivel connection



4 METRE DELIVERY HOSE & 2 METRE SUCTION HOSE WITH FILTER







| PRODUCT | VOLTAGE | PRICE
Ex. Vat |
|-----------------|---------|------------------|
| JEFPMPDIESET12V | 12V | £157.50 |
| JEFPMPDIESET24V | 24V | £157.50 |

DIESEL FLOW METER

JEFPMPDIEFLOWM

- · Max. operating pressure: 3.5bar / (49psi)
- · 4 digit counter & total counter
- · Mechanical readout with
- rotating wheels · Flow rate: 20 -120L/min
- · Suitable for gravity fed or pump applications
- · Accurate to +/-1%
- · Aluminium metering chamber
- · Subtotal can be set to zero



PRICE EX.VAT £75.00

AUTOMATIC FUEL NOZZLE

JEFPMPAUTONOZZ

- · Flow rate: 0-80L/min
- · Operating pressure: 0.18MPa



75 LITRE PORTABLE AD BLUE DISPENSING TANK WITH 12V PUMP

JEFTNKADB075L

- · 75 Litre capacity tank ideal for transporting and dispensing AdBlue®
- Manufactured from impact-resistant and UV stabilsed polyethylene and designed for the car or commercial vehicle workshop and portable outdoor refilling
- Supplied with: AdBlue® electric pump; auto-shutoff nozzle; 4m EPDM delivery hose and 4m power cable with 12V battery clamps
- Fitted with two 8" PU wheels which allow the unit to be easily manoeuvred over uneven ground for filling outside of the workshop
- · Supplied with hose holder and vent caps
- · Suitable for all diesel-engined vehicles that use diesel exhaust fluid (DEF)
- · Power: 12V DC
- · Maximum Flow Rate: 17L/min
- · Pressure: 40psi
- · Wheel Dimensions: 8" / 200mm
- · Dimensions: 1040 x 520 x 440mm
- · Weight: 15kg



£549.17

PORTABLE DIESEL TANKS WITH 12V PUMP

- Manufactured from HDPE for the safe transportation and dispensing of diesel fuel when refilling on-site equipment
- Supplied with a 12V electric pump, 4m electric cable and clamps, and a 4m delivery hose with automatic fuel nozzle
- Can be safely secured and transported on a pick-up truck or van, using grooves for tie down straps and six handles for positioning
- Complies to ADR 1.1.3.1.C for exemption from requirements of ADR regulations
- · Supplied with lockable cover



- · Power Supply: 180W / 15A
- · Flow Rate: 40L/min
- · Dimensions: 1100 x 800 x 470mm
- · Weight: 30.4kg





| | PRODUCT | DESCRIPTION | PRICE
EX. VAT |
|---|---------------|-------------|------------------|
| 1 | JEFTNKDIE210L | 210 Litre | £665.83 |
| 2 | JEFTNKDIE400L | 400 Litre | £954.17 |



12V ELECTRIC
PUMP,
4M ELECTRIC
CABLE AND
CLAMPS,
& 4M
DELIVERY
HOSE WITH
AUTOMATIC
FUEL NOZZLE



| | PRODUCT | DESCRIPTION | PRICE
EX. VAT |
|---|-------------|---------------------------------|------------------|
| 1 | JEFLUASPFUN | 9" Anti-Spill Funnel | £7.71 |
| 2 | JEFLUTRAFUN | 10" Tractor Funnel | £9.38 |
| 3 | JEFLUFLXFUN | 110mm Black PVC Flexible Funnel | £5.33 |



| | PRODUCT | DESCRIPTION | PRICE
EX. VAT |
|---|--------------------|-----------------------------|------------------|
| 1 | JEFFLSPCFUN | Flexible Spout Combi Funnel | £17.29 |
| 2 | JEFOFFSTFUN | Offset Funnel | £15.79 |

JERRY CANS

- Available in a range of sizes, our Jerry Cans are U.N. approved and provide a secure, steel casing to ensure the safe transportation and storage of a wide variety of liquids
- · Manufactured from 0.8mm steel and finished with a lockable, air-tight nozzle and cap
- · Colour easily indicates the jerry can contents: Green – Unleaded fuel








- Suitable for use with 5, 10 & 20 Litre Jefferson Metal Jerry Cans
- · Internal filter gauze
- · NBR gasket
- · Air vents


| PRODUCT | DESCRIPTION | PRICE
EX. VAT |
|------------|-------------------------------|------------------|
| JEFJERC05L | 5 Litre Jerry Can | £19.96 |
| JEFJERC10L | 10 Litre Jerry Can | £24.13 |
| JEFJERC20L | 20 Litre Jerry Can | £27.08 |
| JEFJERCFS | Jerry Can Fuel Spout | £7.46 |
| JEFJERCFFL | Flexible Jerry Can Fuel Spout | £13.96 |

JERRY CANS ARE
U.N. APPROVED

5 LITRE PLASTIC







- · Available in red or green
- Complies with ADN 2019 / ADR 2019 / RID 2019 regulations

| ALL JEFFERSON |
|----------------|
| JERRY CANS ARE |
| U.N. APPROVED |





| PRODUCT | COLOUR | PRICE
Ex. Vat |
|-------------|--------|------------------|
| JEFFCAN05-G | Green | £8.29 |
| JEFFCAN05-R | Red | £8.29 |

MEASURING JUGS



| PRODUCT | SIZE | PRICE
Ex. Vat |
|-----------------|---------|------------------|
| 1 JEFLUMEAHL01L | 1 Litre | £7.17 |
| 2 JEFLUMEAHL03L | 3 Litre | £8.29 |
| 3 JEFLUMEAHL05L | 5 Litre | £9.99 |

1 LITRE SPRAY BOTTLE

JEF1LTRB0T

INCLUDES FLEXIBLE SPOUT

- · Max Capacity: 1000cc
- · Length of range with long jet: 7m
- Height of range with long jet: 3.5m
- · Wide angle max: 60°
- · CC Leverage: 2.00cc



PRICE EX.VAT **£4.38**

17 LITRE OIL/ FLUID DRAIN PAN

JEFPAND017

- For the recovery of oil and antifreeze, the pan keeps the workshop floor free from oily residue
- · Remains rigid even with hot oil
- · High-density Polyethylene
- · UV stabiliser
- · Anti-splash lip



PRICE EX.VAT **£17.42**



HAND PUMP SPRAYERS WITH NBR SEALS

1.5 LITRE JEFHPS1.5LN-G Jefferson



JEFHPS5.0LN-G

FEATURES

- Adjustable nozzle: precision or
- wide spray
 On/off trigger with trigger lock
 Safety pressure release valve
 High performance pump
 Stainless steel lance

- Stainless steel lance
 1.2m flexible hose
 Integrated lance holder

STAINLESS STEEL LANCE



NITRILE BUTADIENE RUBBER (NBR) SEALS ARE SUITABLE FOR SPŔAYING LIQUIDS SUCH AS:

- ★ Water
- **★** Herbicides
- **★** Pesticides
- **★** Insecticides
- **★** Fungicides
- ★ Solvent-free treatments

PRICE EX.VAT £24.13

HAND PUMP SPRAYERS WITH VITON SEALS

PRICE EX.VAT

£14.13

- · Ideal for spraying a wide variety of fluids and chemicals
- · Complete with a Viton seal; A hydrocarbon rubber, developed to withstand even the most challenging of environments
- · Features an ergonomic handle and pressure relief valve
- Fitted with adjustable nozzle to switch between mist and jet settings



VITON IS WIDELY USED IN AEROSPACE, MILITARY, CHEMICAL PROCESSING, OIL & GAS, AND OTHER APPLICATION AREAS WITH EXTREME TEMPERATURE, PRESSURE AND CHEMICAL ENVIRONMENTS

1.5 LITRE

JEFHPS1.5L







PRICE EX.VAT £19.58

2.5 LITRE

Jefferson

JEFHPS2.5L

ADJUSTABLE NOZZLE







HAND PUMP SPRAYERS WITH EPDM SEALS

FEATURES

- Adjustable nozzle: precision or wide spray
 On/off trigger with trigger lock
 Safety pressure release valve
 High performance pump
 Stainless steel lance

- Stainless steel lance
 1.2m flexible hose
 Integrated lance holder in pump handle
 Covers area 40-100m²
 Max. Pressure: 2.5 bar
 Max. Temperature: 25°C







ETHYLENE PROPYLENE DIENE MONOMER (EPDM) RUBBER SEALS ARE SUITABLE FOR LIQUIDS SUCH AS:

- ★ Acids
- ★ Weak alkali
- ★ Ketones

COMMONLY FOUND IN RESINS AND COATINGS

PRICE EX.VAT £29.13

WHICH MATERIAL DO I NEED?

Good resistance to oils and grease. Ideal for oil-based pesticides, diesel-based herbicides and lubricants

VITON

High chemical resistance. Long lifespan under harsh conditions. Ideal for solvents, harsh degreasers, automotive chemicals, brake cleaners, strong acidic or caustic cleaners

Excellent weather, ozone, and UV resistance. Good for outdoor use. Ideal for herbicides, insecticides, water-soluble fertilisers and vinegar-based solutions

PETROL WATER PUMPS

- · Self-Priming Time: 70 s/4m
- · Engine Type: MacGen Four Stroke, Air Cooled, OHV Petrol
- · Guaranteed Noise Level: 102dBA
- · Fuel Tank Capacity: 3.6L
- Lubrication Oil: SAE 10W/30
- · Lubrication Oil Volume: 0.6L





| | PRODUCT | SUCTION PORT DIAMETER | DISCHARGE
PORT
DIAMETER | MAX.
OUTPUT | | MAX.
HEAD | MAX.
SUCTION
HEAD | ENGINE | DISPLACEMENT
CAPACITY | DIMENSIONS | WEIGHT | PRICE
EX. VAT |
|---|-------------|-----------------------|-------------------------------|--------------------|--------|--------------|-------------------------|-----------------|--------------------------|----------------------|--------|------------------|
| 1 | JEFWATPMP02 | 2" / 50mm | 2" / 50mm | 5.5HP /
3600rpm | 36m³/h | 28m | 8m | 5.5HP
Petrol | 163cc | 517 x 415 x
452mm | 23kg | £282.50 |
| 2 | JEFWATPMP03 | 3" / 76mm | 3" / 76mm | 6.5HP /
3600rpm | 60m³/h | 26m | 6m | 6.5HP
Petrol | 196cc | 466 x 376 x
398mm | 25kg | £328.33 |

750W SUBMERSIBLE WATER PUMP (230V)

JEFSUBPDW225-80

- · Manufactured from corrosion resistant materials
- · Fitted with a float switch
- · Rated Power/Motor: 750W
- · Power Supply: 230V / 50Hz
- · Current: 13A
- · Maximum Flow Rate: 13500L/hr / 225 L/min
- · Maximum Head: 8m
- Maximum Depth: 7m
- · Maximum Grain Size: 35mm
- · Maximum Temperature: 40°C
- · Cable Length: 10m
- · Insulation Class: B
- · Ingress Protection: IP68
- Outlet Diameter: 1" / 1 1/4" / 1 1/2"
- Dimensions: 225 x 190 x 355mm
- · Weight: 4.5kg



OUTLET / DISCHARGE HOSE CONNECTION

SUITABLE FOR

- Domestic pumping of:
- · Rainwater
- · Fresh water
- · Mains water
- · Chlorinated swimming pool water

Effective drainage of:

- · Cellars
- · Sinks
- · Cisterns
- · Baths
- · General transfer of water







PRICE EX.VAT £68.75

1100W SUBMERSIBLE WATER PUMP (230V

JEFSUBPDW266-95

· Manufactured from corrosion resistant materials with stainless steel motor case

· Fitted with a float switch

· Rated Power/Motor: 1100W

- · Current: 13A
- Maximum Flow Rate: 15960L/hr / 266L/min
- · Maximum Head: 9.5m
- Maximum Depth: 7m · Maximum Grain Size: 35mm
- · Power Supply: 230V / 50Hz
- · Cable Length: 10m · Insulation Class: B · Ingress Protection: IP68
- · Outlet Diameter: 1" / 1 1/4" / 1 1/2"

· Maximum Temperature: 35°C

- · Dimensions: 225 x 190 x 355mm
- · Weight: 6.12kg

FLOAT SWITCH

FLOAT SWITCH LENGTH

ADJUSTMENT CLIP

COMPATIBLE WITH 25MM HOSE JEEL EL H05025-10



OUTLET / DISCHARGE HOSE CONNECTION

SUITABLE FOR Domestic pumping of:

- Rainwater
- · Fresh water
- · Mains water
- · Chlorinated swimming pool water

Effective drainage of:

- Cellars
- · Sinks
- · Cisterns
- Raths
- · General transfer of water







PRICE EX.VAT £100.83

INDUSTRIAL 500W SUBMERSIBLE WATER PUMP

- · Rated Power/Motor: 500W
- · Power Supply: 110V / 230V
- · Current: 16A / 13A
- · Maximum Flow Rate: 12600L/hr / 210L/min
- · Maximum Head: 12m · Maximum Depth: 5m
- Maximum Grain Size: 7mm
- · Maximum Temperature: 40°C
- · Cable Length: 10m
- · Insulation Class: B
- · Ingress Protection: IP68
- Outlet Diameter: 2"
- Dimensions: 239 x 194 x 356mm
- · Weight: 12.8kg



FLOAT SWITCH







| PRODUCT | VOLTAGE | PRICE
Ex. Vat |
|-------------------|---------|------------------|
| JEFSUBPIDW210-12 | 110V | £190.00 |
| JEFSUBPIDW210-12S | 230V | £190.00 |

IMPROPER USE MAY RESULT IN DAMAGE OR PERSONAL INJURY AND WILL INVALIDATE THE WARRANTY PROVIDED WITH THESE APPLIANCES. DO NOT MODIFY THIS EQUIPMENT FOR ANY OTHER USE.

The above appliances are not suitable for pumping explosive or flammable materials or sewage. Do not use this equipment to pump industrial residue or sea water. These pumps are not designed for continuous running (e.g. permanent circulation in filters systems). They should not be used to pump liquids containing abrasive materials (e.g. containing mixtures of dirt, sand, mud or clay).

INDUSTRIAL 450W SUBMERSIBLE WATER PUMP

- · Ideal for pumping large or small areas of water found on flat surfaces, especially after flooding and
- · 1" outlet can be adjusted from top or side discharge to suit multiple applications
- · 450W motor with thermal cutout
- · Heavy-duty and durable build quality
- · Manufactured from corrosion resistant materials with aluminium outer motor case
- · Designed for pumping dirty water and residue
- · Double-end mechanical seal
- Tough solid rubber base



CAPABLE OF PUMPING DOWN TO 2MM



- Construction sites
- · Aquatic environments
- · Maximum Flow Rate: 5100L/hr / 85L/min
- Maximum Head: 10m
- · Maximum Depth: 5m
- · Maximum Grain Size: 6mm
- · Maximum Temperature: 40°C
- · Cable Length: 10m
- · Insulation Class: B
- · Ingress Protection: IP68
- · Outlet Diameter: 1"
- · Dimensions: 190 x 190 x 301mm
- · Weight: 11.8kg

| PRODUCT | VOLTAGE | PRICE
EX. VAT |
|-------------------|---------|------------------|
| JEFSUBPIRE085-10 | 110V | £238.33 |
| JEFSUBPIRE085-10S | 230V | £238.33 |

INDUSTRIAL 450W AUTOMATIC SUBMERSIBLE WATER PUMP (110V)

JEFSUBPIDW260-11

- · Extremely robust & compact design
- · 2" (50mm) outlet float switch for controlled pumping
- · Designed to offer excellent durability during periods of continuous use
- · Dual position outlet port (vertical & horizontal) to avoid kinking
- · Rated Power/Motor: 450W
- · Power Supply: 110V
- Current: 16A
- · Maximum Flow Rate: 15600L/hr / 260L/min
- · Maximum Head: 11m
- · Maximum Depth: 5m
- · Maximum Grain Size: 6mm
- · Maximum Temperature: 40°C
- · Cable Length: 10m
- · Insulation Class: B
- · Ingress Protection: IP68
- · Dimensions: 181 x 181 x 295mm
- · Weight: 11.6kg



2" OUTLET / DISCHARGE HOSE CONNECTION

FLOAT SWITCH LENGTH ADJUSTMENT CLIP

SUITABLE FOR

- · Construction sites
- · Aquatic environments

SUITABLE FOR PUMPING CLEAN AND DIRTY WATER TO LOW LEVELS



PRICE EX.VAT

INDUSTRIAL

COMPATIBLE WITH 50MM HOSE JEEL EL HO5050-10

LAYFLAT HOSE

- · High capacity 10m water discharge hose
- · Heavy duty, hard-wearing PVC hose reinforced with synthetic fibres
- · 4bar working pressure
- · 25mm hose compatible with: JEFSUBPIRE085-10, JEFSUBPDW225-80, JEFSUBPDW266-95
- · 50mm hose compatible with: JEFSUBPISEW270-10, JEFSUBPIDW210-12, JEFSUBPIDW210-12S JEFSUBPIDW260-11, JEFWATPMP02
- · Ideal for emptying ponds, pools, ditches and flooded areas



| PRODUCT | LENGTH | PRICE
Ex. Vat |
|-----------------|------------|------------------|
| JEFLFLH05025-10 | 25mm x 10m | £21.63 |
| JEFLFLH05050-10 | 50mm x 10m | £33.29 |



IMPROPER USE MAY RESULT IN DAMAGE OR PERSONAL INJURY AND WILL INVALIDATE THE WARRANTY PROVIDED WITH THESE APPLIANCES. DO NOT MODIFY THIS EQUIPMENT FOR ANY OTHER USE.

The above appliances are not suitable for pumping explosive or flammable materials or sewage. Do not use this equipment to pump industrial residue or sea water. These pumps are not designed for continuous running (e.g. permanent circulation in filters systems) They should not be used to pump liquids containing abrasive materials (e.g. containing mixtures of dirt, sand, mud or clay).

INDUSTRIAL 1100W SUBMERSIBLE SEWAGE PUMP

- · An industrial submersible pump with a high-speed vortex impeller, rotary cutter and float switch designed for processing and draining sewage
- · Manufactured from corrosion resistant materials with aluminium motor case
- · Designed for pumping sewage and dirty water with a maximum flow rate of 270L/min
- · 2" discharge hose connector
- · 10m maximum head
- · Rated Power / Motor: 1100W

JEFLFLH05050-10

COMPATIRI E WITH 50MM HOSE

INDUSTRIA



- · Maximum Flow Rate: 270L/min / 16200 L/hr
- Maximum Head: 10m
- · Maximum Depth: 5m
- Maximum Viscosity: 7x10⁻⁷ 23x10⁻⁶m²/s
- · Maximum Density: 1.2 x 103kg/m3
- · Maximum Temperature: 40°C
- · Cable Length: 10m
- · Insulation Class: B
- · Ingress Protection: IP68
- · Outlet Diameter: 2"
- · Dimensions: 245 x 200 x 477mm
- Weight: 23kg



INDUSTRIAL 1500W SUBMERSIBLE SEWAGE PUMP (230V)

JEFSUBPISEW500-23

- · An industrial submersible pump with a high-speed vortex impeller, rotary cutter and float switch designed for processing and draining sewage
- · Rated Power/Motor: 1500W
- · Power Supply: 230V
- Current: 13A
- Maximum Flow Rate: 30000L/hr / 500L/min
- Maximum Head: 23m

2" OUTLET /

CONNECTION

- Maximum Depth: 5m
- Maximum Temperature: 40°C
- · Cable Length: 8m
- · Insulation Class: F

2" OUTLET / **DISCHARGE HOSE** CONNECTION









PRICE EX.VAT £329.17

IMPROPER USE MAY **RESULT IN DAMAGE** OR PERSONAL INJURY AND WILL INVALIDATE THE WARRANTY PROVIDED WITH THESE APPLIANCES.

DO NOT MODIFY THIS **EQUIPMENT FOR ANY**

OTHER USE. The above appliances are not suitable for pumping explosive or flammable materials. Do not use this equipment to pump industrial residue or sea water. These pumps are not designed for continuous running (e.g. permanent circulation in filters systems).

INDUSTRIAL

LEVER OIL PUMP

JEFLULOPMP


- · Cushioned vinyl handle
- · Supplied with self adjusting suction tube
- · Dispenses approximately 300cc per stroke
- · Suitable for use with 50 to 205 litre drums
- · The Jefferson self-priming lever oil pump is manufactured from die-cast aluminum to give a quality finish.
- · Supplied with self-adjusting, telescopic suction tube and 2" bung nut.
- · Full Length: 1300mm



1" ROTARY PUMP

JEFLUROPUMP

- · Heavy-duty rotary pump transfers non corrosive fluids of light to medium viscosity
- · Seals are made of nitrile rubber
- · Suitable for up to 55 gallon barrels (205 Litres) · Comes complete with ERW pipe
- on suction and chrome plated on delivery side
- · 2" bung nut fitted with suction tube
- · Cast iron vanes precisely machined are fitted in pump housing for smoother delivery
- · Full Length: 1300mm



PRICE EX.VAT £41.25

12" FLEXIBLE **RUBBER HOSE**

- JEFLURHOSE12
- · Length: 12" (300mm)
- Made from heavy duty flexible rubber
- · Fits all standard grease guns for additional flexibility









7 LITRE MANUAL FLUID EXTRACTOR

JEFLUEXTM07

- · Made from ABS thermoplastic polymer material with aluminium inflator
- · Suitable for the extraction of all types of engine, transmission and lubricating oils from cars, motorcycles, engines and industrial machinery
- Also suitable for low viscosity fluids such as water
- · 7 Litre capacity
- · 26mm Suction port



(1M LONG) INCLUDED



TUNDRA 12.5KG HIGH PRESSURE GREASE PUMP

TUNHPGP-125

- · Provides portable, high pressure greasing, where power is not available or when an air operated grease pump cannot be afforded
- Pump has steel construction with aluminium cast head & solid steel pumping chamber
- Comes complete with lift handle, drum cover, rubber lining follower plate, 48" flexible grease hose fitted with professional four jaw coupler
- · Ideal for clean greasing of machinery, equipment, trucks and cars
- Drum cover diameter: 287mm
- · Pump Length Below Cover: 315mm
- · Pail Capacity: 12.5kg



PRICE EX.VAT £68.33

INDUSTRIAL



INDUSTRIAL

PRICE EX.VAT £457.50

TUNDRA 50:1 GREASE PUMP & GUN

TUNAGP50-60

- · World class industrial high pressure grease pump with guaranteed performance and hassle free operation
- · Dispenses grease at pressures up to 50 times the air inlet pressure
- · Designed to work in tough conditions - they are ideal for use in industry, workshop, agricultural, construction or as part of a mobile grease system
- Working Pressure: 2-10bar / 30-50psi
- · Max Air Pressure: 10bar (150psi)
- · Max Outlet Pressure: 500bar (7500psi)
- · Air Inlet Connection: 1/4" BSP Female
- · Grease Output: 110kg/min
- · For 50-60kg drums
- · Supplied complete with drum cover, rubber lined follower plate, 84" high pressure grease hose, Z swivel and professional grease control valve



PRICE EX.VAT £407.50

INDUSTRIAL

TUNDRA UNIVERSAL GREASE NIPPLE COUPLER

TUNHPQLGC-18

- · High pressure quick connect grease coupler
- Max Pressure: 8000psi
- · 1/8" BSPT (Female) threads



OIL CANS

· Available in 500cc & 1000cc

· Heavy-gauge tin-coated steel body with powder-coated finish

· Double steel ball valve pump mechanism for high pressure fluid delivery



| PRODUCT | SIZE | PRICE
Ex. Vat |
|---------------|--------|------------------|
| JEFLUOCAN500 | 500cc | £4.74 |
| JEFLUOCAN1000 | 1000cc | £8.49 |
| | | |

CONTINUOUS FLOW AIR GREASE GUN

JEFLUGGUN03

- · Pistol-type, single shot gun suitable for agricultural, automotive and industrial applications
- Die cast head and body with chromed steel grease tube
- Continuously pumps grease while trigger is depressed with 3 way fill and air-bleed valve
- · Accepts 400g grease cartridges, bulk or manual fill
- · Includes rigid delivery tube and 4-jaw coupler
- · Supplied with UK quick release air fitting
- · Angled spout
- · Operating pressure: 60-150psi
- · Delivery pressure: 1200 - 5000psi
- · Air inlet: 1/4" BSP
- · Capacity: 400cm³



PRICE EX.VAT **£40.21**

PROFESSIONAL IRON HEAD GREASE GUN

JEFLUGGUN04

- Highly durable drop resistant cast iron pump head with robust and durable construction
- Fitted with a comfortable easy grip handle
- Accepts 400g grease cartridges
- · Analed spout
- · Delivery pressure: 6000psi
- · Delivery per stroke: 0.7g
- · Capacity: 400cm3







PRICE EX.VAT **£24.38**

MULTI-FUNCTIONAL GREASE GUN

JEFLUGGUN05

- · Highly durable die-cast aluminium alloy pump head
- Fitted with a 2-way operating extendable handle: Piston type - Ideal for use in confined spaces Lever type - for when high pressure and volume is required
- · Suitable for standard 400g cartridges
- Straight spout and 18" flexible hose
- · Delivery pressure: 6000psi
- · Delivery per stroke: 0.56g
- · Capacity: 400cm3
- · Weight: 1.85kg




PRICE EX.VAT **£36.96**

TUNDRA DOUBLE LEVER GREASE GUN

TUNDLGG-18

- Double lever grease gun, complete with 300mm flexible hose with 4 jaw coupler
- Robust zinc plated lever handle and ergonomic rubber grip for ease of use
- · 1/8" BSPT threads





120 PIECE STANDARD AUTO FUSE SET

JEFABXABF120

- · Colour coded for easy amperage identification
- · Transparent for quick detection of blown fuses
- Made from PES with zinc alloy insert

Includes:

- · 15x 3Δ
- · 15x 5A · 15x 15A
- · 15x 7.5A · 15x 20A
- · 30x 10A · 15x 30A



PRICE EX.VAT £11.63

120 PIECE MINI AUTO FUSE SET

JEFABXMAF120

- · Colour coded for easy amperage identification
- · Transparent for quick detection of blown fuses
- · Made from PES with zinc alloy insert

Includes:

- · 20x 20A · 20x 5A
- · 20x 10A · 20x 25A
- · 20x 15A · 20x 30A



PRICE EX.VAT £11.04

200 PIECE CRIMP TERMINAL SET

JEFABXCRT200

Includes:

- · 10x Red Push-On Male 6.3mm
- 20x Red Butt Connector Ø3.3mm
- · 10x Red Female Socket Ø4mm
- · 10x Red Fully Insulated Female 6.3mm
- · 10x Red Bullet Ø4mm
- · 10x Red Push-On Female 2.8mm
- · 10x Blue Fully Insulated Female 6.3mm
- 10x Blue Push-On Male 6.3mm
- · 10x Blue Push-On Female 6.3mm
- · 15x Blue Butt Connector Ø4.5mm · 10x Blue Female Socket Ø5mm
- · 10x Blue Easy-Entry Ring Ø8.4mm
- · 15x Blue Butt Connector Ø4.5mm
- · 10x Blue Bullet Ø5mm
- · 10x Yellow Butt Connector Ø5.5mm
- · 10x Yellow Easy-Entry Ring Ø6.4mm
- · 10x Yellow Easy Entry Ring Ø8.4mm



PRICE EX.VAT £26.63

130 PIECE GREASE NIPPLE SET

JEFABXGRN130

Includes:

- · 22x Straight M6 x 1mm
- · 10x 45° M6 x 1mm
- · 10x Straight M8 x 1mm
- · 10x 45° M8 x 1mm
- · 10x Straight M10 x 1mm
- · 10x 45° M10 x 1mm
- · 10x Straight 1/4"UNF
- · 10x 45° 1/4"UNF
- · 10x Straight 1/4"BSP
- · 8x 45° 1/4"BSP
- · 10x Straight 1/8"BSP
- · 10x 45° 1/8"BSP



PRICE EX.VAT

95 PIECE MIXED COLOUR **HEAT SHRINK TUBING SET**

JEFABXHST095MC

- · Shrink Ratio: 2:1
- · Length: 100mm

Includes:

- · 30x Black Ø3mm
- · 40x Blue Ø5mm
- · 10x Red Ø7mm
- · 10x White Ø10mm
- · 5x Yellow Ø13mm



PRICE EX.VAT

200 PIECE RIVET NUT SPLINED THREADED INSERT SET

JEFABXRN200M

· Splined threaded insert

Includes:

- · 60x M4 x 0.7
- · 40x M5 x 0 8 • 60x M6 x 1
- · 40x M8 x 1.25



PRICE EX.VAT £16.63

200 PIECE METRIC SPRING SET

JEFABXSPR200M

Includes:

· 112x Extension Springs 12x 4.0 x 79.4mm 8x 4.8 x 44.5mm 10x 5.2 x 20.7mm 10x 5.6 x 25.4mm 10x 6.4 x 22.3mm 10x 7.1 x 38.1mm 12x 7.1 x 50.8mm 8x 8.0 x 28.6mm 10x 8.0 x 31.8mm 10x 8.7 x 36.5mm 12x 8.7 x 46.8mm

· 88x Compression Springs 10x 5.6 x 17.5mm

10x 5.6 x 38.1mm 10x 6 4 x 10 3mm 10x 7.1 x 12.7mm 10x 7.1 x 19mm 12x 7.9 x 44.5mm 8x 9.1 x 35mm 6x 9.5 x 15.9mm 12x 9 5 x 19mm



PRICE EX.VAT £9.13

95 PIECE BLACK HEAT SHRINK TUBING SET

JEFABXHST095BK

- · Shrink Ratio: 2:1
- · Length: 100mm

Includes:

- · 30x Ø3mm
- · 40x Ø5mm
- 10x Ø7mm · 10x Ø10mm
- · 5x Ø13mm



PRICE EX.VAT

150 PIECE R CLIP SET

JEFABXRC150

- · Zinc plated spring steel
- · Handy as a "quick-release" cotter pin substitute

Includes:

- · 42x 2 4 x 30 2mm
- · 25x 2.0 x 39.7mm
- · 30x 2.0 x 33.4mm
- · 25x 2.8mm x 41.3mm · 20x 3.6 x 44.4mm
- · 8x 4.0 x 74.6mm



PRICE EX.VAT £7.92

555 PIECE **SPLIT PIN SET**

JEFABXSP555

Includes:

- · 150x 1.6 x 25mm
- · 150x 2.4 x 25mm
- · 100x 2 4 x 38mm
- · 75x 3.2 x 32mm
- · 50x 3.2 x 50mm
- · 30x 4 0 x 64mm



PRICE EX.VAT £10.42

50 PIECE IMPERIAL LINCH PIN SET

JEFABXLHP050

- · Spring loaded rings to ensure a secure hold when installed
- · Low carbon steel construction
- · Zinc plated

Includes:

- · 18x 1/4" x 1¾"L
- · 16x 3/16" x 17/16"L
- · 6x 5/16" x 1¾"L
- · 10x 7/16" x 1¾"L



PRICE EX.VAT £23.29

250 PIECE ZINC PLATED IMPERIAL FLAT & SPRING WASHER SET

JEFABXFLSW250

Includes:

- · 98x Flat Washers 50x 3/16" 24x 1/4"
- 15x 5/16' 9x 3/8"

18x 5/16

12x 3/8"

· 152x Spring Washers 90x 3/16" 32x 1/4"



PRICE EX.VAT £4.58

150 PIECE METRIC **COPPER WASHER SET**

JEFABXCOW150M

- · 96% Copper
- · 10 of each size

Includes

(inner Ø x outer Ø x thickness):

- · 5 x 10 x 1mm · 6 x 10 x 1mm
- · 12 5 x 20 x 1 5mm
- · 7x 10 x 1mm
- · 14 x 18 x 1mm
- · 8 x 12 x 1mm

- · 14 x 20 x 1.5mm
- · 10 x 16 x 1mm
- · 15 x 20 x 2mm
- 10.5 x 17 x 1.5mm · 16 x 22 x 2mm

- · 11 x 17 x 1.5mm · 12 x 20 x 1.5mm
- · 16.5 x 24 x 2mm
- · 17.5 x 24 x 2mm



PRICE EX.VAT £27.46

240 PIECE ZINC **PLATED METRIC** REPAIR WASHER SET

JEFABXPRW240

Includes:

- · 60x M5 x 20 x 1.5mm
- · 10x M5 x 25 x 1.5mm
- · 60x M6 x 20 x 1 5mm
- · 35x M6 x 25 x 1.5mm
- · 10x M6 x 30 x 1.5mm
- · 35x M8 x 25 x 2mm · 10x M8 x 40 x 2mm
- · 10x M10 x 30 x 2mm
- · 10x M10 x 40 x 2mm



PRICE EX.VAT £16.63

90 PIECE METRIC DOWTY SEAL SET

JEFABXDOS090M

· Phosphated steel, NBR rubber

Includes:

- · 6x M6
- · 6x M8
- · 6x M10
- · 12x M12 · 12x M14
- · 12x M16
- · 12x M18
- · 12x M20
- · 6x M22
- · 6x M24



PRICE EX.VAT £15.79

90 PIECE IMPERIAL DOWTY SEAL SET

JEFABXD0S090I

· Phosphated steel, NBR rubber

Includes:

- · 30x 1/81
- · 18x 1/4"
- · 15x 3/8"
- · 12x 1/2'
- · 9x 5/8" · 6x 3/4"



PRICE EX.VAT

419 PIECE METRIC O-RING SET

JEFABXORG419M

- · Compatible with petroleum-based fluids like engine oil and gasoline
- · Resistant to low and high temperatures (-40°C ~ 120°C), air, water, petroleum products, mineral oil and hydraulic fluids, natural gases, kerosene, silicone, fluids, non-aromatic fuels & solvents
- Made from NBR

Includes (inner Ø x thickness):

- · 20x 3 0 x 1 5mm
- 20x 4.4 x 2.0mm · 10x 22.0 x 2.5mm
- · 18x 5.0 x 2.0mm · 10x 23.5 x 3.5mm
- · 23x 7 0 x 1 5mm · 10x 25 0 x 3 5mm · 23x 13.0 x 1.5mm · 10x 26.5 x 3.5mm
- · 14x 10.0 x 2.5mm · 10x 28.0 x 3.5mm
- · 13x 11.0 x 2.5mm · 10x 30.0 x 3.5mm
- 14x 13.0 x 2.5mm · 10x 31.0 x 3.5mm
- · 13x 14.0 x 2.5mm · 10x 33.0 x 3.5mm
- · 14x 16 0 x 2 5mm · 10x 34 5 x 3 5mm
- · 14x 18.0 x 2.5mm · 10x 36.0 x 3.5mm
- · 13x 19.0 x 2.5mm · 10x 38.0 x 3.5mm
- · 14x 21.0 x 2.5mm · 10x 41.0 x 3.5mm
- 13x 22.0 x 2.5mm · 10x 44.0 x 3.5mm
- · 10x 18.0 x 3.5mm · 10x 47.0 x 3.5mm
- · 10x 20.0 3.5mm · 10x 50.0 x 3.5mm



PRICE EX.VAT £19.96

407 PIECE IMPERIAL O-RING SET

JEFABXORG407I

- · Compatible with petroleum-based fluids like engine oil and gasoline
- · Resistant to low and high temperatures (-40°C ~ 120°C), air, water, petroleum products, mineral oil and hydraulic fluids, natural gases, kerosene, silicone, fluids, non-aromatic fuels & solvents
- · Made from NRR

Includes (inner Ø x thickness):

- · 20x 1/8" x 1/16"
- · 20x 3/16" x 1/16"
- · 20x 1/4" x 1/16" · 10x 7/8" x 1/8"
- · 20x 5/16" x 1/16" · 10x 15/16" x 1/8"
- · 10x 1" x 1/8" · 20x 3/8" x 1/16"
- · 20x 1/2" x 1/16" · 10x 11/16" x 1/8"
- · 13x 3/8" x 3/32" · 10x 11/8" x 1/8"
- · 13x 7/16" x 3/32" · 10x 13/16" x 1/8"
- · 10x 1¼" x 1/8" · 13x 1/2" x 3/32"
- 10x 15/18" x 1/8" 10x 13/2" x 1/8" · 13x 9/16" x 3/32"
- · 13x 5/8" x 3/32"
- · 13x 11/16" x 3/32" · 10x 17/16" x 1/8"
- · 13x 3/4" x 3/32" · 10x 1½" x 1/8"
- · 13x 13/16" x 3/32"
- · 10x 15/8" x 1/8"
- · 13x 7/8" x 3/32" · 10x 1¾" x 1/8"
- · 10x 3/4" x 1/8" · 10x 17/8" x 1/8"
- · 10x 13/16" x 1/8" · 10x 2" x 1/8"



PRICE EX.VAT £19.96

180 PIECE VITON O-RING SET

JEFABXVI0180

- · Includes:
- 120x 1 78mm thick 10x Ø2.57mm 15x Ø2.90mm 15x Ø3 69mm 15x Ø4.47mm 15x Ø5.25mm 15x Ø6 07mm

15x Ø7.65mm

10x Ø9.25mm

10x Ø15.6mm

10x Ø10.77mm 10x Ø12.37mm 5x Ø13 95mm 5x Ø15.54mm 5x Ø17.12mm 5x Ø18 72mm · 10x 3.53mm thick

10x Ø9 19mm

5x Ø18.64mm 5v Ø20 22mm



PRICE EX.VAT £19,96

200 PIECE INTERNAL & EXTERNAL METRIC CIRCLIP SET

JEFABXCIR200M

Includes:

- · 100x Internal Circlips · 100x External Clips 20x 11mm 20x 11mm
- 15x 13mm 15x 13mm 15x 16mm 15x 16mm 10x 10mm 10x 19mm
- 10x 21mm 10x 21mm 10x 22mm 10x 22mm
- 5x 25mm 5x 25mm 5x 30mm 5x 30mm
- 5x 35mm 5x 35mm 5x 38mm 5x 38mm



£15.79

120 PIECE METRIC ROLL PIN SET

JEFABXROP120M

Includes:

- · 4x 1.5 x 5mm · 5x 5.0 x 16mm
- · 4x 1.5 x 8mm · 5x 5.0 x 25mm
- · 4x 1.5 20mm · 5x 5.0 x 30mm
- · 4x 2.0 x 6mm · 4x 5.5 x 16mm · 4x 2.0 x 12mm · 4x 5.5 x 30mm
- · 4x 2.0 x 25mm · 4x 5.5 x 45mm
- 4x 2.5 x 16mm · 4x 6.0 x 16mm
- · 4x 2.5 x 25mm · 4x 6.0 x 30mm
- · 4x 2.5 x 30mm · 4x 6.0 x 45mm
- · 5x 3.0 x 16mm · 4x 8.0 x 20mm
- 5x 3.0 x 25mm 4x 8.0 x 40mm
- 5x 3.0 x 30mm · 4x 8.0 x 50mm 4x 4.0 x 16mm · 2x 10.0 x 20mm
- · 4x 4.0 x 25mm · 2x 10.0 x 40mm
- · 4x 4.0 x 40mm · 2x 10.0 x 50mm



PRICE EX.VAT £9.79

120 PIECE IMPERIAL ROLL PIN SET

JEFABXROP1201

Includes:

- · 4x 1/16" x 3/16" · 5x 3/16" x 5/8"
- · 4x 1/16" x 5/16" · 5x 3/16" x 1"
- · 4x 1/16" x 3/4" · 5x 3/16" x 11/4"
- · 4x 5/64" x 1/4" · 4x 7/32" x 5/8"
- · 4x 5/64" 1/2" · 4x 7/32" x 11/4"
- · 4x 5/64" x 1" · 4x 7/32" x 1¾" · 4x 1/4" x 5/8" · 4x 3/32" x 5/8"
- · 4x 1/4" x 11/4" · 4x 3/32" x 1"
- · 4x 3/32 x 11/4" · 4x 1/4" x 1¾"
- · 5x 1/8" x 5/8" 4x 5/16" x 3/4" · 4x 5/16" x 1½'

· 2x 3/8" x 11/2"

- · 5x 1/8" x 1" · 5x 1/8" x 11/4" · 4x 5/16" x 2"
- · 2x 3/8" x 3/4" · 4x 5/32" x 5/8"
- · 4x 5/32" x 1½" · 2x 3/8" x 2"

· 4x 5/32" x 1"



PRICE EX.VAT £9.79





PAGE 20

FLEXITUBS



- · Available in 26 Litre or 42 Litre
- · Frost proof
- · Strong handles for easy carrying
- Ideal for gardens, homes, stables, construction sites and a huge range of alternative applications

| PRODUCT | COLOUR | PRICE
EX. VAT | |
|---------------|----------|------------------|--|
| | 26 LITRE | | |
| JEFFLXTUB26-B | Black | £9.13 | |
| JEFFLXTUB26-Y | Yellow | £9.13 | |
| JEFFLXTUB26-G | Green | £9.13 | |
| 42 LITRE | | | |
| JEFFLXTUB42-B | Black | £10.79 | |
| JEFFLXTUB42-Y | Yellow | £10.79 | |
| JEFFLXTUB42-G | Green | £10.79 | |

15 LITRE TUFF-BULL BUCKETS

- · Heavy duty design
- · Weather resistant
- High rubber content that allows the material to bend and flex
- · Comfort grip handle
- Ideal for mixing, pouring liquid, transporting waste and rubbish
- Internal fill markings for accurate measurements of liquids and powders





| PRODUCT | COLOUR | PRICE
Ex. Vat |
|-----------|--------|------------------|
| JEFBTY15L | Yellow | £6.25 |
| JEFBTB15L | Black | £6.25 |

5 GALLON WHITE PLASTERERS BUCKET

JEFBTPL5G

- Heavy duty bucket which can be used for mixing plaster
- Strong wire handle with plastic grip





750ML LINE MARKER PAINT

- Ideal for painting in carparks, warehouses, engineering and construction environments
- Suitable for both interior and exterior applications
- Suitable for hand application as a spot marker or in conjunction with a line marking applicator
- In suitable conditions this paint dries within approx. 30mins and cures within 24 hours
- Suitable for use on asphalt (tarmac), concrete, gravel and grass
- Available in a range of colours to denote a variety of signals
- · Cap colour indicates paint type



| PRODUCT | USAGE | PRICE
EX. VAT |
|------------|-----------------------------------|------------------|
| JEFMLINE-0 | Orange: Hazard/Caution | £6.66 |
| JEFMLINE-B | Blue: Mandatory | £6.66 |
| JEFMLINE-R | Red: Prohibition/Danger | £6.66 |
| JEFMLINE-Y | Yellow: Hazard/Caution | £6.66 |
| JEFMLINE-G | Green: Safe Condition / Direction | £6.66 |
| JEFMLINE-W | White: General Marking | £6.66 |

500ML SPRAY PAINT

1

Jefferson Spray Paints are for interior and exterior use. With enhanced covering power and excellent adhesion and durability, this paint delivers a perfect finish on wood, metal, ceramic, plastic and other surfaces. Touch dry within 20-30 minutes of application in suitable environments.



| | PRODUCT | DESCRIPTION | PRICE
Ex. Vat |
|---|-------------|-------------|------------------|
| 1 | JEFSPR10-MB | Matte Black | £5.49 |
| 2 | JEFSPR11-GB | Gloss Black | £5.49 |
| 3 | JEFSPR12-PG | Grey Primer | £5.49 |

500ML AEROSOL RANGE LUBRICANT * PAINT * CLEANER * GREASE





CHAIN LUBRICANT

JEFSPR05


- Specially formulated lubricant that can be used in a wide variety of applications
- Lubricates and penetrates chains, ropes, cables, linkages, hinges and catches
- Can be used on both metal and plastic applications, and has anti-fling properties
- Reduces wear and tear and increases the lifespan of these components






SILICONE SPRAY

JEFSPR10









£6.63




CUTTING & TAPPING LUBRICANT

JEFSPR13

- · Medium viscosity cutting fluid
- Designed to help reduce wear and tear and prolong the life of tools whilst improving surface finish
- Specially designed formulation helps eliminate heat build up and lowers the amount of swarf created





PRICE EX.VAT

ZINC GALVANISING SPRAY

JEFSPR14

- Fast-drying metallic zinc coating that can be used as both primer and top coat
- Can be used to touch up welded areas to give a longterm anti-corrosive covering
- Can be applied to a variety of surfaces and works best on metals











BRAKE CLEANER SPRAY

JEFSPR07

- Designed to loosen dirt from all associated parts of brake mechanisms and rotors
- High performance solvent cleaner and degreaser that flushes components clean
- Removes oil, brake fluid, grease and other dirt from metal parts
- Helps to restore the friction of brake material, whilst leaving no residue

REMOVABLE

PRECISION STRAW





PRICE EX.VAT £5.79

ALUMINIUM & COPPER ANTI SEIZE GREASE

JEFSPR08

- Heavy duty anti-seize spray aerosol that can withstand high temperature and pressure
- It has penetrating properties making it ideal for use on cable, linkages, hinges in addition to threaded components
- Features an all angle valve to allow use in a range of places



PRICE EX.VAT **£7.46**

WHITE GREASE WITH PTFE

JEFSPR11

- · White, adhering spray grease in a spray can, based on lubricating greases
- Water-repellent and wear lagging, free from silicone and acid
- Extends the service life of the lubricant parts, even when exposed to higher pressure, impact to strain and vibratory stresses
- Excellent lubricating and corrosion protection characteristics
- When used for hollow bodies or roll bearings the space must only be filled up to one third



COPPER GREASE

JEFSPR12



 Provides the protection needed when working with copper piping and other copper based materials





PRICE EX.VAT **£7.46**

MULTI-PURPOSE LUBRICANT AEROSOL 500ML





CUTTING & TAPPING FLUID 500ML

JEFSPR03



1 LITRE WATER BASED ANTI SPATTER

JEFASPWAT01L

- Ready to use water-based weld spatter release, suitable for spatter protection in all welding applications
- Emits no harmful fumes, is non-flammable, biodegradable and offers short term protection against corrosion
- Contains no silicones thereby eliminating preparation work for painting



USE WITH ANY JEFFERSON & TUNDRA MIG WELDERS

Find them in WELDING... FROM PAGE 38

PRICE EX.VAT

1 LITRE 10W30 **MULTIPURPOSE ENGINE OIL**

JEFOIL10W30-1L

Suitable for normally aspirated and turbo charged, highly stressed petrol and diesel engines in cars and heavy commercials, vans, plant, buses and industrial equipment. It is miscible with all synthetic and mineral based engine oils.



GECKO GK1 HEAVY DUTY HAND WIPES (PACK OF 100)

JEFHWIP100

- · Heavy-duty hand & surface wipe 20 x 20cm
- · Specially designed for use in construction, facilities management, local authority, engineering, automotive & farming sectors
- Manufactured from a thick heavy duty blue material that is textured on one side & soft on the other side
- With a dermatologically tested anti-bacterial formula that easily removes grease and grime from hands & surfaces
- Manufactured in the UK & Certified to: BS EN14476, EN1650, EN1276, EN13697, EN13727 IS09001 & IS014001









1 LITRE HT68 COMPRESSOR OIL

JEFOILHT68-1L

Specialist compressor oil which is also suitable for use in rotary screw, vane, vacuum pumps and reciprocating compressors.

- · Prolonged service life due to good oxidation resistance excellent anti-wear and
- anti-corrosion properties Low foaming tendency
- · Good demulsibility



GECKO GK1 HEAVY DUTY HAND CLEANSER

- · Designed to effectively remove oil, grease and ground-in soils and substances from skin
- Contains no harsh solvents
- · Manufactured from natural extracts and ingredients, making it gentle on skin
- Contains polychips to enhance cleansing action and lanolin to help prevent chapped and dry hands
- Ideal for automotive, engineering, agricultural and domestic use







MANUFACTURED

FROM NYLON 66

(NON-RECYCLED)



| PRODUCT | SIZE | PRICE
Ex. Vat |
|------------|---------|------------------|
| JEFHCLN0.5 | 500ml | £4.91 |
| JEFHCLN03 | 3 Litre | £13.75 |

CABLE TIES

- · Manufactured from Nylon 66 material, allowing for increased heat resistance, excellent abrasion resistance and outstanding dimensional stability, meaning higher tensile strength
- · All black cable ties within the range are UV resistant
- Supplied in retail packs of 100
- Ideal for domestic and industrial usage





| PRODUCT | DESCRIPTION | PRICE
Ex. Vat |
|----------------|--------------------------------------|------------------|
| JEFCT0140-3.6W | 3.6mm x 140mm Natural (Pack of 100) | £1.66 |
| JEFCT0200-7.6W | 7.6mm x 200mm Natural (Pack of 100) | £5.50 |
| JEFCT1220-9.0W | 9.0mm x 1220mm Natural (Pack of 100) | £34.58 |





SYMBOL GLOSSARY



Amperage Rating AMP

TONNE

Max. Lifting Capacity



Max. Load Capacity

kVA

Kilovolt Amperes Rating



Wattage Rating



Max. Charge Time

(Н

Max. Runtime



Capacity



110 Volt Input Power



230 Volt Input Power



Manufactured

from Chrome

Molybdenum

415 Volt Input Power



Fitted with 13A plug

Supplied in a

Blow Moulded



Imperia Measure



Metric Measure

Suitable for

Water-Based Paint



Manufactured from Chrome Vanadium

Automatic Total

Stop System



30,000V Insulation

Cr-Mo



Rechargeable Battery



Case Slotted





Spline



TRX-Star / Torx



Phillips



Pozi



Coated with UV-Ray Resistant Paint



Impact Resistance



Electric Start Motor



Automatic Voltage Regulator



Roller Bearing **Function for Easy** Open/Close



Lockable Drawers



On/Off Hand Motion Sensor



Ingress Protection Rating



Protected from water splashes from any



Protected against solid objects bigger than 1mm and water sprays from any direction



Compression connection



Protected from limited dust ingress and water spray from any direction



Protected from total dust ingress and water spray from any direction



Protected from total dust ingress and low pressure water jets from any direction Super Premium Motor Efficiency



Magnetised Base/Hanger



High Visibility

Kevlar Stitching



Cut Level 5 Protection

Three

Phase



Includes Latex

Heavy Duty Products deemed suitable for use on-site which have been designed to

Premium Motor Efficiency




Light Trade products suitable for less industrial applications while ensuring excellent value for money



Class II

Nylon Coating Reduces the Wear





withstand the stresses of demanding use Direct DIRECT Drive Motor DRIVE



RFIT **DRIVE**

Belt Drive

Pump V-PUMP

'V" Twin



MULTI



Purpose

300 SECOND

- I O N

300 Second Boost enables a fast charge



MacGen Engine



Loncin Engine



LIFT TIG

Function Made In



Allows for a potential error of ±2.3mm











Volt Input



Stage V **Emissions** Standard







100% Copper Wire Guaranteed



EPISTAR L E D

High-Brightness LEDs









CREE Superior Materials And Performance

WARRANTY



Jefferson offers a minimum one year warranty, with the compressor range covered for two years. Lifetime warranty badges can be found on some Jefferson hand tools and may apply to non-moving parts only. The Tundra three year warranty covers the machine only of the plasma cutter. Visit jeffersontools.com/warranty-repairs to find out more about Jefferson Warranty and to complete a Warranty Registration Form for your brand new products.



PCL MK4 tyre inflators have now extended warranty from 12 months to two years.



To make choosing the right product a little easier, we have added the **Bestseller** icon to the most popular products within our exceptional range of tools & equipment



Look out for the New Product badge for all



The "Professional" badge represents products which have been tested in controlled environments to prove their durability under professional environmental and physical demands

INDUSTRIAL

The "Industrial" badge represents products which have been tested in rugged environments, proving their durability under extreme environmental and physical demands







AIR TOOLS * WELDING * POWER TOOLS * HEATING & COOLING * PRESSURE WASHING * ACCESS EQUIPMENT * AUTOMOTIVE & WORKSHOP * LIGHT & POWER

HAND TOOLS * STORAGE LIFTING & TRANSPORT * PERSONAL PROTECTION FOLIPMENT * ARRASIVES * FILLID & GREASE HANDLING * GENERAL SLIPPLIES





SCAN HERE TO VISIT US ONLINE

CALL US: +44(0) 1244 646 048 **OUR OFFICE IS OPEN:**

Monday - Thursday 8.30am - 5.00pm

Friday 8.30am - 4.00pm

The information in this catalogue is to the best of our knowledge true and accurate, but all recommendations or suggestions are made without guarantee. All Jefferson® pricing is subject to change due to potential changing market conditions. Since the conditions of use are beyond their control, Jefferson® Tools disclaim any liability for loss or damage suffered from the use of this data or suggestions. Furthermore no liability is accepted if use of any product in accordance with this data or suggestions infringes any patent. Jefferson® Tools reserve the right to change product specification without further notification. All images are for illustration purposes only and remain copyright Jefferson® Tools.